Tetrahedron: *Asymmetry*

The International Journal for Rapid Publication on all Aspects of Asymmetry in Organic, Inorganic, Organometallic, Physical and Bio-organic Chemistry

Editor-in-Chief: **STEPHEN G. DAVIES**, *University of Oxford, Oxford, UK*
Chairman of the Executive Board of Editors for Tetrahedron Publications: Sir Derek Barton, *Texas A&M University, USA*

AUTHOR INDEX AND CONTENTS
Volume 7 (1996)

Pergamon

TETRAHEDRON: *Asymmetry*

Editor-in-Chief: **Professor S. G. DAVIES,** Dyson Perrins Laboratory
South Parks Road, Oxford OX1 3QY, UK
Fax: (44) 1865 275633
e-mail: asymm@dpl.ox.ac.uk

Japanese Regional Editor: **Professor T. Hayashi,** Department of Chemistry, Faculty of Science, Kyoto University, Kyoto 606, Japan
Fax: (81) 75-753-3988
e-mail: thayashi@th1.orgchem.kuchem.kyoto-u.ac.jp

American Regional Editor: **Professor D. P. Curran,** Department of Chemistry, University of Pittsburgh, Pittsburgh PA 15260, USA
Fax: (1) 412 624-9861
e-mail: tetasym+@pitt.edu

EXECUTIVE BOARD OF EDITORS FOR TETRAHEDRON PUBLICATIONS

Chairman: **Professor Sir Derek Barton, FRS,** Department of Chemistry, Texas A & M University, College Station, Texas 77843-3255, USA

Professor J. E. Baldwin, FRS, Dyson Perrins Laboratory, Oxford, OX1 3QY, UK

Professor D. L. Boger, Department of Chemistry, The Scripps Research Institute, La Jolla, CA 92037, USA

Professor L. Ghosez, Laboratoire de Chimie Organique de Synthèse, Université Catholique de Louvain, B-1348 Louvain-la-Neuve, Belgium

Professor A. R. Katritzky, FRS, Department of Chemistry, University of Florida, Gainesville, FL 32611, USA

Professor N. K. Kochetkov, N. D. Zelinsky Institute of Organic Chemistry, Academy of Sciences, Moscow B-334, Russia

Professor Lin Guo-Qiang, Shanghai Institute of Organic Chemistry, Academia Sinica, Shanghai 200032, China

Professor S. F. Martin, Department of Chemistry and Biochemistry, University of Texas, Austin, TX 78712, USA

Professor A. McKillop, University of East Anglia, School of Chemical Sciences, University Plain, Norwich, NR4 7TJ, UK

Professor W. B. Motherwell, Department of Chemistry, University College, 20 Gordon Street, London WC1H 0AJ, UK

Professor G. Ourisson, Centre National de la Recherche Scientifique, Centre de Neurochimie, 67084 Strasbourg, Cedex, France
(Associate Editor, Professor G. Solladié)

Professor G. H. Posner, Department of Chemistry, Johns Hopkins University, Baltimore, MD 21218, USA

Professor T. Shioiri, Faculty of Pharmaceutical Sciences, Nagoya City University, Tanabe-dori, Mizuho-ku, Nagoya 467, Japan

Professor W. Steglich, Institut für Organische Chemie der Universität München, Karlstr. 23, D-80333 München, Germany

Professor H. H. Wasserman, Department of Chemistry, Yale University, PO Box 208107, New Haven, CT 06520-8107, USA
(Associate Editor, Professor D. P. Curran)

Professor C.-H. Wong, Department of Chemistry, The Scripps Research Institute, La Jolla, CA 92037, USA

Professor Y. Yamamoto, Department of Chemistry, Faculty of Science, Tohoku University, Sendai 980-77, Japan
(Associate Editor, Professor M. Hirama)

BOARD OF CONSULTING EDITORS

F. Arcamone, Milan
D. Arigoni, Zurich
A. R. Battersby, Cambridge
A. L. J. Beckwith, Canberra
R. Breslow, New York, NY
H. C. Brown, Lafayette, IN
J. M. Brown, Oxford
H. Brunner, Regensburg
A. Collet, Lyon
E. J. Corey, Cambridge, MA
P. Deslongchamps, Sherbrooke
W. von E. Doering, Cambridge, MA
J. Elguero, Madrid
D. Enders, Aachen
A. Eschenmoser, Zurich
C. Gennari, Milan
L. M. Harwood, Reading
G. Helmchen, Heidelberg
Y. Hirata, Nagoya
R. Huisgen, Munich
W. S. Johnson, Stanford, CA
J. B. Jones, Toronto
X. T. Liang, Beijing
J. Michalski, Lodz
K. Mori, Tokyo
T. Mukaiyama, Tokyo
K. Nakanishi, New York, NY
T. Norin, Stockholm
R. Noyori, Nagoya
S. Nozoe, Sendai
L. E. Overman, Irvine, CA
P. Potier, Gif-sur-Yvette
V. Prelog, Zurich
G. Quinkert, Frankfurt
C. W. Rees, London
W. R. Roush, Bloomington, IN
A. I. Scott, College Station, TX
K. B. Sharpless, La Jolla, CA
A. B. Smith, III, Philadelphia, PA
G. Solladié, Strasbourg
H. A. Staab, Heidelberg
G. Stork, New York, NY
Sukh Dev, New Delhi
W. Tochtermann, Kiel
H. G. Viehe, Louvain-la-Neuve
E. Vogel, Cologne
P. von Ragué Schleyer, Erlangen
Y. Wang, Shanghai
G. H. Whitham, Oxford
K. B. Wiberg, New Haven, CT
S. B. Wild, Canberra
E. Winterfeldt, Hannover
H. Yamamoto, Nagoya
N. S. Zefirov, Moscow

1997 PUBLISHED TWICE MONTHLY

Tetrahedron: Asymmetry is included in subscriptions to *Tetrahedron* but can also be ordered separately

Subscription Rates

Annual Institutional Subscription Rates 1997 (24 issues): Europe, The CIS and Japan 2210.00 NLG. All other countries US$1364.00. NLG prices exclude VAT. Non-VAT registered customers in the European Community will be charged the appropriate VAT in addition to the price listed. Prices include postage and insurance and are subject to change without notice. Any enquiry relating to subscriptions should be sent to:

The Americas: Elsevier Science, Customer Support Department, PO Box 945, New York, NY 10010, USA [Tel: (+1) 212-633-3730/1-888 4ES-INFO. Fax: (+1) 212-633-3680. E-mail: usinfo-f@elsevier.com].

Japan: Elsevier Science, Customer Support Department, 9-15 Higashi-Azabu 1-chome, Minato-ku, Tokyo 106, Japan [Tel: (+81) 3-5561-5033. Fax: (+81) 3-5561-5047. E-mail: kyf04035@niftyserve.or.jp].

Asia Pacific (*excluding Japan*): Elsevier Science (Singapore) Pte Ltd, No. 1 Temasek Avenue, 17-01 Millenia Tower, Singapore 039192. [Tel: (+65) 434-3727. Fax: (+65) 337-2230. E-mail: asiainfo@elsevier.com.sg].

Rest of the World: Elsevier Science Customer Service Department, PO Box 211, 1001 AE Amsterdam, The Netherlands [Tel: (+31) 20-485-3757. Fax: (+31) 20-485-3432. E-mail: nlinfo-f@elsevier.nl].

Copyright © 1997 Elsevier Science Ltd

Author Index 1996

Abalain C. Buisson D. and Azerad R. Selective synthesis of 1- and 3-carbomethoxy 2-tetralol stereoisomers by microbial reduction of the corresponding tetralones 2983

Abdallah N. see Ridvan L. 231

Abrate F. Bravo P. Frigerio M. Viani F. and Zanda M. Synthesis and reactions of enantiomerically pure chloromethyl oxiranes 581

Acemoglu F. see Solladié-Cavallo A. 1797

Acher F. see Coudert E. 2963

Achiwa I. see Yamazaki A. 403

Achiwa K. see Yamazaki A. 403

Adachi Y. see Zhang W. 451

Adachi Y. see Zhang W. 1235

Adam W. Díaz M. T. Fell R. T. and Saha-Möller C. R. Kinetic resolution of racemic α-hydroxy ketones by lipase-catalyzed irreversible transesterification 2207

Adam W. Jeko J. Lévai A. Majer Z. Nemes C. Patonay T. Párkányi L. and Sebok P. Determination of the absolute configuration of optically active 2,2-dimethyl-3,4-epoxychromans prepared by the catalytic enantioselective epoxidation with the dimethyldioxirane/Jacobsen Mn(III)salen system 2437

Adam W. Lazarus M. Saha-Möller C. R. and Schreier P. Enantioselective α hydroxylation of carboxylic acids with molecular oxygen catalyzed by the α oxidation enzyme system of young pea leaves (*Pisum sativum*): a substrate selectivity study 2287

Adolfsson H. Nordström K. Wärnmark K. and Moberg C. Novel 2-(hydroxyalkyl)-pyridines derived from the chiral pool 1967

Adrian, Jr J. C. and Ovitt T. M. An improved, two step synthesis of the chiral templating reagent 2,6-dihydroxy-9,10-dihydro-11,12-dicarbomethoxyetheno-anthracene 2407

Agbossou F. see Roucoux A. 379

Ager D. Cooper N. Cox G. G. Garro-Hélion F. and Harwood L. M. Synthesis, isomerisation and Diels–Alder reactions of (5*S*)-5-phenyl-3,4-dehydro-morpholin-2-one 2563

Ahlberg P. see Zul-Qarnian Khan 399

Ahn M. see Tanaka K. 1771

Ahond A. see Al Mourabit A. 3455

Airola K. see Gefflaut T. 3099

Akita H. see Ono M. 2595

Alcaide B. Moreno A. M. Rodríguez-Vicente A. and Sierra M. A. The asymmetric synthesis of 2,3-benzocarbapenems by intramolecular aryl radical cyclizations 2203

Alcudia A. see Benabra A. 3353

Alcudia F. see Benabra A. 3353

Alcudia Cruz A. see García Ruano J. L. 3407

Alexakis A. Mhamdi F. Lagasse F. and Mangeney P. Asymmetric cleavage of chiral α,β-ethylenic acetals by organolithium reagents 3343

Allenmark S. Claeson S. and Löwendahl C. Stereochemistry of the formation of endocyclic sulfoximides from *o*-carboxyphenyl sulfoxides 361

Allenmark S. G. and Andersson M. A. Chloroperoxidase-catalyzed asymmetric synthesis of a series of aromatic cyclic sulfoxides 1089

Al Mourabit A. Beckmann M. Poupat C. Ahond A. and Potier P. New C_2 symmetrical and semisymmetrical substituted imidazolium ribonucleoside. Imidazolic nucleosides analogues 3455

Altenbach H.-J. and Merhof G. F. Synthesis of 1-deoxy-4-thio-L-ribose starting from D-arabitol 3087

Altenbach H.-J. Merhof G. F. and Brauer D. J. *S*-(−)-2-Acetoxymethyl-2,5-dihydrothiophene via enzymatic resolution 2493

Alvarez-Larena A. see Ortuño R. M. 127

Alvaro G. and Savoia D. Addition of allylmetal reagents to the imine derived from 2-pyridine carboxaldehyde and methyl (*S*)-valinate. Synthesis of (*S*)- and (*R*)-1-(2-pyridyl)-3-butenamine 2083

Amador P. see Anaya de Parrodi C. 1915

Amat M. Coll Mª D. Passarella D. and Bosch J. An enantioselective synthesis of the *Strychnos* alkaloid (−)-tubifoline 2775

Amat M. Hidalgo J. and Bosch J. Synthesis of enantiopure 3,4-disubstituted piperidines. An asymmetric synthesis of (+)-paroxetine 1591

Amat M. Hidalgo J. and Bosch J. Corrigendum 1845

Amat M. Llor N. Hidalgo J. Bosch J. Molins E. and Miravitlles C. New chiral nonracemic piperidine-derived epoxy lactams 2501

Amat M. Llor N. Hidalgo J. Hernández A. and Bosch J. Synthesis of enantiopure

piperidines. Total synthesis of (2*R*,6*S*)-2-methyl-6-propyl-piperidine [(–)-dihydropinidine] 977
Amat M. Pshenichnyi G. Bosch J. Molins E. and Miravitlles C. Enantioselective syntheses of the indole alkaloid (+)-*R*-decarbomethoxytetrahydrosecodine and its enantiomer 3091
Anastasia M. see Tempkin O. 2721
Anaya de Parrodi C. Juaristi E. Quintero-Cortés L. and Amador P. Enantioselective addition of Et_2Zn to benzaldehyde catalyzed by *N*-(*S*)-α-methylbenzyl-β-aminoalcohols 1915
Andersch P. and Schneider M. P. Enzyme assisted synthesis of D-*myo*-inositol-1,2,6-trisphosphate 349
Anderson J. see Cheng H. 3083
Andersson M. A. see Allenmark S. G. 1089
Andersson P. G. see Koroleva E. B. 2467
Andrews D. M. see Page P. C. B. 619
Anilkumar A. T. see Nair M. S. 511
Annunziata R. see Palmisano G. 1
Anoro S. see Merino P. 1887
Anthonsen H. W. see Hoff B. H. 3187
Anthonsen H. W. Hoff B. H. and Anthonsen T. Calculation of enantiomer ratio and equilibrium constants in biocatalytic ping-pong bi–bi resolutions 2633
Anthonsen T. see Anthonsen H. W. 2633
Anthonsen T. see Hoff B. H. 3181
Anthonsen T. see Hoff B. H. 3187
Antolini L. Forni A. Moretti I. Prati F. Laurent E. and Gestmann D. Synthesis, enzymatic resolution and absolute configuration of ethyl *trans*-3-(trifluoromethyl)pyroglutamate 3309
Antunes O. A. C. see Gonçalves L. P. B. 1237
Aragón F. see Izquierdo I. 2567
Arai Y. Masuda T. Masaki Y. and Shiro M. Highly stereoselective hetero Diels–Alder reactions of chiral 3-(*p*-tolylsulfinyl)-2-furaldehyde with Danishefsky's diene promoted by a lanthanoid Lewis acid 1199
Arjona O. see Aceña J. L. 3535
Arvidsson P. I. see Zul-Qarnian Khan 399
Asada D. see Iseki K. 1205
Avalos M. Babiano R. Cintas P. Jiménez J. L. and Palacios J. C. A simple, CIP-based notation system for the unambiguous specification of asymmetric reactions 2333
Avenoza A. Cativiela C. Fernández-Recio M. A. and Peregrina J. M. Synthesis of a new enantiomerically pure constrained homoserine 721
Avenoza A. Cativiela C. Peregrina J. M. and Zurbano M. M. Synthesis of *meso*-2,4-diaminoglutaric acid 1555
Avilov D. V. see Soloshonok V. A. 1547
Aw B.-H. Selvaratnam S. Leung P.-H. Rees N. H. and McFarlane W. NMR assignment of absolute configuration of a P-chiral diphosphine and mechanics of its stereoselective formation 1753
Azerad R. see Abalain C. 2983
Azerad R. see Buisson D. 9
Azerad R. see Coudert E. 2963

Babiano R. see Avalos M. 2333
Bachki A. Foubelo F. and Yus M. Chiral epoxides as a source of chiral β-oxidofunctionalised organolithium compounds: reaction with electrophiles 2997
Bacigaluppo J. A. Colombo M. I. Preite M. D. Zinczuk J. Rúveda E. A. and Sieler J. Enantioselective syntheses and resolution of the key White intermediate for the synthesis of trisporic acids 1041
Baitz-Gács E. see Egri G. 1437
Bakthadoss M. see Basavaiah D. 997
Balderas M. see Juaristi E. 2233
Baldoli C. see Bassoli A. 1903
Baldwin B. W. and Morrow C. J. Differentiation and assignment of the proton NMR signals in the bis-MTPA ester of *meso*-α,α'-dimethyl-1,4-benzenedimethanol 2871
Ball R. G. see Senanayake C. H. 1501
Ballschuh S. see Theil F. 3565
Bandini E. see Bongini A. 3485
Barbaro P. Bianchini C. and Sernau V. New enantiomerically pure aminoalcohols from (*R*)-α-methylbenzylamine and cyclohexene oxide 843
Barber A. D. see Joshi B. S. 25
Bárcena A. I. see García Ruano J. L. 139
Bardot V. Besse P. Gelas-Miahle Y. Remuson R. and Veschambre H. Microbial synthesis of (+)-(3*R*)-ethyl 3-hydroxy-3-(3,4-dimethoxyphenyl)propionate 1077
Barra C. see Danieli B. 1675
Barrelle M. Boyer L. Chang-Fong J. and Hamman S. 2-Fluoro-2-phenylacetic acid as a chiral derivatizing agent—VI. Distinction of configurations of its esters with 2,2'-dihydroxy-1,1'-binaphthyl and some derivatives by ^{19}F NMR 1961
Barros D. see García Ruano J. L. 1819
Barz M. Herdtweck E. and Thiel W. R. Kinetic resolution of *trans*-2-(1-pyrazolyl)cyclohexan-1-ol catalyzed by lipase B from *Candida antarctica* 1717
Basavaiah D. Pandiaraju S. Bakthadoss M. and Muthukumaran K. (1*R*,2*R*)-2-Nitroxycyclohexan-1-ol: first example of a cyclohexyl based chiral auxiliary with nitroxy function as diastereoface discriminating group 997
Basavaiah D. Pandiaraju S. and Muthukumaran K. Enantioselective synthesis of (1*R*,2*R*)- and (1*S*,2*S*)-2-nitroxycyclohexan-1-ols 13
Basoli C. see Chelucci G. 885
Bassoli A. Merlini L. Baldoli C. Maiorana S. and Drew M. G. B. Asymmetric synthesis of (+)- and (–)-2-(2-methoxyphenyl)-3,1-benzoxathiane 1903
Battistini L. see Zanardi F. 1167
Bauer T. Highly stereoselective addition of 2-trimethylsilyloxyfuran to *N*-glyoxyloyl-(2*R*)-bornane-10,2-sultam 981
Bauer T. Chapuis C. Jezewski A. Kozak J. and Jurczak J. Stereochemical course of the [4+2] cycloaddition of 1-methoxybuta-1,3-diene to *N*-glyoxyloyl-(2*R*)-bornane-10,2-sultam. The formal synthesis of compactin and mevinolin 1391
Bauer T. Jezewski A.

Chapuis C. and Jurczak J. Efficient synthesis of *N*-glyoxyloyl-(2*R*)-bornane-10,2-sultam 1385
Bauer T. Jezewski A. and Jurczak J. The stereocontrolled synthesis of methyl 2,6-*N*,*N*-diacetyl-D-purpurosaminide C 1405
Bauer U. see Gefflaut T. 3099
Becker Y. see Shvo Y. 911
Beckmann M. see Al Mourabit A. 3455
Belaud C. see Nyzam V. 1835
Bell A. A. Nash R. J. and Fleet G. W. J. Acetonides of octonolactones 595
Bellucci G. Chiappe C. and Cordoni A. Enantioconvergent transformation of racemic *cis*-β-alkyl substituted styrene oxides to (*R*,*R*) *threo* diols by microsomal epoxide hydrolase catalysed hydrolysis 197
Belokon' Y. Ikonnikov N. Moscalenko M. North M. Orlova S. Tararov V. and Yashkina L. Asymmetric trimethylsilyl-cyanation of aldehydes catalyzed by chiral (salen)Ti(IV) complexes 851
Belokon' Y. N. see Sergeeva E. V. 3445
Benabra A. Alcudia A. Khiar N. Fernández I. and Alcudia F. Unprecedented base effect on the synthesis of chiral phosphinate esters: a new route to P-chiral phosphine oxides of high enantiomeric purity 3353
Berdagué P. see Meddour A. 2489
Berens U. Brown J. M. Long J. and Selke R. Synthesis and resolution of 2,2'-bis-diphenylphosphino-[3,3']biindolyl; a new atropisomeric ligand for transition metal catalysis 285
Berens U. and Selke R. New seven-membered ring chelates with unexpected enantioselectivity induction in asymmetric hydrogenation—hint for a constant relative enantioselectivity *Q* for pairs of substrates determined by the structure of the catalysts 2055
Berkessel A. and Frauenkron M. Stoichiometric asymmetric oxidation with hydrogen peroxide activated by a chiral phosphoryl chloride 671
Berkowitz D. B. and Maeng J.-H. Enantioselective entry into benzoxabicyclo[2.2.1]heptyl systems via enzymatic desymmetrization: toward chiral building blocks for lignan synthesis 1577
Berkowitz D. B. and Maeng J.-H. Corrigendum 2159
Bermudez J. L. del Campo C. Salazar L. Llama E. F. and Sinisterra J. V. A new application of *Candida antarctica* lipase for obtaining natural homochiral BBAs aryloxypropanolamine 2485
Bernabeu M. C. Bonete P. Caturla F. Chinchilla R. and Nájera C. Asymmetric synthesis of β-hydroxy sulfones by reduction of chiral β-keto sulfones 2475
Bernáth G. see Csomós P. 1789
Bernáth G. see Kanerva L. T. 1705
Besra G. S. see Estevez J. C. 383
Besra G. S. see Estevez J. C. 387
Besra G. S. see Estevez J. C. 391
Besse P. see Bardot V. 1077
Bessières B. see Hercouet A. 283
Bessières B. see Hercouet A. 620
Bessières B. see Hercouet A. 1267
Bethell D. see Page P. C. B. 619
Bhalay G. see Davies S. G. 1595
Bhatnagar P. see Heerding D. 237
Bhattacharya I. see Vankar P. S. 1683
Bhawal B. M. see Srirajan V. 2733
Bhushan V. see Lohray B. B. 2411
Bhushan V. see Lohray B. B. 2805
Biadatti T. Esker J. L. and Johnson C. R. Chemoenzymatic synthesis of a versatile cyclopentenone: (+)-(3a*S*,6a*S*)-2,2-dimethyl-3aβ,6aβ-dihydro-4*H*-cyclopenta-1,3-dioxol-4-one 2313
Bianchini C. see Barbaro P. 843
Bienz S. see Huber P. 69
Biggadike K. see Blériot Y. 2761
Biju Kumar G. Patel H. V. Shah A. C. Trenkle M. and Cardin C. J. Diastereoselective formation of 2-aryl-3-arenesulfonyl 4-ethyl-1,3-oxazolidines: an X-ray crystallographic and ^{1}H NMR study 3391
Blacker A. J. see Boyd D. R. 1559
Blacklock T. J. see Tempkin O. 2721
Błaszczyk J. see Mikołajczyk M. 3513
Blériot Y. Veighey C. R. Smelt K. H. Cadefau J. Stalmans W. Biggadike K. Lane A. L. Müller M. Watkin D. J. and Fleet G. W. J. The first example of a 6-*C*-aryl-D-glucose: inhibition of glucokinase 2761
Bloch R. see Cinquin C. 3327
Boavida dos Santos P. M. A. C. see Franssen M. C. R. 497
Böcskei Z. see Mravik A. 1477
Böhme M. see Issberner J. 2223
Boiadjiev S. E. and Lightner D. A. Stereocontrol of bilirubin conformation 1309
Boiadjiev S. E. and Lightner D. A. pH-Sensitive exciton chirality chromophore. Solvatochromic effects on circular dichroism spectra 2825
Bold G. see Solladié-Cavallo A. 1797
Bonadies F. see Scettri A. 629
Bonadies F. see Scettri A. 657
Bonete P. see Bernabeu M. C. 2475
Bongini A. Camerini R. and Panunzio M. Efficient synthesis of the four diastereomers of phosphothreonine from lactaldehyde 1467
Bongini A. Camerini R. Panunzio M. Bandini E. Martelli G. and Spunta G. Stereochemical aspects of the asymmetric synthesis of chiral α,β-dihydroxy phosphonates. Synthesis of α,β-dihydroxy phosphonic acids 3485
Bongini A. Cardillo G. Mingardi A. and Tomasini C. Asymmetric 1,4 addition of Grignard reagents to chiral α,β-unsaturated imides in the presence of Lewis acids 1457
Bonjoch J. Catena J. Isábal E. López-Canet M. and Valls N. Synthesis of the octahydroindole core of aeruginosins: a new bicyclic α-amino acid 1899
Bonnat M. Durand J.-O. and Le Corre M. Bithiocamphor: an interesting synthon for the synthesis of

chiral ligands 559
Bonne F. see Solladié-Cavallo A. 171
Bordusa F. see Ullmann D. 2047
Börner A. see Kless A. 33
Bornscheuer U. T. see Lampe T. F. J. 2889
Bornscheuer U. T. see Wünsche K. 2017
Bortolussi M. see Cinquin C. 3327
Bosch J. see Amat M. 977
Bosch J. see Amat M. 1591
Bosch J. see Amat M. 1845
Bosch J. see Amat M. 2501
Bosch J. see Amat M. 2775
Bosch J. see Amat M. 3091
Bosch M. P. see Petschen I. 2135
Bosque R. see López C. 2527
Botta M. see Waldinger C. 1485
Botta M. Summa V. Corelli F. Di Pietro G. and Lombardi P. Synthesis of aryl 2-benzofuranyl and aryl 2-indolyl carbinols of high enantiomeric purity via palladium-catalyzed heteroannulation of chiral arylpropargylic alcohols 1263
Botteghi C. see Chelucci G. 885
Bottino A. see Neri P. 17
Bounds S. V. J. see Ishida T. 3113
Bourguignon J. see Philippe N. 417
Bourguignon J. see Philippe N. 925
Bouzard D. see Remuzon P. 1181
Bowers N. I. see Boyd D. R. 1559
Boyd D. R. Sharma N. D. Bowers N. I. Goodrich P. A. Groocock M. R. Blacker A. J. Clarke D. A. Howard T. and Dalton H. Stereoselective dioxygenase-catalysed benzylic hydroxylation at prochiral methylene groups in the chemoenzymatic synthesis of enantiopure vicinal aminoindanols 1559
Boyer L. see Barrelle M. 1961
Braghiroli D. and Di Bella M. Asymmetric syntheses of (*R*)- and (*S*)-2-aminobutane-sulfonic acid and their 3,3-dimethyl derivatives 2145
Braghiroli D. Mussati E. Di Bella M. and Saladini M. Asymmetric synthesis of 2-methyltaurine 831
Brandi A. see Goti A. 1659
Brandstetter T. W. Wormald M. R. Dwek R. A. Butters T. D. Platt F. M. Tsitsanou K. E. Zographos S. E. Oikonomakos N. G. and Fleet G. W. J. A galactopyranose analogue of hydantocidin 157
Brankovic D. see Khilevich A. 3315
Bratovanov S. see Huber P. 69
Brauer D. J. see Altenbach H.-J. 2493
Braunegg G. see de Raadt A. 467
Braunegg G. see de Raadt A. 473
Braunegg G. see de Raadt A. 491
Bravo P. see Abrate F. 581
Bravo P. Capelli S. Meille S. V. Seresini P. Volonterio A. and Zanda M. Enantiomerically pure α-fluoroalkyl-α-amino acids: synthesis of (*R*)-α-difluoromethyl-alanine and (*S*)-α-difluoromethyl-serine 2321
Breitenbach R. Chiu C. K.-F. Massett S. S. Meltz M. Murtiashaw C. W. Pezzullo S. L. and Staigers T. A practical synthesis of 3(*S*)-methyl-heptanoic acid from (*S*)-citronellol 435
Bremen U. and Gais H.-J. Asymmetric acylation with polyethylene glycol-modified *Candida cylindracea* lipase in homogeneous organic media 3063
Brenchley G. Fedouloff M. Merifield E. and Wills M. Synthesis and applications of a new class of C_2 symmetric phosphorus donor ligand for asymmetric catalysis 2809
Brennan P. J. see Estevez J. C. 383
Brennan P. J. see Estevez J. C. 387
Brennan P. J. see Estevez J. C. 391
Breña-Valle L. J. Carreón Sánchez R. and Cruz-Almanza R. Diastereoselective alkylation of 1-benzyl-(5*S*)-substituted 2-pyrrolidinones 1019
Brice L. J. see Pirkle W. H. 2173
Brice L. J. see Pirkle W. H. 2813
Brimble M. A. Heathcock C. H. and Nobin G. N. Synthesis and ene reactions of di-(–)-menthyl diazenedicarboxylate 2007
Brocard J. see Malfait S. 653
Brocard J. S. see Maciejewski L. A. 1573
Broggini G. Folcio F. Sardone N. Sonzogni M. and Zecchi G. Synthesis of enantiopure 3-hydroxymethylchromanes via intramolecular nitrone cycloaddition 797
Brooks C. D. W. see Kolasa T. 729
Brooks C. D. W. see Kolasa T. 2645
Brown E. Lézé A. and Touet J. Synthesis of chiral alcohols by asymmetric reductions of various ketones including α-aminophenones 2029
Brown H. C. Malhotra S. V. and Ramachandran P. V. Organoboranes for synthesis—XVII. Generality of hydroboration-amination for the conversion of terpenes into enantiomerically pure terpenylamines. Their utility for gas chromatographic analysis of chiral carboxylic acids 3527
Brown J. M. see Berens U. 285
Bruneau C. see Doucet H. 525
Brunner H. Bügler J. and Nuber B. Optically active transition metal complexes—CXI. Synthesis and structure of a new thioamidato rhodium(I) complex 3095
Brünner R. and Gerlach H. Absolute configuration and circular dichroism of methyl substituted tricarbonyl(1,3-butadiene)iron(0) complexes 1515
Bruno G. see Lanza S. 3347
Brussee J. see Warmerdam E. G. J. C. 1723
Brussee J. see Warmerdam E. G. J. C. 2539
Bryce M. R. see Chesney A. 3247
Buczak G. see Gawronski J. 301
Bueno M. see Zamora F. 1811
Bügler J. see Brunner H. 3095
Buisson D. see Abalain C. 2983
Buisson D. and Azerad R. A chemoenzymatic preparation of both enantiomers of ω-hydroxy-methyl-substituted lactones 9
Buñuel E. Cativiela C. and Diaz-de-Villegas M. D. *Z*-2-Phenyl-4-[(*S*)-2,2-dimethyl-1,3-dioxolan-4-ylmethylen]-5(4*H*)-oxazolone as the dienophile in asymmetric Diels–Alder reactions—II 1431
Buñuel E. Cativiela C. and Diaz-de-Villegas M. D. Diastereoselective synthesis of (1*S*,2*S*,3*R*,4*R*)- and (1*R*,2*S*,3*R*,4*S*)- bicyclo-[2.2.1]hept-2-amino-2,3-dicarboxylic acids: new conformationally-constrained (*S*)-aspartic acid analogues 1521

Buono G. see Martini D. 1489
Burke J. A. see Tempkin O. 2721
Burki N. see Fkyerat A. 2023
Burnell D. J. see Zhu Y.-Y. 3295
Butora G. see Hudlicky T. 61
Butters T. D. see Brandstetter T. W. 157

Caballero E. Puebla P. Sánchez M. Medarde M. Morán del Prado L. and San Feliciano A. Enantiospecific synthesis of dihydropyridines from chiral enamines 1985
Caballero M. García-Valverde M. Pedrosa R. and Vicente M. Elimination versus diastereoselective alkylation in homochiral 2-(β-ethoxy carbonyl) acetals 219
Cabras M. A. see Chelucci G. 885
Cabras M. A. see Chelucci G. 965
Cabras M. A. see Chelucci G. 1027
Caccamese S. Principato G. Chimirri A. and Grasso S. Separation of the enantiomers of anticonvulsant tricyclic pyrroloimidazolones by enantioselective HPLC. A chiral recognition model and a chiroptical study 2577
Cadefau J. see Blériot Y. 2761
Cai M.-S. see Zhu X.-X. 2833
Caldwell J. see Ishida T. 3113
Calmes M. Daunis J. and Escale F. Synthesis of enantiomerically pure 2-alkyl 1-amino cyclopropane-1-carboxylic acid 395
Camacho Mondril N. L. F. L. see Franssen M. C. R. 497
Camalli M. see Cimarelli C. 2099
Camazón M. J. see García Ruano J. L. 139
Camerini R. see Bongini A. 1467
Camerini R. see Bongini A. 3485
Camerini R. see Panunzio M. 2929
Camps P. and Giménez S. Deracemization of α-substituted arylacetic acids 1227
Canonne P. see Dagneau P. 2817
Canonne P. see Potvin S. 2821
Cantín O. Cativiela C. Díaz-de-Villegas M. D. Navarro R. and Urriolabeitia E. P. A practical method for the absolute configuration assignment of α-amino acids using their Pd(dmba) amino acidato complexes 2695
Capelli S. see Bravo P. 2321
Cappiello J. see Ghosh A. K. 2165
Cardillo G. see Bongini A. 1457
Cardillo G. Gentilucci L. Tomasini C. and Visa Castejon-Bordas M. P. Synthesis of enantiomerically pure *trans* aziridine-2-carboxylates by diastereoselective Gabriel–Cromwell reaction 755
Cardin C. J. see Biju Kumar G. 3391
Cardona F. see Goti A. 1659
Carless H. A. J. and Dove Y. Enantiospecific synthesis of cyanocyclitols and (6*R*)-6-hydroxyshikimic acid from benzonitrile 649
Carpenter B. E. Hunt I. R. and Keay B. A. A short efficient preparation of (+)- and (–)-*trans*-2-phenylcyclohexanol 3107
Carpentier J.-F. see Roucoux A. 379
Carrea G. see Colonna S. 565
Carrea G. see Danieli B. 1675
Carrea G. see De Amici M. 787
Carrea G. see Ottolina G. 1123
Carreño M. C. Cid M. B. and García Ruano J. L. Diels–Alder reactions of [(S)*R*]-(1*E*,3*E*)-1-*p*-tolylsulfinyl-1,3-pentadiene: the unexpected evolution of maleic anhydride adducts 2151
Carreón Sánchez R. see Breña-Valle L. J. 1019
Carrière A. and Virgili A. Use of 9-anthrylcarbinol derivatives as chiral auxiliaries in asymmetric Diels–Alder reaction 227
Carrière A. Virgili A. and Figueredo M. Use of 9-anthrylcarbinol derivatives as chiral auxiliaries—II. Asymmetric 1,3-dipolar cycloaddition 2793
Casiraghi G. see Zanardi F. 1167
Castellanos A. see Masdeu-Bultó A. M. 1829
Castellari C. Lombardo M. Pietropaolo G. and Trombini C. Lewis-acid promoted addition of 2-trimethylsilyloxyfuran to nitrones: synthesis and absolute configuration of tetrahydro-2-benzyl-3-(1-benzyl-oxyethyl)-furo[2,3-*d*]isoxazol-5(2*H*)ones 1059
Castillo E. see Merino P. 1887
Castillón S. see Masdeu-Bultó A. M. 1829
Castillón S. see Montenegro E. 3553
Catelani G. see Di Bussolo V. 3585
Catena J. see Bonjoch J. 1899
Cativiela C. see Avenoza A. 721
Cativiela C. see Avenoza A. 1555
Cativiela C. see Buñuel E. 1431
Cativiela C. see Buñuel E. 1521
Cativiela C. see Cantín O. 2695
Cativiela C. Díaz-de-Villegas M. D. and Gálvez J. A. Stereoselective synthesis of α-hydroxy-β-amino acids using D-glyceraldehyde as the homochiral source 529
Cativiela C. Fraile J. M. García J. I. López Mª P. Mayoral J. A. and Pires E. Diels–Alder reactions of (*E*)-2-phenyl-4-[(*S*)-2,2-dimethyl-1,3-dioxolan-4-ylmethylen]-5(4*H*)-oxazolone with heterogeneous catalysts 2391
Caturla F. see Bernabeu M. C. 2475
Cecchet E. Di Furia F. Licini G. and Modena G. Synthesis and Diels–Alder reactions of enantiopure (–)-*trans*-benzo[*d*]-dithiine-*S*,*S*'-dioxide 369
Célérier J.-P. see Vo Thanh G. 2211
Célimène C. Dhimane H. Saboureau A. and Lhommet G. Unexpected diastereoselectivity in the formation of 3,5-disubstituted indolizidines by intramolecular reductive amination 1585
Cense J. M. see Howell J. A. S. 95
Cernerud M. Reina J. A. Tegenfeldt J. and Moberg C. Chiral polymers via asymmetric epoxidation and asymmetric dihydroxylation 2863
Chadha A. Manohar M. Soundararajan T. and Lokeswari T. S. Asymmetric reduction of 2-oxo-4-phenylbutanoic acid ethyl ester by *Daucus carota* cell cultures 1571
Chan A. S. C. see Zhang F.-Y. 2463
Chan A. S. C. see Zhang F.-Y. 3135
Chang-Fong J. see Barrelle M. 1961
Chapuis C. see Bauer T. 1385
Chapuis C. see Bauer T. 1391
Chattopadhyay S. see

Sankaranarayanan S. 2639
Chelucci G. and Cabras M. A. Enantioselective palladium catalyzed allylic substitution with sulfur-containing pyridine ligands 965
Chelucci G. Cabras M. A. Botteghi C. Basoli C. and Marchetti M. Synthesis of homochiral pyridyl, bipyridyl and phosphino derivatives of 2,2-dimethyl-1,3-dioxolane: use in asymmetric catalysis 885
Chelucci G. Cabras M. A. Saba A. and Sechi A. Synthesis and resolution of 1,1-bi-8-methylisoquinoline: formation of an optically active complex with high chiral recognition 1027
Chen C.-J. see Yang T.-K. 57
Chen C.-P. see Prasad K. 837
Chen N. see O'Donnell M. J. 621
Chen S.-F. see Huang H.-L. 3067
Chen W. see Khilevich A. 3315
Chênevert R. and Morin M.-P. Chemoenzymatic synthesis of both enantiomers of *cis*-6-hydroxymethylpipecolic acid 2161
Cheng H. Ma L. Hu Q.-S. Zheng X.-F. Anderson J. and Pu L. The first sterically regular chiral conjugated crown ether polymer 3083
Chern J.-W. see Gutcait A. 1641
Chesney A. and Bryce M. R. Chiral oxazolines linked to tetrathiafulvalene (TTF): redox-active ligands for asymmetric synthesis 3247
Chiappe C. see Bellucci G. 197
Chiara J. L. see Marco-Contelles J. 105
Chidester C. G. see Perricone S. C. 677
Chimirri A. see Caccamese S. 2577
Chinchilla R. see Bernabeu M. C. 2475
Chiu C. K.-F. see Breitenbach R. 435
Chmielewski M. see Frelek J. 3415
Chou C.-J. see Shen C.-C. 3141
Chou S.-C. see Shen C.-C. 3141
Chow H.-F. and Ng M.-K. Synthesis, chiroptical and redox properties of axially chiral binaphthol-based oligomers 2251
Chung S.-K. and Kang D.-H. Asymmetric synthesis of α-aminophosphonates via diastereoselective addition of phosphite to chiral imine derivatives 21
Cid M. B. see Carreño M. C. 2151
Cimarelli C. Palmieri G. and Camalli M. A directed stereoselective aldol reaction: simple synthesis of enantiopure δ-hydroxy-β-enamino ketones by condensation of homochiral β-enamino ketones with aldehydes and ketones 2099
Cinquin C. Bortolussi M. and Bloch R. 2,5-Dihydropyrrole derivatives as enantiomerically enriched building blocks: synthesis of the Geissman–Waiss lactone and polyhydroxylated pyrrolidines 3327
Cintas P. see Avalos M. 2333
Claeson S. see Allenmark S. 361
Clarke D. A. see Boyd D. R. 1559
Claver C. see Masdeu-Bultó A. M. 1829
Claver C. see Montenegro E. 3553
Cohen S. see Ini S. 659
Coll M[a] D. see Amat M. 2775
Collington E. W. see Page P. C. B. 619
Collis M. P. and Perlmutter P. A stereodivergent synthesis of 3,4-disubstituted-2-azetidinones 2117
Collu C. see Falorni M. 293
Collu C. see Falorni M. 2739
Colombo D. Ronchetti F. Scala A. Taino I. M. and Toma L. A facile lipase catalyzed access to fatty acid monoesters of 2-*O*-β-D-glucosylglycerol 771
Colombo M. I. see Bacigaluppo J. A. 1041
Colonna S. see Ottolina G. 1123
Colonna S. Gaggero N. Carrea G. and Pasta P. Enantio and diastereo-selectivity of cyclohexanone monooxygenase catalyzed oxidation of 1,3-dithioacetals 565
Colorni E. see Tait A. 2703
Conti S. see Falorni M. 293
Cooper N. see Ager D. 2563
Cordoni A. see Bellucci G. 197
Corelli F. see Botta M. 1263
Corelli F. see Waldinger C. 1485
Cornia M. see Zanardi F. 1167
Coudert E. Acher F. and Azerad R. Resolution and regioselective protection of glutamic acid analogues—II. Synthesis, resolution and configuration assignment of (+)-α-methyl-4-carboxyphenylglycine (M4CPG) 2963
Courtieu J. see Meddour A. 2489
Cox G. G. see Ager D. 2563
Cran G. A. Gibson C. L. Handa S. and Kennedy A. R. Scalemic β-amino sulfide ligands: use in enantio-selective conjugate additions and X-ray analysis of a dimeric copper(I) complex 2511
Crook S. see Estevez J. C. 387
Crotti P. Di Bussolo V. Favero L. Macchia F. and Pineschi M. An efficient stereoselective synthesis of the amino sugar component (E ring) of calicheamicin γ_1^I 779
Crotti P. Di Bussolo V. Favero L. Minutolo F. and Pineschi M. Efficient application of lipase-catalyzed transesterification to the resolution of γ-hydroxy ketones 1347
Crout D. H. G. see Tran C. H. 691
Crout D. H. G. see Tran C. H. 2403
Crout D. H. G. see Vic G. 709
Crout D. H. G. see Vic G. 1973
Cruz-Almanza R. see Breña-Valle L. J. 1019
Csomós P. see Kanerva L. T. 1705
Csomós P. Kanerva L. T. Bernáth G. and Fülöp F. Biocatalysis for the preparation of optically active β-lactam precursors of amino acids 1789
Csuk R. Schabel M. J. and von Scholz Y. Synthesis of the enantiomer of the antidepressant tranylcypromine 3505
Cunningham D. see Howell J. A. S. 95
Curran D. P. see Nanni D. 2417
Curran T. T. and Hay D. A. Resolution of *cis*-4-*O*-TBS-2-cyclopenten-1,4-diol 2791
Curtius F. W. and Scharf H.-D. Synthesis and characterization of both enantiomers of *trans*-1,2-di-(2-hydroxy-2-propyl)-cyclobutane 2957
Czarnocki Z. Mieczkowski J. B. and Ziółkowski M. Enantioselective synthesis of (*R*)-(−)-laudanosine and (*R*)-(−)-glaucine from L-ascorbic acid 2711

Dagneau P. and Canonne P. An efficient synthesis of the

natural (+)-fulvanin 1 2817
Dai L. see Ma D. 2365
Dai W.-M. Zhu H. J. and Hao X.-J.
Chiral ligands derived from abrine—II. Oxazolidines as promoters for enantioselective addition of diethylzinc toward aromatic aldehydes 1245
Dalton H. see Boyd D. R. 1559
d'Angelo J. see Ortuño R. M. 127
Danieli B. Barra C. Carrea G. and Riva S.
Oxynitrilase-catalyzed transformation of substituted aldehydes: the case of (±)-2-phenylpropionaldehyde and of (±)-3-phenylbutyraldehyde 1675
Danieli B. Lesma G. Passarella D. and Silvani A.
Stereoselective enzymatic hydrolysis of dimethyl *meso*-piperidine-3,5-dicarboxylates 345
D'Aniello F. Falorni M. Mann A. and Taddei M.
Stereocontrolled synthesis of γ-branched amino acids. $TiCl_4$ mediated addition of (*E*)-crotylsilane to N,O-protected serine aldehyde 1217
Danilova T. I. see Sergeeva E. V. 3445
Dastlik K. A. Giles R. G. F. and Roos G. H. P.
An expedient route to the glycine templates (*R*)- or (*S*)-*N*-Cbz-5-phenyl-1,4-oxazin-2-one 2525
Daunis J. see Calmes M. 395
Davies S. G. and Bhalay G.
A formal synthesis of (–)-pumiliotoxin C 1595
Davies S. G. and Ichihara O.
Asymmetric synthesis of (+)-negamycin 1919
Davies S. G. and Smyth G. D.
Asymmetric synthesis of (*R*)-hexane-1,5-diol and (*R*)-hex-3-ene-1,5-diol via a tandem asymmetric conjugate addition/stereospecific Meisenheimer rearrangement protocol 1001
Davies S. G. and Smyth G. D.
Asymmetric synthesis of (*R*)-sulcatol 1005
Davies S. G. and Smyth G. D.
Asymmetric synthesis of methyl α-L-daunosaminide hydrochloride 1273
Dawson M. J. see Stead P. 2247
De Amici M. De Micheli C. Carrea G. and Riva S.
Nitrile oxides in medicinal chemistry—VI. Enzymatic resolution of a set of bicyclic Δ^2-isoxazolines 787
de Azevedo M. B. M. see Delair P. 2707
Decavallas O. see Langlois N. 1095
De Cian A. see Solladié-Cavallo A. 1797
Deeter J. B. see Hansen M. M. 2515
de Groot A. see Franssen M. C. R. 497
Delacroix O. A. see Maciejewski L. A. 1573
Delair P. Kanazawa A. M. de Azevedo M. B. M. and Greene A. E.
Efficient, large-scale preparation of (*R*)- and (*S*)-1-(2,4,6-triisopropylphenyl)-ethanol, versatile chiral auxiliary for cyclopentenone, γ-butyrolactone, and γ-butyrolactam synthesis 2707
de la Moya Cerero S. see García Martínez A. 2177
de la Moya Cerero S. see Martínez A. G. 1257
del Campo C. see Bermudez J. L. 2485
del Campo C. Llama E. F. and Sinisterra J. V.
Design, synthesis and evaluation of a chiral propranolol selector 2627
Delle Monache G. see Dell'Uomo N. 181
Dell'Uomo N. Di Giovanni M. C. Misiti D. Zappia G. and Delle Monache G.
A straightforward synthesis of (2*S*,3*R*)-3-hydroxyproline and *trans*-(2*R*,3*S*)-2-hydroxymethyl-3-hydroxypyrrolidine 181
Delogu G. Fabbri D. and Dettori M. A.
Enantiopure atropisomeric phosphorothioates and phosphorothioamidates 413
del Prado Catalina M. see García Ruano J. L. 3407
de March P. Figueredo M. Font J. González L. and Salgado A.
Two new chiral equivalents of H_2S: a thio- and a dithiocarboxylic acid 2603
De Micheli C. see De Amici M. 787
Demir A. S. see Tanyeli C. 2399
Demir A. S. Mecitoglu I. Tanyeli C. and Gülbeyaz V.
Enantioselective reduction of ketones with borane catalyzed by cyclic β-amino alcohols prepared from proline 3359
Depezay J.-C. see Tuch A. 897
Depezay J.-C. see Tuch A. 2901
de Raadt A. Griengl H. Petsch M. Plachota P. Schoo N. Weber H. Braunegg G. Kopper I. Kreiner M. and Zeiser A.
Microbial hydroxylation of 2-cycloalkylbenzoxazoles—II. Determination of product structures and enhancement of enantiomeric excess 473
de Raadt A. Griengl H. Petsch M. Plachota P. Schoo N. Weber H. Braunegg G. Kopper I. Kreiner M. and Zeiser A.
Microbial hydroxylation of 2-cycloalkylbenzoxazoles—III. Determination of product enantiomeric excess and cleavage of benzoxazoles 491
de Raadt A. Griengl H. Petsch M. Plachota P. Schoo N. Weber H. Braunegg G. Kopper I. Kreiner M. Zeiser A. and Kieslich K.
Microbial hydroxylation of 2-cycloalkylbenzoxazoles—I. Product spectrum obtained from *Cunninghamella blakesleeana* DSM 1906 and *Bacillus megaterium* DSM 32 467
Deshmukh A. R. A. S. see Srirajan V. 2733
Destabel C. see Marco-Contelles J. 105
Dettori M. A. see Delogu G. 413
de Villedon de Naide F. see Jefford C. W. 1069
Devocelle M. see Roucoux A. 379
Dhimane H. see Célimène C. 1585
Díaz M. and Ortuño R. M.
Enantioselective synthesis of novel homochiral α-substituted (*S*)-isoserine derivatives. Incorporation of this amino acid in a highly conformationally constrained dipeptide surrogate 3465
Díaz M. T. see Adam W. 2207
Diaz-de-Villegas M. D. see Buñuel E. 1431
Diaz-de-Villegas M. D. see Buñuel E. 1521
Díaz-de-Villegas M. D. see Cantín O. 2695
Diaz-de-Villegas M. D. see Cativiela C. 529
Di Bella M. see Braghiroli D. 831
Di Bella M. see Braghiroli D. 2145
Di Bella M. see Tait A. 2703
Di Bugno C. see Di Bussolo V. 3585
Di Bussolo V. see Crotti P. 779
Di Bussolo V. see Crotti P. 1347
Di Bussolo V. Catelani G. Mastrorilli E. Di Bugno C. and Giorgi R.
Convenient diastereospecific synthesis of a rociverine precursor and its resolution by

lipase-catalyzed transesterification 3585
Diep-Vohuule A. see Solladié-Cavallo A. 1783
Di Furia F. see Cecchet E. 369
Di Giovanni M. C. see Dell'Uomo N. 181
Di Giovanni M. C. Misiti D. Villani C. Zappia G. A straightforward synthesis of proclavaminic acid, a biosynthetic precursor of clavulanic acid 2277
Dijkink J. Eriksen K. Goubitz K. van Zanden M. N. A. and Hiemstra H. Synthesis and X-ray crystal structure of (*S*)-9-hydroxymethyl-1,5-diazabicyclo-[4.3.0]non-5-ene, an enantiopure DBN-analogue 515
Dikici E. see Tanyeli C. 2399
DiMichele L. M. see Senanayake C. H. 1501
Dimitrov V. Philipova I. and Simova S. Synthesis and absolute configuration of new chiral epoxyalcohols by stereoselective epoxidation of allylic and homoallylic alcohols with a (1*R*)-(+)-camphor skeleton 1493
Ding P. Y. see Zhu X.-X. 2833
Ding W. see Ma D. 2365
Di Pietro G. see Botta M. 1263
Dixneuf P. H. see Doucet H. 525
Döbler C. see Kreuzfeld H.-J. 1011
Döbler C. Kreuzfeld H.-J. Michalik M. and Krause H. W. Unusual amino acids—VII. Asymmetric synthesis of 3- and 4-pyridyl-alanines 117
Donati D. see Panunzio M. 2929
Dondoni A. see Merchán F. L. 667
Donohoe T. J. Garg R. and Stevenson C. A. Prospects for stereocontrol in the reduction of aromatic compounds 317
Donzelli F. Fuganti C. Mendozza M. Pedrocchi-Fantoni G. Servi S. and Zucchi G. On the stereochemistry of the Baeyer–Villiger degradation of arylalkyl-ketones structurally related to raspberry ketone by *Beauveria bassiana* 3129
Dorta R. L. Martín A. Suárez E. and Prangé T. Synthesis of (5*R*,7*S*,13*S*)-13-methoxy-1,6,8-trioxadispiro-[4.1.5.3]pentadecane 1907
Dossena A. Lunghi A. Garlaschelli L. and Vidari G. Fungal metabolites—XL. The structure and absolute configuration of two novel triterpene depsipeptides from the fruiting bodies of *Hebeloma senescens* 1911
Doucet H. Le Gendre P. Bruneau C. Dixneuf P. H. and Souvie J.-C. Enantioselective hydrogenation of 2'-chloroacetophenone with ((*R*)-Binap)Ru(O_2CAr)$_2$ complexes: influence of carboxylate ligands and solvents 525
Douglas A. W. Tschaen D. M. Reamer R. A. and Shi Y.-J. The oxazaborolidine–borane reduction of ketones: identification and reactivity of transient intermediates 1303
Dove Y. see Carless H. A. J. 649
Drake A. see Ishida T. 3113
Drew M. G. B. see Bassoli A. 1903
Drew M. G. B. see Siah S.-Y. 357
Duan B. see Shan Z. 2847
Duchaussoy P. see Kovensky J. 3119
Duffield J. J. and Regan A. C. Asymmetric synthesis of tetronic acids by Blaise reaction of protected optically active cyanohydrins 663
Duflos J. see Philippe N. 417
Duflos J. see Philippe N. 925
Dumas F. see Ortuño R. M. 127
Dupas G. see Philippe N. 417
Dupas G. see Philippe N. 925
Durand J.-O. see Bonnat M. 559
Dussy C. see Remuzon P. 1181
Dwek R. A. see Brandstetter T. W. 157
Dzekhtser S. see Khilevich A. 3315

Echarri R. see Montenegro E. 3553
Effenberger F. Kremser A. and Stelzer U. A convenient synthesis of (*S*)-2-azidonitriles, (*S*)-2-aminonitriles and (*S*)-1,2-diamines 607
Egri G. Baitz-Gács E. and Poppe L. Kinetic resolution of 2-acylated-1,2-diols by lipase-catalyzed enantiomer selective acylation 1437
Eilers J. Wilken J. and Martens J. Syntheses of new chiral 1,2-diamines and δ-amino-alcohols and their application in catalytic enantioselective C–C bond formations at an elevated temperature of up to 110°C 2343
Elekes F. see Mravik A. 1477
Elgavi A. see Shvo Y. 911
El-Zemity S. R. see Katritzky A. R. 1621
Ema T. Maeno S. Takaya Y. Sakai T. and Utaka M. Significant effect of acyl groups on enantioselectivity in lipase-catalyzed transesterifications 625
Enders D. Knopp M. and Schiffers R. Asymmetric [3.3]-sigmatropic rearrangements in organic synthesis 1847
Endoma M. A. A. see Hudlicky T. 61
Ennis D. S. see Ince J. 3397
Eriksen K. see Dijkink J. 515
Errington W. see Tran C. H. 691
Escale F. see Calmes M. 395
Escribano A. see Ezquerra J. 2613
Esker J. L. see Biadatti T. 2313
Estevez J. C. Saunders J. Besra G. S. Brennan P. J. Nash R. J. and Fleet G. W. J. Mimics of L-rhamnose: synthesis of *C*-glycosides of L-rhamnofuranose and an α-azidoester as divergent intermediates for combinatorial generation of rhamnofuranose libraries 383
Estevez J. C. Smith M. D. Lane A. L. Crook S. Watkin D. J. Besra G. S. Brennan P. J. Nash R. J. and Fleet G. W. J. Mimics of L-rhamnose: anomeric spirohydantoins and diketopiperazines—approaches to novel *N*-linked glycopeptides of rhamnofuranose 387
Estevez J. C. Smith M. D. Wormald M. R. Besra G. S. Brennan P. J. Nash R. J. and Fleet G. W. J. Mimics of L-rhamnose: analogues of rhamnopyranose containing a constituent α-amino acid at the anomeric position. A rhamnopyranose analogue of hydantocidin 391
Ewing D. F. see Monser L. I. 1189
Ezquerra J. Escribano A. Rubio A. Remuiñán M. J. and Vaquero J. J. 4-Benzyl-2,3-didehydroprolinate as a homochiral template for Michael additions. Synthesis of enantiopure α-allokainoids, β-kainoids, 2,3-methanoprolines and other 3,4-disubstituted prolines 2613

Fabbri D. see Delogu G. 413
Faber K. see Mischitz M. 2041
Fadel A. and Garcia-Argote S. Asymmetric construction of

benzylic quaternary carbons from chiral malonates: formal synthesis of both (–)- and (+)-aminoglutethimides AG and analogues 1159
Falorni M. see D'Aniello F. 1217
Falorni M. Collu C. Conti S. and Giacomelli G. Chiral ligands containing heteroatoms—XIV. 1,3-Oxazolidinyl methanols as chiral catalysts in the enantioselective addition of diethylzinc to aldehydes 293
Falorni M. Collu C. and Giacomelli G. Chiral ligands containing heteroatoms—XV. Cyclic β-amino alcohols as chiral inductors for enantioselective reductions of ketones 2739
Falorni M. Porcheddu A. and Giacomelli G. Synthesis of (2*R*,5*S*)- and (2*S*,5*S*)-2-carboxy-1,4-diaza[4.3.0]bicyclononane as building blocks for the synthesis of new potential HIV protease inhibitors 1999
Fantin G. Fogagnolo M. Guerzoni M. E. Lanciotti R. Medici A. Pedrini P. and Rossi D. Effect of high hydrostatic pressure and high pressure homogenization on the enantioselectivity of microbial reductions 2879
Fantin G. Fogagnolo M. Medici A. Pedrini P. Marotta E. Monti M. and Righi P. Microbial reduction of methyl-substituted bicyclo[3.2.0]hept-3-en-6-ones: a screening to homochiral *endo*- and *exo*-alcohols 277
Fauchère J. L. see Hoarau S. 2585
Favero L. see Crotti P. 779
Favero L. see Crotti P. 1347
Fedouloff M. see Brenchley G. 2809
Fell R. T. see Adam W. 2207
Feringa B. L. see Zondervan C. 1895
Fernández I. see Benabra A. 3353
Fernández I. see García Ruano J. L. 3407
Fernández-Recio M. A. see Avenoza A. 721
Ferraboschi P. Molatore A. Verza E. and Santaniello E. The first example of lipase-catalyzed resolution of a stereogenic center in steroid side chains by transesterification in organic solvent 1551
Ferraboschi P. Molatore A. Verza E. and Santaniello E. Erratum 2160
Ferreiro M. J. Latypov Sh. K. Quiñoá E. and Riguera R. Determination of the absolute configuration and enantiomeric purity of chiral primary alcohols by ^{1}H NMR of 9-anthrylmethoxyacetates 2195
Fiaschi R. see Ramacciotti A. 1101
Figadère B. see Pichon M. 927
Figueredo M. see Carrière A. 2793
Figueredo M. see de March P. 2603
Fischer C. see Kless A. 33
Fischer J. see Solladié-Cavallo A. 1797
Fitzpatrick K. see Hulst R. 2755
Fkyerat A. Burki N. and Tabacchi R. Enantioselective synthesis of 3-hydroxycitronellic acid isolated from *Ceratocystis fimbriata* sp. *platani* 2023
Flavin M. T. see Khilevich A. 3315
Fleet G. W. J. see Bell A. A. 595
Fleet G. W. J. see Blériot Y. 2761
Fleet G. W. J. see Brandstetter T. W. 157
Fleet G. W. J. see Estevez J. C. 383
Fleet G. W. J. see Estevez J. C. 387
Fleet G. W. J. see Estevez J. C. 391
Fogagnolo M. see Fantin G. 277
Fogagnolo M. see Fantin G. 2879
Fogassy E. see Gizur T. 1589
Fogassy E. see Mravik A. 1477
Fogassy E. see Mravik A. 2387
Folcio F. see Broggini G. 797
Font J. see de March P. 2603
Font-Bardia M. see López C. 2527
Forni A. see Antolini L. 3309
Foubelo F. see Bachki A. 2997
Foubelo F. and Yus M. EPC-synthesis of functionalised amides via chiral β-nitrogenated organolithium compounds 2911
Fraile A. see García Ruano J. L. 1943
Fraile A. G. see Martínez A. G. 1257
Fraile J. M. see Cativiela C. 2391
Fraile J. M. García J. I. Mayoral J. A. and Royo A. J. Chiral Lewis acids supported on silica gel and alumina, and their use as catalysts in Diels–Alder reactions of methacrolein and bromoacrolein 2263
Franck-Neumann M. Stöber P. and Passmore G. Resolution of chiral (trimethylenemethane) iron (tricarbonyl) complexes 3193
Franco P. see Velasco D. 633
Franco S. see Tejero T. 1529
Franssen M. C. R. Jongejan H. Kooijman H. Spek A. L. Camacho Mondril N. L. F. L. Boavida dos Santos P. M. A. C. and de Groot A. Resolution of a tetrahydrofuran ester by *Candida rugosa* lipase (CRL) and an examination of CRLs stereochemical preference in organic media 497
Frauenkron M. see Berkessel A. 671
Freier T. see Heller D. 3025
Frelek J. Pakulski Z. and Zamojski A. Application of $[Mo_2(OAc)_4]$ for determination of absolute configuration of pyranoid and furanoid *vic*-diols by circular dichroism 1363
Frelek J. Panfil I. Gluzinski P. and Chmielewski M. Synthesis, structure and chiroptical properties of isoxazolidin-5-ones 3415
Frigerio M. see Abrate F. 581
Fuentes J. Molina J. L. Olano D. and Pradera M. A. Stereoselective synthesis of nucleoside analogues of chiral imidazolidines from sugar isothiocyanates 203
Fuganti C. see Donzelli F. 3129
Fuji K. see Tanaka K. 1771
Fuji K. see Tanaka K. 2199
Fuji K. Tanaka K. Takasu K. and Taga T. Facile synthesis of optically active *cis*-2,5-diphenyl-1,4-diazabicyclo[2.2.2]octane 1749
Fukazawa T. Shimoji Y. and Hashimoto T. Synthesis of an enantiomerically pure aminoisoquinocarbazole with antiarrhythmic activity via lipase-catalyzed enantio-selective transesterification 1649
Fuke Y. see Ishibashi H. 2531
Fülöp F. see Csomós P. 1789
Fülöp F. see Kanerva L. T. 1705
Furuta T. see Tanaka K. 2199
Furutani T. see Seki M. 1241

Gács-Baitz E. Tömösközi I. and Kajtár-Peredy M. Configurational determination and conformational properties

of diastereomeric nucleoside-phosphorothioates 2447
Gadek T. R. see Richter L. S. 427
Gaggero N. see Colonna S. 565
Gais H.-J. see Bremen U. 3063
Gais H.-J. see Hainz R. 2505
Gais H.-J. and von der Weiden I.
Preparation of enantiomerically pure α-hydroxymethyl S-*tert*-butyl sulfones by *Candida antarctica* lipase catalyzed resolution 1253
Gal M. see Shvo Y. 911
Galbis J. A. see Zamora F. 1811
Galeazzi R. Geremia S. Mobbili G. and Orena M.
Diastereomerically pure pyrrolidin-2-ones by intramolecular Michael reaction. Synthesis of both (*S*)- and (*R*)-3-pyrrolidine-acetic acid 79
Galeazzi R. Geremia S. Mobbili G. and Orena M.
Cyclisation of (*R*)- and (*S*)-*N*-allyl-*N*-(1-phenylethyl)-methoxycarbonylacetamide mediated by Mn(III): preparation and structural assignment of 3-aza-2-oxobicyclo[3.1.0]hexanes 3573
Galley G. see Grubert L. 1137
Galley G. Jones P. G. and Pätzel M.
Enantiomerically pure isoxazolines by stereoselective 1,3-dipolar cycloaddition of silyl nitronates 2073
Gálvez J. A. see Cativiela C. 529
Gamble M. P. Studley J. R. and Wills M.
Design, synthesis and applications of a ketone reduction catalyst containing a phosphinamide combined with a dioxaborolidine unit 3071
Gan K. Z. see Pirkle W. H. 2813
García G. see Noheda P. 2801
García J. I. see Cativiela C. 2391
García J. I. see Fraile J. M. 2263
Garcia-Argote S. see Fadel A. 1159
García Fraile A. see García Martínez A. 2177
García Martínez A. Teso Vilar E. García Fraile A. de la Moya Cerero S. Martínez Ruiz P. and Subramanian L. R.
Synthesis of homochiral 3-substituted cyclopentanones from 2-norbornanones 2177
García-Pérez E. see Juaristi E. 2233
García Ruano J. L. see Carreño M. C. 2151
García Ruano J. L. González A. M. Bárcena A. I. Camazón M. J. and Navarro-Ranninger C.
Enantiomerically pure palladacycles with one stereogenic Csp^3 center directly bonded to the metal 139
García Ruano J. L. Fernández I. del Prado Catalina M. and Alcudia Cruz A.
Asymmetric aziridination by reaction of chiral *N*-sulfinylimines with sulfur ylides: stereoselectivity improvement by use of *tert*-butylsulfinyl group as chiral auxiliary 3407
García Ruano J. L. Fraile A. and Martín M. R.
(S_s)-5-Ethoxy-3-*p*-tolylsulfinyl-furan-2(5*H*)-ones as chiral dipolarophiles: first asymmetric cycloaddition of diazomethane to vinyl sulfoxides 1943
García Ruano J. L. Maestro M. C. Barros D. and González-Vadillo A. M.
Synthesis of enantiomerically pure β-hydroxy-γ-sulfinyl-aldehyde dimethyl acetals 1819
García-Valverde M. see Caballero M. 219
Garg R. see Donohoe T. J. 317
Garlaschelli L. see Dossena A. 1911
Garro-Hélion F. see Ager D. 2563
Gautier-Luneau I. see Pelloux-Léon N. 1007
Gawronska K. see Gawronski J. 301
Gawronski J. Gawronska K. Buczak G. Katrusiak A. Skowronek P. and Suemune H.
Conformational preference of *trans*-3,5-cyclohexadiene-1,2-diol, a benzene metabolite, from circular dichroism, molecular mechanics and X-ray diffraction study 301
Gdaniec M. see Milewska M. J. 3169
Gefflaut T. Bauer U. Airola K. and Koskinen A. M. P.
Asymmetric 1,3-dipolar cycloaddition: synthesis of N-protected (4*S*)-4-hydroxy L-glutamic acid diester 3099
Gelas-Miahle Y. see Bardot V. 1077
Gentilucci L. see Cardillo G. 755
Geraci C. see Neri P. 17
Geremia S. see Galeazzi R. 79
Geremia S. see Galeazzi R. 3573
Gerlach H. see Brünner R. 1515
Gerlach H. see Jakob B. 3255
Gestmann D. see Antolini L. 3309
Ghera E. see Yechezkel T. 2423
Ghosh A. K. and Mathivanan P.
Asymmetric Diels–Alder reaction: *cis*-1-arylsulfonamido-2-indanols as highly effective chiral auxiliaries 375
Ghosh A. K. Mathivanan P. Cappiello J. and Krishnan K.
Asymmetric hetero Diels–Alder reactions of Danishefsky's diene and glyoxylate esters catalyzed by chiral bisoxazoline derived catalysts 2165
Giacobbe S. A. and Rossi T.
Alkyl groups on the metal enhance the reactivity of the 'classical' zirconium enolate of 1-methoxycyclohexanone 3079
Giacomelli G. see Falorni M. 293
Giacomelli G. see Falorni M. 1999
Giacomelli G. see Falorni M. 2739
Gibbons W. A. see Kokotos G. 857
Gibbs A. R. see Hodgson D. M. 407
Gibson C. L.
Catalytic enantioselective conjugate additions using enantiopure β-amino disulfides and β-amino thiolates 3357
Gibson C. L. see Cran G. A. 2511
Gibson C. L. and Handa S.
An expedient synthesis of (*R*)-(+)-umbelactone 1281
Giese B. Müller S. N. Wyss C. and Steiner H.
Synthesis of the chiral auxiliary 1,3:4,6-di-*O*-benzylidene-2,5-dideoxy-2,5-imino-D-iditol 1261
Gil P. see Razkin J. 3479
Giles R. G. F. see Dastlik K. A. 2525
Giménez S. see Camps P. 1227
Giorgi R. see Di Bussolo V. 3585
Gizur T. Péteri I. Harsányi K. and Fogassy E.
Resolution of racemic 1,3-disubstituted propanols by (*R,R*)-di-(4-toluoyl)-tartaric acid: similar conditions for

similar structures 1589
Gluzinski P. see Frelek J. 3415
Goetgheluck S. J. see Maciejewski L. A. 1573
Gonçalves L. P. B. Antunes O. A. C. Pinto G. F. and Oestreicher E. G. Enzymatic laboratory scale production of homochiral (*R*)-3-fluorolactic acid methyl ester via enantiospecific reduction of sodium fluoropyruvate catalyzed by rabbit muscle L-lactate dehydrogenase (L-LDH) 1237
González A. see Razkin J. 3479
González A. M. see García Ruano J. L. 139
González L. see de March P. 2603
González-Vadillo A. M. see García Ruano J. L. 1819
Goodrich P. A. see Boyd D. R. 1559
Góra J. see Kaminska J. 907
Górnicka I. see Kaminska J. 907
Goti A. Cardona F. Brandi A. Picasso S. and Vogel P. (1*S*,2*S*,7*R*,8a*S*)- and (1*S*,2*S*,7*S*,8a*S*)-trihydroxyoctahydroindolizine: two new glycosidase inhibitors by nitrone cycloaddition strategy 1659
Goubitz K. see Dijkink J. 515
Gramlich V. see Spencer J. 41
Grasso S. see Caccamese S. 2577
Graziani L. Porzi G. and Sandri S. An improved procedure for the enantioselective synthesis of (+)- and (–)-*cis*-4-hydroxyprolines and bulgecinines 1341
Greene A. E. see Delair P. 2707
Greenway G. M. see Monser L. I. 1189
Gressot-Kempf L. see Solladié G. 2371
Griengl H. see de Raadt A. 467
Griengl H. see de Raadt A. 473
Griengl H. see de Raadt A. 491
Grigg R. and Yoganathan G. Chiral *N*-substituted 4,5,6,7-tetrahydroindoles 273
Grimme S. see Issberner J. 2223
Grimme S. see Pischel I. 109
Grishkun E. V. see Kolodiazhnyi O. I. 967
Groocock M. R. see Boyd D. R. 1559
Gross Z. see Ini S. 659
Gruber-Khadjawi M. Hönig H. and Illaszewicz C. Chemoenzymatic methods for the preparation of optically active cyclic polyazido alcohols from easily available achiral starting materials 807
Grubert L. Galley G. and Pätzel M. Diastereoselective 1,3-dipolar cycloaddition of nitriliimines to γ-oxygenated α,β-unsaturated enones and esters 1137
Guarna A. see Occhiato E. G. 1929
Guerrero A. see Petschen I. 2135
Guerrero-de la Rosa V. see Ordoñez M. 2675
Guerzoni M. E. see Fantin G. 2879
Guidi A. Theurillat-Moritz V. Vogel P. and Pinkerton A. A. Enantiomerically pure Diels–Alder adducts of maleic anhydride to furfural acetals through thermodynamic control. Single crystal and molecular structure of (1*S*,4*R*,4'*S*,5'*S*)-1-(4',5'-dimethyldioxolan-2'-yl)-5,6-dimethylidene-7-oxabicyclo-[2.2.1]hept-2-ene 3153
Guingant A. see Hervouet K. 421
Guingant A. see Hervouet K. 425
Gülbeyaz V. see Demir A. S. 3359
Gunn D. E. see Kolasa T. 2645
Gutcait A. Wang K.-C. Liu H.-W. and Chern J.-W. Studies on quinazolines—VI. Asymmetric synthesis of (*S*)-(+)- and (*R*)-(–)-3-[[4-(2-methoxyphenyl)piperazin-1-yl]methyl]-5-methylthio-2,3-dihydroimidazo[1,2-c]quinazolines 1641

Ha H. J. see Song C. E. 645
Hagen S. R. see Keegan D. S. 3559
Hainz R. Gais H.-J. and Raabe G. Stereoselective hydroxyalkylation of titanated allyl sulfoximines at the α- as well as the γ-position through variation of the titanation reagent 2505
Hamada Y. and Mukai S. Synthesis of ethano-Tröger's base, configurationally stable substitute of Tröger's base 2671
Hamann H.-J. and Höft E. Kinetic resolution of 1,2,3,4-tetrahydro[1]naphthyl hydroperoxide by decomposition in the presence of a chiral Mn(III) salen complex 2217
Hamaue N. see Takemoto Y. 993
Hamman S. see Barrelle M. 1961
Hamon D. P. G. Hayball P. J. Massy-Westropp R. A. Newton J. L. and Tamblyn J. G. Enantioselective synthesis of the four isomers of the biologically active metabolite of the 2-arylpropanoic acid NSAID, ximoprofen, and assessment of their inhibitory activity on human platelet cyclo-oxygenase *in vitro* 263
Handa S. see Cran G. A. 2511
Handa S. see Gibson C. L. 1281
Hansen M. M. Harkness A. R. Khau V. V. Martinelli M. J. and Deeter J. B. Synthesis of enantioenriched 4-thiazolidinone (–)-LY213829 by chemoselective benzylamide cleavage in the presence of a C–S bond 2515
Hao X.-J. see Dai W.-M. 1245
Harada T. Takeuchi M. Hatsuda M. Ueda S. and Oku A. Effects of torsional angles of 2,2'-biaryldiol ligands in asymmetric Diels–Alder reactions of acrylates catalyzed by their titanium complexes 2479
Haraguchi Y. Kozima S. and Yamaguchi R. An efficient asymmetric synthesis of allo- and pseudo-7,8-dimethoxyberbane systems through tin-mediated three component coupling 443
Harkness A. R. see Hansen M. M. 2515
Harris K. D. M. see Yeo L. 1891
Harsányi K. see Gizur T. 1589
Hartmann M. see Heerding D. 237
Hartshorn C. M. see Katritzky A. R. 1621
Harwood L. M. see Ager D. 2563
Hashimoto T. see Fukazawa T. 1649
Hashimoto Y. see Kinbara K. 1539
Hassner A. see Yechezkel T. 2423
Hastings J. J. see Vic G. 709
Hastings J. J. see Vic G. 1973
Hatsuda M. see Harada T. 2479
Haudrechy A. see Meddour A. 2489
Häusel R. see Spencer J. 41
Hay D. A. see Curran T. T. 2791
Hayase T. Inoue Y. Shibata T. and Soai K. Asymmetric synthesis of *N*-(diphenylphosphinyl)ferro-

cenylamine by the enantioselective alkylation of ferrocenylimine 2509
Hayashi T. see Uozumi Y. 1603
Hayashi Y. see Suginaka K. 1153
Hayball P. J. see Harnon D. P. G. 263
Heathcock C. H. see Brimble M. A. 2007
Hedenström E. see Lundh M. 3277
Hedenström E. see Vörde C. 1507
Heer J. P. see Page P. C. B. 619
Heerding D. Bhatnagar P. Hartmann M. Kremminger P. and LoCastro S.
Stereoselective synthesis of (2*R*)-6-benzyloxycarbonyl-amino-2-*tert*-butoxycarbonyl-aminohex-4-ynoic acid 237
Hegedüs M. see Margitfalvi J. L. 571
Heller D. see Kless A. 33
Heller D. Kadyrov R. Michalik M. Freier T. Schmidt U. and Krause H. W.
Asymmetric hydrogenation of dimethyl itaconate catalysed by rhodium chelates of aminophosphine phosphinites: a kinetic and NMR spectroscopical study 3025
Helmchen G. see Langer T. 1599
Hena M. A. see Kiyooka S.-i. 2181
Hénin F. see Thorey C. 975
Henkel H. see Reiners I. 1763
Heras-López A. see López-Herrera F. J. 2065
Hercouet A. Bessières B. and Le Corre M.
Expedient synthesis of (–)-(1*S*,2*R*)-allonorcoronamic acid 283
Hercouet A. Bessières B. and Le Corre M.
Corrigendum 620
Hercouet A. Bessières B. and Le Corre M.
First asymmetric synthesis of (–)-(2*S*,3*R*)-methanoproline 1267
Herdeis C. Kaschinski C. Karla R. and Lotter H.
Synthesis of homochiral piperidine derivatives from *S*-glutamic acid. Stereoselective 1,4-addition of organocuprates to a Δ^3-piperidine-2-one. A paroxetine analogue 867
Herdtweck E. see Barz M. 1717
Heres H. see Hulst R. 1373
Heres H. see Hulst R. 2755
Hernández A. see Amat M. 977
Herradón B. see Noheda P. 2801
Herradón B. see Sánchez-Sancho F. 3209
Hervouet K. and Guingant A.
Highly diastereoselective addition of cyclic β-enamino esters to *N*-acryloyl-(*S*)-proline derivatives 421
Hervouet K. and Guingant A.
Highly diastereoselective addition of methyl 2-(*N*-benzylamino)-1-cyclohexene-carboxylate to chiral acrylates 425
Hester J. B. see Perricone S. C. 677
Hida K. see Nakamura K. 409
Hidalgo J. see Amat M. 977
Hidalgo J. see Amat M. 1591
Hidalgo J. see Amat M. 1845
Hidalgo J. see Amat M. 2501
Hiemstra H. see Dijkink J. 515
Hirao T. see Zhang W. 451
Hirao T. see Zhang W. 1235
Hirose K. see Naemura K. 1581
Hirose K. see Naemura K. 3285
Ho L.-K. see Shen C.-C. 3141
Hoarau S. Fauchère J. L. Pappalardo L. Roumestant M. L. and Viallefont P.
Synthesis of enantiomerically pure (2*R*,5*S*)- and (2*R*,5*R*)-5-hydroxypipecolic acid from glycinate Schiff bases 2585
Hodgson D. M. and Gibbs A. R.
Highly enantioselective rearrangement of quaternary carbon-containing *meso*-epoxides to allylic alcohols 407
Hodgson D. M. and Wisedale R.
Enantioselective rearrangement of *exo*-norbornene oxide to nortricyclanol 1275
Hoff B. H. see Anthonsen H. W. 2633
Hoff B. H. Anthonsen H. W. and Anthonsen T.
The enantiomer ratio strongly depends on the alkyl part of the acyl donor in transesterification with lipase B from *Candida antarctica* 3187
Hoff B. H. Waagen V. and Anthonsen T.
Resolution of 1-phenoxy-, 1-phenylmethoxy- and 1-(2-phenylethoxy)-2-propanol and their butanoates by hydrolysis with lipase B from *Candida antarctica* 3181
Hoffmann H. M. R. see Lampe T. F. J. 2889
Höft E. see Hamann H.-J. 2217
Högberg H.-E. see Vörde C. 1507
Holakovsky R. see Ridvan L. 231
Holland H. L. see Ottolina G. 3427
Holz J. see Kless A. 33
Hongo H. see Nakano H. 2381
Hönig H. see Gruber-Khadjawi M. 807
Hopf H. see Sergeeva E. V. 3445
Hoskovec M. see Svatoš A. 1285
Houlihan W. J. see Prasad K. 837
Howard T. see Boyd D. R. 1559
Howarth O. W. see Vic G. 709
Howell J. A. S. O'Leary P. J. Palin M. G. Jaouen G. and Top S.
Diastereoselectivity in the bakers yeast reduction of [1-^{2}H](sorbaldehyde)-Fe(CO)$_3$ 307
Howell J. A. S. Palin M. G. Jaouen G. Malezieux B. Top S. Cense J. M. Salaün J. McArdle P. Cunningham D. and O'Gara M.
Enzymatic generation of planar chirality in the (arene)Cr(CO)$_3$ series: experimental results and modelling studies 95
Hu Q.-S. see Cheng H. 3083
Hu Q.-S. see Ma L. 3103
Huang H.-L. Lin Y.-C. Chen S.-F. Wang C.-L. J. and Liu L. T.
The steric effect and enantioselectivity of chiral 2,2-disubstituted thiaprolinol derivatives as ligands for borane reduction of aromatic ketones and for diethylzinc addition to aromatic aldehydes 3067
Huber P. Bratovanov S. Bienz S. Syldatk C. and Pietzsch M.
Chiral silicon groups as auxiliaries for enantioselective synthesis: access to optically active silanes by biotransformation and the enantiospecific preparation of (*R*)-(+)-1-phenylethanol 69
Hudlicky T. Endoma M. A. A. and Butora G.
New chiral synthons from the microbial oxidation of bromonaphthalenes 61
Hulst R. Heres H. Fitzpatrick K. Peper N. C. M. W. and Kellogg R. M.
Catalytic enantioselective alkylation of benzaldehyde with diethylzinc using chiral nonracemic (thio)-phosphoramidates 2755
Hulst R. Heres H. Peper N. C. M. W. and Kellogg R. M.
Synthesis and application of new chiral ligands for the

asymmetric borane reduction of prochiral ketones 1373
Humpf H.-U. see Schreder B. 1543
Hunková Z. see Svatoš A. 1285
Hunt I. R. see Carpenter B. E. 3107
Husson H.-P. see Micouin L. 2839
Husson H.-P. see Quirion J.-C. 3334

Iacazio G. see Martini D. 1489
Ibarzo J. see Ortuño R. M. 127
Ichihara O. see Davies S. G. 1919
Idogaki H. see Suzuki T. 3109
Iida A. see Mizuno M. 2483
Ikeda I. see Imai Y. 2453
Ikeda I. see Zhang W. 451
Ikeda I. see Zhang W. 1235
Ikeda M. see Ishibashi H. 2531
Ikonnikov N. see Belokon' Y. 851
Illaszewicz C. see Gruber-Khadjawi M. 807
Imai Y. Zhang W. Kida T. Nakatsuji Y. and Ikeda I. Novel C_2-symmetric chiral bisoxazoline ligands in rhodium(I)-catalyzed asymmetric hydrosilylation 2453
In Y. see Maezaki N. 29
Ince J. Ross T. M. Shipman M. and Ennis D. S. Synthesis of chiral, nonracemic methylene-aziridines derived from β-amino alcohols 3397
Ini S. Kapon M. Cohen S. and Gross Z. Self assembly assisted preparation of a homochiral porphyrin 659
Inomata K. see Ukaji Y. 53
Inoue Y. see Hayase T. 2509
Ip Y. T. see Stead P. 2247
Isábal E. see Bonjoch J. 1899
Iseki K. Asada D. Takahashi M. Nagai T. and Kobayashi Y. Diastereoselective bromo-difluoromethylation and difluoromethylation of chiral imide enolates via insertion of difluorocarbene 1205
Ishibashi H. Fuke Y. Yamashita T. and Ikeda M. Radical cyclization of chiral *N*-(1-cycloalken-1-yl)-α-haloacetamides: synthesis of optically active bicyclic pyrrolidinones 2531
Ishida T. see Maezaki N. 29
Ishida T. Bounds S. V. J. Caldwell J. Drake A. and Takeshita M. The absolute configuration of the four stereoisomers of *trans*-anethole diol (1-(4'-methoxyphenyl)-1,2-propanediol), a metabolite of anethole in the rat 3113
Ishii R. see Yamada K. 737
Issberner J. Böhme M. Grimme S. Nieger M. Paulus W. and Vögtle F. Poly(amine/imine) dendrimers bearing planar chiral terminal groups—synthesis and chiroptical properties 2223
Iwasa K. see Nakano H. 2381
Iwata C. see Maezaki N. 29
Iwata C. see Maezaki N. 2787
Iwata C. see Takemoto Y. 993
Izquierdo I. Plaza M. T. and Aragón F. Enantiospecific synthesis of 8-*O*-methylthioswainsonine from a derivative of D-glucose 2567
Izquierdo I. Plaza M. T. Robles R. and Rodríguez C. A highly diastereoselective synthesis of 4-octulose and 2-deoxy-4-octulose from a D-fructose derivative 3593

Jacquet J.-P. see Remuzon P. 1181
Jaime C. see Port A. 1295
Jakob B. Voss G. and Gerlach H. Synthesis of (*S*)- and (*R*)-3-hydroxyhexadecanoic acid 3255
Jakubke H.-D. see Ullmann D. 2047
Janssen J. see Langer T. 1599
Jaouen G. see Howell J. A. S. 95
Jaouen G. see Howell J. A. S. 307
Jefford C. W. de Villedon de Naide F. and Sienkiewicz K. The synthesis of chiral 1-(1*H*-pyrrole) derivatives 1069
Jeko J. see Adam W. 2437
Jezewski A. see Bauer T. 1385
Jezewski A. see Bauer T. 1391
Jezewski A. see Bauer T. 1405
Jezewski A. see Jurczak J. 1413
Jiang Y.-Z. see Yang T.-K. 57
Jiménez J. L. see Avalos M. 2333
Jiménez J. M. and Ortuño R. M. First enantioselective synthesis of (–)-(*Z*)-2,3-methano-L-glutamic acid 3203
Jiménez J. M. Rifé J. and Ortuño R. M. Enantioselective total syntheses of cyclopropane amino acids: natural products and protein methanologs 537
Johnson C. R. see Biadatti T. 2313
Johnson D. A. see Keegan D. S. 3559
Jones P. G. see Galley G. 2073
Jong T.-T. see Yang T.-K. 57
Jongejan H. see Franssen M. C. R. 497
Joshi B. S. Newton M. G. Lee D. W. Barber A. D. and Pelletier S. W. Reversal of absolute stereochemistry of the pyrrolo[2,1-*b*]quinazoline alkaloids vasicine, vasicinone, vasicinol and vasicinolone 25
Joshi N. N. see Prasad K. R. K. 1957
Joshi N. N. see Prasad K. R. K. 3147
Juaristi E. see Anaya de Parrodi C. 1915
Juaristi E. Quintana D. Balderas M. and García-Pérez E. Enantioselective synthesis of β-amino acids—VII. Preparation of enantiopure α-substituted β-amino acids from 1-benzoyl-2(*S*)-*tert*-butyl-3-methylperhydropyrimidin-4-one 2233
Jullian V. see Micouin L. 2839
Jullian V. see Quirion J.-C. 3334
Junquera F. see Tejero T. 1529
Jurczak J. see Bauer T. 1385
Jurczak J. see Bauer T. 1391
Jurczak J. see Bauer T. 1405
Jurczak J. and Jezewski A. The asymmetric cyclo-condensation reaction of 1-methoxy-3-silyloxybuta-1,3-dienes with *N*-glyoxyloyl-(2*R*)-bornane-10,2-sultam 1413

Kadyrov R. see Heller D. 3025
Kadyrov R. see Kless A. 33
Kafarski P. see Zymanczyk-Duda E. 1277
Kajtár-Peredy M. see Gács-Baitz E. 2447
Kaminska J. Górnicka I. Sikora M. and Góra J. Preparation of homochiral (*S*)- and (*R*)-1-(2-furyl)ethanols by lipase-catalyzed transesterification 907
Kanai M. see Mizuno M. 2483
Kanazawa A. M. see Delair P. 2707
Kanemasa S. see Yamamoto H. 149
Kanerva L. T. see Csomós P. 1789
Kanerva L. T. see Kiljunen E. 1105
Kanerva L. T. see Vänttinen E. 3037
Kanerva L. T. Csomós P. Sundholm O. Bernáth G. and Fülöp F. Approach to highly enantiopure β-amino acid esters by using lipase catalysis in organic media

1705
Kang D.-H. see Chung S.-K. 21
Kapon M. see Ini S. 659
Karla R. see Herdeis C. 867
Kasai N. see Suzuki T. 3109
Kaschinski C. see Herdeis C. 867
Kashino S. see Sakai T. 1883
Katritzky A. R. Ei-Zemity S. R. Leeming P. Hartshorn C. M. and Steel P. J.
Synthesis and highly diastereoselective alkylation of chiral *N*-[(*S*,*S*)-3,5-bis(1-methoxyethyl)-1,2,4-triazol-4-yl]arylimines 1621
Katritzky A. R. Wang J. Leeming P. and Steel P. J.
Chiral 1,2,4-triazole derivatives as potential synthetic intermediates 1631
Katrusiak A. see Gawronski J. 301
Kawada K. see Kokuryo Y. 3545
Kawai Y. see Nakamura K. 409
Kawashima K. see Kishikawa K. 1733
Kawate T. Yamada H. Soe T. and Nakagawa M.
Enantioselective asymmetric Pictet–Spengler reaction catalyzed by diisopino-campheylchloroborane 1249
Kawazura H. see Yamada K. 737
Keay B. A. see Carpenter B. E. 3107
Keay B. A. see Nieman J. A. 3521
Keegan D. S. Hagen S. R. and Johnson D. A.
Efficient asymmetric synthesis of (*R*)-3-hydroxy- and alkanoyloxytetradecanoic acids and method for the determination of enantiomeric purity 3559
Kellogg R. M. see Hulst R. 1373
Kellogg R. M. see Hulst R. 2755
Kelly D. R.
A proposal for the origin of stereoselectivity in enzyme catalysed Baeyer–Villiger reactions 1149
Kelly D. R. Knowles C. J. Mahdi J. G. Taylor I. N. and Wright M. A.
The enantioselective oxidation of sulfides to sulfoxides with *Acinetobacter* sp. NCIMB 9871, *Pseudomonas* sp. NCIMB 9872, *Xanthobacter autotrophicus* DSM 431(NCIMB 10811) and the black yeast NV-2 365
Kenmoku Y. see Ukaji Y. 53
Kennedy A. R. see Cran G. A. 2511
Keszei S. see Mravik A. 1477
Khau V. V. see Hansen M. M. 2515
Khiar N. see Benabra A. 3353
Khilevich A. Mar A. Flavin M. T. Rizzo J. D. Lin L. Dzekhtser S. Brankovic D. Zhang H. Chen W. Liao S. Zembower D. E. and Xu Z.-Q.
Synthesis of (+)-calanolide A, an anti-HIV agent, via enzyme-catalyzed resolution of the aldol products 3315
Khrimian A. P. Oliver J. E. Waters R. M. Panicker S. Nicholson J. M. and Klun J. A.
Enantioselective synthesis of 2-fluoro carboxylic acids from trichloromethyl carbinols: an efficient approach to chiral fluorine introduction into insect sex pheromones 37
Kida T. see Imai Y. 2453
Kieslich K. see de Raadt A. 467
Kiljunen E. and Kanerva L. T.
(*R*)- and (*S*)-Cyanohydrins using oxynitrilases in whole cells 1105
Kinbara K. Sakai K. Hashimoto Y. Nohira H. and Saigo K.
Design of resolving reagents: *p*-substituted mandelic acids as resolving reagents for 1-arylalkylamines 1539
Kishi E. see Uozumi Y. 1603
Kishikawa K. Takada Y. Kawashima K. Kohmoto S. Yamamoto M. and Yamada K.
Enantioseparation of *N*-(1-arylethyl)amides and α-[*N*-(3,5-dinitrobenzoyl)]amino esters by column chromatography. Chiral recognition using a hydrogen bond acceptor centered in a pseudo-C_2 symmetric environment—II 1733
Kitano K. see Nakamura K. 409
Kitayama K. see Uozumi Y. 1603
Kiyooka S.-i. and Hena M. A.
A chiral oxazaborolidinone-promoted aldol reaction with a silyl ketene acetal from ethyl 1,3-dithiolane-2-carboxylate. Synthesis of acetate aldols in high enantiomeric purity 2181
Kless A. Holz J. Heller D. Kadyrov R. Selke R. Fischer C. and Börner A.
Chiral phosphinephosphites having axial and central chirality in asymmetric hydroformylations 33
Klun J. A. see Khrimian A. P. 37
Knopp M. see Enders D. 1847
Knowles C. J. see Kelly D. R. 365
Kobayashi K. see Kokuryo Y. 3545
Kobayashi S. see Yamamoto H. 149
Kobayashi Y. see Iseki K. 1205
Koch G. and Pfaltz A.
Chiral phosphinooxazolines as ligands in asymmetric catalysis: intramolecular Pd-catalyzed allylic alkylation 2213
Kohmoto S. see Kishikawa K. 1733
Koizumi T. see Takahashi T. 2797
Kokotos G. Padrón J. M. Noula C. Gibbons W. A. and Martín V. S.
A general approach to the enantiomeric synthesis of lipidic α-amino acids, peptides and vicinal amino alcohols 857
Kokuryo Y. Nakatani T. Kobayashi K. Tamura Y. Kawada K. and Ohtani M.
Practical synthesis of L-*erythro*- and L-*threo*-4-fluoroglutamic acids using aminoacylase 3545
Kolasa T. Gunn D. E. Stewart A. O. and Brooks C. D. W.
Synthesis and resolution of 2-(cyclohexyl-4-(2-quinolylmethoxy)phenyl)-methoxyiminopropionic acid, leukotriene biosynthesis inhibitors 2645
Kolasa T. Stewart A. O. and Brooks C. D. W.
Asymmetric synthesis of (*R*)-*N*-3-butyn-2-yl-*N*-hydroxyurea, a key intermediate for 5-lipoxygenase inhibitors 729
Köll P. and Lützen A.
D-Xylose derived oxazolidin-2-ones as chiral auxiliaries in stereoselective alkylations 637
Kolodiazhnyi O. I. and Grishkun E. V.
Simple route to chiral organophosphorus compounds 967
Kondo S. see Nakamura K. 409
Kooijman H. see Franssen M. C. R. 497
Kopper I. see de Raadt A. 467
Kopper I. see de Raadt A. 473
Kopper I. see de Raadt A. 491
Korolev A. M. see Preobrazhenskaya M. N. 461
Korolev A. M. see Preobrazhenskaya M. N. 641
Koroleva E. B. and Andersson P. G.
Development of an asymmetric palladium-catalysed elimination 2467
Koskinen A. M. P. see Gefflaut T. 3099

Kotila S. see Pischel I. 109
Koutek B. see Svatoš A. 1285
Kovensky J. Duchaussoy P. Petitou M. and Sinaÿ P.
Binding of heparan sulfate to fibroblast growth factor-2. Total synthesis of a putative pentasaccharide binding site 3119
Kozak J. see Bauer T. 1391
Kozima S. see Haraguchi Y. 443
Kratky C. see Wiesauer C. 397
Krause H. W. see Döbler C. 117
Krause H. W. see Heller D. 3025
Krause H. W. see Kreuzfeld H.-J. 1011
Kreher T. see Theil F. 3365
Kreiner M. see de Raadt A. 467
Kreiner M. see de Raadt A. 473
Kreiner M. see de Raadt A. 491
Kremminger P. see Heerding D. 237
Kremser A. see Effenberger F. 607
Kren V. see Svatoš A. 1285
Kreuzfeld H.-J. see Döbler C. 117
Kreuzfeld H.-J. Schmidt U. Döbler C. and Krause H. W.
Enantioselective hydrogenation of dehydroamino acid derivatives using PINDOPHOS–rhodium as chiral catalyst 1011
Krishnan K. see Ghosh A. K. 2165
Kruse C. G. see Warmerdam E. G. J. C. 1723
Kruse C. G. see Warmerdam E. G. J. C. 2539
Krysiak J. A. see Mikołajczyk M. 3513
Kubo K. see Sakai T. 1883
Kubota M. see Takahata H. 3047
Kucerovy A. see Xu D. 747
Kukhar V. P. see Soloshonok V. A. 1547
Kunath A. see Lemke K. 971
Kuraoka S. see Takemoto Y. 993
Kurose N. see Takahashi T. 2797
Kusunoki M. see Takahata H. 2093
Kuwabe S. see Morimoto Y. 3371
Kyota H. see Uozumi Y. 1603

Labastida V. see Ordoñez M. 2675
Lagasse F. see Alexakis A. 3343
Laï R. and Martin S.
A simple route to chiral carbohydrate-cyclopentadienyl and -indenyl ligands 2783
Laï R. and Martin S.
Corrigendum 3333
Lallemand J.-Y. see Renard P.-Y. 2523
Lampe T. F. J. Hoffmann H. M. R. and Bornscheuer U. T.
Lipase mediated desymmetrization of *meso*-2,6-di(acetoxymethyl)-tetrahydropyran-4-one derivatives. An innovative route to enantiopure 2,4,6-trifunctionalized C-glycosides 2889
Lan J. see Li J. 2851
Lanaspa A. see Tejero T. 1529
Lanciotti R. see Fantin G. 2879
Lane A. L. see Blériot Y. 2761
Lane A. L. see Estevez J. C. 387
Lanfranchi G. see Vidari G. 3009
Langer T. Janssen J. and Helmchen G.
Catalytic asymmetric hydrosilylation of ketones using rhodium(I)-complexes of chiral phosphinooxazoline ligands 1599
Langlois N. Rojas-Rousseau A. and Decavallas O.
Synthesis of conformationally constrained analogues of (*R*)-2-amino-7-phosphonoheptanoic acid 1095
Langlois Y. see Meddour A. 2489
Lanza S. Bruno G. Nicolò F. and Scopelliti R.
A new example of stereoisomerism in inorganic chemistry: Pt–Ru chiral axis in [(η⁶-*p*-cymene)RuCl(μ-*N,N'*-dialkyldithioxamidato *N,N'*-Ru-*S,S'*-Pt)-Pt(2-diphenylphosphinopyridine)Cl] 3347
Larsen R. D. see Senanayake C. H. 1501
Lattanzi A. see Scettri A. 629
Lattanzi A. see Scettri A. 657
Latypov Sh. K. see Ferreiro M. J. 2195
Laurent E. see Antolini L. 3309
Laux W. H. G. see Meier C. 89
Lazarus M. see Adam W. 2287
Lazhko E. I. see Preobrazhenskaya M. N. 461
Lazhko E. I. see Preobrazhenskaya M. N. 641
Le Corre M. see Bonnat M. 559
Le Corre M. see Hercouet A. 283
Le Corre M. see Hercouet A. 620
Le Corre M. see Hercouet A. 1267
Lee D. W. see Joshi B. S. 25
Lee D.-S. see Yang T.-K. 57
Lee S. see Song C. E. 645
Lee S.-S. Lin G.-S. and Wang K. C.
Microbial reduction of 2-(6-*m*-methoxyphenyl-3-oxohexyl)-2,4,5-trimethylcyclopenta-1,3-dione with *Schizosaccharomyces pombe* (NRRL Y-164) 1563
Leeming P. see Katritzky A. R. 1621
Leeming P. see Katritzky A. R. 1631
Leeuwenburgh M. A. see Timmers C. M. 49
Le Gall T. see Lucet D. 985
Le Gendre P. see Doucet H. 525
Lejczak B. see Zymanczyk-Duda E. 1277
Le Merrer Y. see Tuch A. 897
Le Merrer Y. see Tuch A. 2901
Lemke K. Theil F. Kunath A. and Schick H.
Lipase-catalysed kinetic resolution of phenylethan-1,2-diol by sequential transesterification—the influence of the solvent 971
Lepp Z. see Mravik A. 2387
Lesma G. see Danieli B. 345
Leung P.-H. see Aw B.-H. 1753
Leung P.-H. see Loh S.-K. 45
Leung P.-H. see Siah S.-Y. 357
Levacher V. see Philippe N. 417
Levacher V. see Philippe N. 925
Lévai A. see Adam W. 2437
Lézé A. see Brown E. 2029
Lhommet G. see Célimène C. 1585
Lhommet G. see Vo Thanh G. 2211
Li J. Lan J. Liu Z. Li Y. and Li Y.
First total synthesis of three cembrene diterpenoids 2851
Li X.-R. and Loh T.-P.
Indium trichloride-promoted tin-mediated carbonyl allylation in water: high simple diastereo- and diastereofacial selectivity 1535
Li Y. see Li J. 2851
Li Y. see Li J. 2851
Li Y. see Xiong Z. 2607
Liao S. see Khilevich A. 3315
Licini G. see Cecchet E. 369
Lightner D. A. see Boiadjiev S. E. 1309
Lightner D. A. see Boiadjiev S. E. 2825
Lilly M. D. see Morris K. G. 2185
Lin G.-S. see Lee S.-S. 1563
Lin L. see Khilevich A. 3315
Lin M. see Shapiro M. 2169
Lin Y.-C. see Huang H.-L. 3067
Liu H.-W. see Gutcait A. 1641
Liu J. see Senanayake C. H. 1501
Liu L. T. see Huang H.-L. 3067
Liu Z. see Li J. 2851
Llama E. F. see Bermudez J. L. 2485

Llama E. F. see del Campo C. 2627
Llera J. M. see Ordoñez M. 2675
Llor N. see Amat M. 977
Llor N. see Amat M. 2501
LoCastro S. see Heerding D. 237
Loh S.-K. Mok K. F. Leung P.-H. White A. J. P. and Williams D. J. Isolation and structural characterisation of a reactive chiral palladium(II) complex containing a ClO_4 ligand 45
Loh T.-P. see Li X.-R. 1535
Lohray B. B. Nandanan E. and Bhushan V. Catalytic asymmetric dihydroxylation of alkenes using silica gel supported cinchona alkaloid 2805
Lohray B. B. Reddy A. S. and Bhushan V. An efficient synthesis of (3*R*)-4-amino-3-hydroxy butyric acid (GABOB) via cyclic sulfite methodology 2411
Lokeswari T. S. see Chadha A. 1571
Lombardi P. see Botta M. 1263
Lombardo M. see Castellari C. 1059
Long J. see Berens U. 285
López C. Bosque R. Solans X. and Font-Bardia M. Syntheses and characterization of optically active cyclopalladated compounds containing ferrocenyl units 2527
López Mª P. see Cativiela C. 2391
López-Canet M. see Bonjoch J. 1899
López-Herrera F. J. Pino-González M. S. Sarabia-García F. Heras-López A. Ortega-Alcántara J. J. and Pedraza-Cebrián M. G. Asymmetric synthesis of 2,3-epoxyamides by reacting monosaccharide derivatives with stabilised sulphur ylides generated *in situ*: two-phase method and configurational assignations 2065
Lotter H. see Herdeis C. 867
Löwendahl C. see Allenmark S. 361
Lu X. see Zhang Z. 1923
Lucet D. Le Gall T. Mioskowski C. Ploux O. and Marquet A. First synthesis of both enantiomers of the biotin vitamer 8-amino-7-oxopelargonic acid 985
Luis J. Aceña J. L. Arjona O. and Plumet J. Total synthesis of (+)-pinitol 3535
Lukacs Z. see Schreder B. 1543
Lundh M. Smitt O. and Hedenström E. Sex pheromone of pine sawflies: enantioselective lipase catalysed transesterification of *erythro*-3,7-dimethylpentadecan-2-ol, diprionol 3277
Lunghi A. see Dossena A. 1911
Lützen A. see Köll P. 637

Ma D. Ma J. Ding W. and Dai L. An improved procedure to homochiral cyclic statines 2365
Ma D. and Tian H. Stereoselective synthesis of (*S*)-(+)-αM4CPG a selective antagonist of metabotropic glutamate receptors 1567
Ma D. and Yao J. Synthesis of chiral *N*-aryl-α-amino acids by Pd–Cu catalyzed couplings of chiral α-amino acids with aryl halides 3075
Ma J. see Ma D. 2365
Ma L. see Cheng H. 3083
Ma L. Hu Q.-S. and Pu L. Synthesis of an optically active poly(aryleneethynylene) containing extended conjugation in the repeat unit 3103
Macchia F. see Crotti P. 779
Maciejewski L. A. Goetgheluck S. J. Delacroix O. A. and Brocard J. S. Highly stereoselective alkylation through asymmetric intramolecular autoactivation; synthesis and use of a new chiral ligand 1573
Madau A. Porzi G. and Sandri S. Stereoselective synthesis of unnatural aminoacids *cis*-4-hydroxyproline and bulgecinine 825
Maeng J.-H. see Berkowitz D. B. 1577
Maeng J.-H. see Berkowitz D. B. 2159
Maeno S. see Ema T. 625
Maestro M. C. see García Ruano J. L. 1819
Maezaki N. Sakamoto A. Soejima M. Sakamoto I. Xia L. Y. Tanaka T. Ohishi H. Sakaguchi K. and Iwata C. 1,5-Benzodithiepan-3-one 1,5-dioxide: a novel chiral auxiliary for asymmetric desymmetrization of *meso*-1,2-diols 2787
Maezaki N. Soejima M. Sakamoto A. Sakamoto I. Matsumori Y. Tanaka T. Ishida T. In Y. and Iwata C. Asymmetric desymmetrization of σ-symmetrical diols: the role of chelation in the diastereoselective acetal cleavage induced by the chiral α-sulfinyl carbanion 29
Mahdi J. G. see Kelly D. R. 365
Mahmoudian M. see Stead P. 2247
Maignan J. see Solladié G. 2359
Maiorana S. see Bassoli A. 1903
Majer Z. see Adam W. 2437
Majeric M. and Sunjic V. Preparation of *S*-2-ethylhexyl-*para*-methoxycinnamate by lipase catalyzed sequential kinetic resolution 815
Mak T. C. W. see Shing T. K. M. 673
Malezieux B. see Howell J. A. S. 95
Malfait S. Pélinski L. and Brocard J. Stereoselective synthesis and use in catalytic asymmetric addition of diethylzinc to benzaldehyde of new chiral amino alcohol complexes: influence of the chromium complexation on the enantioselectivity 653
Malhotra S. V. see Brown H. C. 3527
Malo E. A. see Petschen I. 2135
Mangeney P. see Alexakis A. 3343
Mann A. see D'Aniello F. 1217
Manohar M. see Chadha A. 1571
Mar A. see Khilevich A. 3315
Marchetti M. see Chelucci G. 885
Marchioro C. see Panunzio M. 2929
Marco J. L. and Martín G. Transformations of L-erythrulose: synthesis of 2-amino-4-[1′*R*(1′,2′-*O*-isopropylidene)-1,2-dihydroxyethyl]-3-furancarbonitrile 2191
Marco-Contelles J. Destabel C. and Chiara J. L. Palladium-catalyzed reduction of a propargylic acetate derived from a sugar with SmI_2. Some unexpected results 105
Margitfalvi J. L. Hegedüs M. and Tfirst E. Enantioselective hydrogenation of α-keto esters over cinchona–Pt/Al_2O_3 catalyst. Kinetic evidence for the substrate–modifier interaction in the liquid phase 571
Marley H. see Stead P. 2247
Marotta E. see Fantin G. 277
Marquet A. see Lucet D. 985

Martelli G. see Bongini A. 3485
Martens J. see Eilers J. 2343
Martens J. see Reiners I. 1763
Martín A. see Dorta R. L. 1907
Martín G. see Marco J. L. 2191
Martín M. R. see García Ruano J. L. 1943
Martin S. see Laï R. 2783
Martin S. see Laï R. 3333
Martín V. S. see Kokotos G. 857
Martinelli M. J. see Hansen M. M. 2515
Martínez A. G. Vilar E. T. Fraile A. G. de la Moya Cerero S. Ruiz P. M. and Subramanian L. R. A facile synthesis of new homochiral β-amino alcohols with norbornane framework 1257
Martínez Ruiz P. see García Martínez A. 2177
Martini D. Buono G. Montillet J.-L. and Iacazio G. Chemo-enzymatic synthesis of methyl 9(*S*)-HODE (dimorphecolic acid methyl ester) and methyl 9(*S*)-HOTE catalysed by barley seed lipoxygenase 1489
Masaki Y. see Arai Y. 1199
Masciaga F. see Vidari G. 3009
Masdeu-Bultó A. M. Orejón A. Castellanos A. Castillón S. and Claver C. Asymmetric hydroformylation of styrene using a rhodium catalyst with BDPP as the chiral ligand 1829
Massett S. S. see Breitenbach R. 435
Massy-Westropp R. A. see Hamon D. P. G. 263
Mastrorilli E. see Di Bussolo V. 3585
Masuda T. see Arai Y. 1199
Mathivanan P. see Ghosh A. K. 375
Mathivanan P. see Ghosh A. K. 2165
Matsuda T. see Nakamura K. 3021
Matsui J. Nicholls I. A. and Takeuchi T. Highly stereoselective molecularly imprinted polymer synthetic receptors for *Cinchona* alkaloids 1357
Matsumori Y. see Maezaki N. 29
Mattner P. G. see Xu D. 747
Matull S. see Scharpwinkel K. 2497
Mayoral J. A. see Cativiela C. 2391
Mayoral J. A. see Fraile J. M. 2263
McArdle P. see Howell J. A. S. 95
McCague R. see Newman L.. M. 1597
McFarlane W. see Aw B.-H. 1753
Mecitoglu I. see Demir A. S. 3359
Medarde M. see Caballero E. 1985
Meddour A. Haudrechy A. Berdagué P. Picoul W. Langlois Y. and Courtieu J. Analysis of the diastereoselectivity of a Diels–Alder cycloaddition through ^{2}H NMR in chiral liquid crystals 2489
Medici A. see Fantin G. 277
Medici A. see Fantin G. 2879
Meier C. and Laux W. H. G. Asymmetric synthesis of chiral, nonracemic dialkyl-α-hydroxyalkylphosphonates via a (–)-chlorodiisopino-campheylborane (Ipc_2B–Cl) reduction 89
Meille S. V. see Bravo P. 2321
Mellão M. L. and Vasconcellos M. L. A. A. New camphor derivatives for enantioselective syntheses 1607
Meltz M. see Breitenbach R. 435
Menchi G. see Occhiato E. G. 1929
Mendozza M. see Donzelli F. 3129
Merchan F. see Merino P. 1887
Merchán F. L. see Tejero T. 1529
Merchán F. L. Merino P. Rojo I. Tejero T. and Dondoni A. Enantioselective addition of Grignard reagents to a 2-thiazolyl nitrone 667
Merhof G. F. see Altenbach H.-J. 2493
Merhof G. F. see Altenbach H.-J. 3087
Merifield E. see Brenchley G. 2809
Merino P. see Merchán F. L. 667
Merino P. see Tejero T. 1529
Merino P. Anoro S. Castillo E. Merchan F. and Tejero T. Direct vinylation and ethynylation of nitrones. Stereodivergent synthesis of allyl and propargyl amines 1887
Merlini L. see Bassoli A. 1903
Meyer H. H. see Wünsche K. 2017
Mhamdi F. see Alexakis A. 3343
Mi A.-Q. see Yang T.-K. 57
Michalik M. see Döbler C. 117
Michalik M. see Heller D. 3025
Micouin L. see Quirion J.-C. 3334
Micouin L. Jullian V. Quirion J.-C. and Husson H.-P. Origins of diastereoselectivity in the alkylation of N-substituted lactams and amides derived from optically active aminoalcohols 2839
Midura W. H. see Mikołajczyk M. 3513
Mieczkowski J. B. see Czarnocki Z. 2711
Mikami A. see Morimoto Y. 3371
Mikołajczyk M. see Omelanczuk J. 2687
Mikołajczyk M. Krysiak J. A. Midura W. H. Wieczorek M. W. and Błaszczyk J. α-Phosphoryl sulfoxides—X. A general synthesis of optically active α-chlorovinyl sulfoxides 3513
Milewska M. J. Gdaniec M. and Polonski T. Synthesis, stereochemistry, and chiroptical spectra of cyclopropyl lactones and thionolactones 3169
Mingardi A. see Bongini A. 1457
Minguillón C. see Velasco D. 633
Minutolo F. see Crotti P. 1347
Minutolo F. Pini D. Petri A. and Salvadori P. Heterogeneous asymmetric epoxidation of unfunctionalized olefins catalyzed by polymer-bound (salen)manganese complexes 2293
Mioskowski C. see Lucet D. 985
Miravitlles C. see Amat M. 2501
Miravitlles C. see Amat M. 3091
Mirti C. see Mischitz M. 2041
Mischitz M. Mirti C. Saf R. and Faber K. Regioselectivity of *Rhodococcus* NCIMB 11216 epoxide hydrolase: applicability of *E*-values for description of enantioselectivity depends on substrate structure 2041
Misiti D. see Dell'Uomo N. 181
Misiti D. see Di Giovanni M. C. 2277
Mitra R. K. see Morris K. G. 2185
Miwa Y. see Tanaka K. 2199
Miyake T. see Seki M. 1241
Mizuno M. Kanai M. Iida A. and Tomioka K. Chiral ligand controlled enantioselective opening of oxirane and oxetane 2483
Mobbili G. see Galeazzi R. 79
Mobbili G. see Galeazzi R. 3573
Moberg C. see Adolfsson H. 1967
Moberg C. see Cernerud M. 2863

Modena G. see Cecchet E. 369
Mok K. F. see Loh S.-K. 45
Mok K. F. see Siah S.-Y. 357
Molatore A. see Ferraboschi P. 1551
Molatore A. see Ferraboschi P. 2160
Molina I. see Zamora F. 1811
Molina J. L. see Fuentes J. 203
Molins E. see Amat M. 2501
Molins E. see Amat M. 3091
Moloney M. G. Paul D. R. Thompson R. M. and Wright E.
Chiral carboxylic acid ligands derived from camphoric acid 2551
Momose T. see Takahata H. 2093
Momose T. see Takahata H. 3047
Monser L. I. Greenway G. M. and Ewing D. F.
Novel 2-chrysenyl- and 1-pyrenyl-tartaramide derivatives as liquid chromatographic chiral phases for enantiomeric separation on porous graphitic carbon 1189
Montenegro E. Echarri R. Claver C. Castillón S. Moyano A. Pericàs M. A. and Riera A.
New camphor-derived sulfur chiral controllers: synthesis of (2*R-exo*)-10-methylthio-2-bornanethiol and (2*R-exo*)-2,10-bis(methylthio)bornane 3553
Monti M. see Fantin G. 277
Montillet J.-L. see Martini D. 1489
Morán del Prado L. see Caballero E. 1985
Moreno A. M. see Alcaide B. 2203
Moretti I. see Antolini L. 3309
Moriggi J.-D. see Vidari G. 3009
Morimoto Y. Mikami A. Kuwabe S. and Shirahama H.
Stereocontrolled synthesis of C10–C22 fragment of the immuno-suppressant FK 506. An occurrence of complementary stereo-selectivity in the C15 ketone reduction 3371
Morin M.-P. see Chênevert R. 2161
Morris K. G. Smith M. E. B. Turner N. J. Lilly M. D. Mitra R. K. and Woodley J. M.
Transketolase from *Escherichia coli*: a practical procedure for using the biocatalyst for asymmetric carbon–carbon bond synthesis 2185
Morrow C. J. see Baldwin B. W. 2871
Mortreux A. see Roucoux A. 379
Moscalenko M. see Belokon' Y. 851
Moseley J. D. Williams B. J. Owen S. N. and Verrier H. M.
Crystallisation induced resolution of 4-fluorophenylglycine 3351
Moyano A. see Montenegro E. 3553
Moyano A. see Pastó M. 243
Mravik A. Böcskei Z. Keszei S. Elekes F. and Fogassy E.
New route to enantiomers of cyclic β-hydroxyethers. The crystal structure of (*S*)-(+)-tetrahydrofurfuryl-*O,O'*-diacetyl-(2*R*,3*R*)-hydrogentartrate 1477
Mravik A. Lepp Z. and Fogassy E.
Simple resolution of *O,O'*-dibenzoyltartaric acid by preferential crystallization of its calcium salt–methoxy-ethanol complex 2387
Mukai S. see Hamada Y. 2671
Müller M. see Blériot Y. 2761
Müller S. N. see Giese B. 1261
Mulvaney A. W. see Richards C. J. 1419
Murata M. see Naemura K. 1581
Murata M. see Naemura K. 3285
Murray R. W. Singh M. and Rath N.
Stereochemistry in the oxidation of primary amines to nitro compounds by dimethyldioxirane 1611
Murtiashaw C. W. see Breitenbach R. 435
Mussati E. see Braghiroli D. 831
Muthukumaran K. see Basavaiah D. 13
Muthukumaran K. see Basavaiah D. 997
Muzart J. see Thorey C. 975

Naemura K. Murata M. Tanaka R. Yano M. Hirose K. and Tobe Y.
Enantioselective acylation of alcohols catalyzed by lipase QL from *Alcaligenes* sp.: a predictive active site model for lipase QL to identify the faster reacting enantiomer of an alcohol in this acylation 1581
Naemura K. Murata M. Tanaka R. Yano M. Hirose K. and Tobe Y.
Enantioselective acylation of primary and secondary alcohols catalyzed by lipase QL from *Alcaligenes* sp.: a predictive active site model for lipase QL to identify which enantiomer of an alcohol reacts faster in this acylation 3285
Nagai T. see Iseki K. 1205
Nair M. S. and Anilkumar A. T.
Versatile chiral intermediates for terpenoid synthesis using lipase catalysed acylation 511
Nájera C. see Bernabeu M. C. 2475
Nakagawa H. see Yamada K. 737
Nakagawa M. see Kawate T. 1249
Nakamura K. Kondo S. Kawai Y. Hida K. Kitano K. and Ohno A.
Enantio- and regioselective reduction of α-diketones by baker's yeast 409
Nakamura K. Matsuda T. and Ohno A.
Asymmetric synthesis of (*S*)-arylalkanols by microbial reduction 3021
Nakanishi S. Yamaguchi H. Okamoto K. and Takata T.
Preparation and structural feature of (η^3-allyl)dicarbonyl-nitrosyliron complexes with planar chirality 2219
Nakano H. Iwasa K. Okuyama Y. and Hongo H.
Lipase-catalyzed resolution of 2-azabicyclo[2.2.1]hept-5-en-3-ones 2381
Nakatani T. see Kokuryo Y. 3545
Nakatsuji Y. see Imai Y. 2453
Nandanan E. see Lohray B. B. 2805
Nanni D. and Curran D. P.
Synthesis and some reactions of the first chiral tin hydride containing a C_2-symmetric binaphthyl substituent 2417
Napolitano E. see Ramacciotti A. 1101
Narisada N. see Suzuki T. 2519
Nash R. J. see Bell A. A. 595
Nash R. J. see Estevez J. C. 383
Nash R. J. see Estevez J. C. 387
Nash R. J. see Estevez J. C. 391
Navarro R. see Cantín O. 2695
Navarro-Ranninger C. see García Ruano J. L. 139
Nemes C. see Adam W. 2437
Neri P. Bottino A. Geraci C. and Piattelli M.
Synthesis of glycidyl calixarenes, versatile substrates for the preparation of chiral calixarene-based ligands 17
Nespi M. see Zanardi F. 1167
Nevalainen V.
Borane as a model of Lewis

acidic activators of chiral *N*-sulphonylated oxazaborolidinones used to catalyze asymmetric Diels–Alder reactions 1449
Nevalainen V. $HB(OH)_2$ and H_2CO as probes for a study on binding of dialkoxyboranes and ketones to oxazaborolidines capable of catalyzing the enantioselective reduction of ketones 2655
Nevalainen V. see Uggla R. 1741
Nevalainen V. see Uggla R. 2725
Newman L. M. Williams J. M. J. McCague R. and Potter G. A. Rhodium catalysed asymmetric hydrosilylation of ketones using phosphorus-containing oxazoline ligands 1597
Newton J. L. see Hamon D. P. G. 263
Newton M. G. see Joshi B. S. 25
Ng M.-K. see Chow H.-F. 2251
Nicholls I. A. see Matsui J. 1357
Nicholson J. M. see Khrimian A. P. 37
Nicolò F. see Lanza S. 3347
Nicolosi G. see Patti A. 2665
Nieger M. see Issberner J. 2223
Nieger M. see Pischel I. 109
Nieman J. A. and Keay B. A. *cis,cis*-Spiro[4.4]nonane-1,6-diol: a new chiral auxiliary for the asymmetric Diels–Alder reaction 3521
Nobin G. N. see Brimble M. A. 2007
Noble D. see Stead P. 2247
Noheda P. García G. Pozuelo M. C. and Herradón B. Chemo-enzymatic synthesis of chiral cyclic compounds: efficient kinetic resolution of 2-bromo-2-cyclohexenol 2801
Nohira H. see Kinbara K. 1539
Nordström K. see Adolfsson H. 1967
North M. see Belokon' Y. 851
Noula C. see Kokotos G. 857
Nuber B. see Brunner H. 3095
Nyzam V. Belaud C. Zammattio F. and Villieras J. Stereocontrolled synthesis of chiral secondary (α-methylene-β-substituted)-γ-lactams by addition of β-functional crotylzinc reagents to chiral imines 1835

O'Brien P. and Warren S. Asymmetric synthesis with diphenylphosphine oxides: bicyclic aminals and oxazolidines as chiral auxiliaries 3431
Occhiato E. G. Scarpi D. Menchi G. and Guarna A. Synthesis of enantiopure 2,7-diaryl-1,6-dioxaspiro[4.4]-nonanes via enantioselective reduction of prochiral γ-nitroketones by diisopino-campheyl-chloroborane (DIP-Cl™) 1929
O'Donnell M. J. Zhou C. and Chen N. Preparation of optically active β-carboxyaspartic acid derivatives via Pd(0)-catalyzed asymmetric substitution of Schiff base acetates 621
Oestreicher E. G. see Gonçalves L. P. B. 1237
O'Gara M. see Howell J. A. S. 95
Oguchi T. see Yoda H. 2113
Ohishi H. see Maezaki N. 2787
Ohmizu H. see Seki M. 1241
Ohno A. see Nakamura K. 409
Ohno A. see Nakamura K. 3021
Ohtani M. see Kokuryo Y. 3545
Oikonomakos N. G. see Brandstetter T. W. 157
Ojea V. Ruiz M. Vilar J. and Quintela J. M. Origins of selectivity in conjugate additions of alkenylphosphonates to lithiated bislactim ethers: a semiempirical study 3335
Okamoto K. see Nakanishi S. 2219
Oku A. see Harada T. 2479
Okuyama Y. see Nakano H. 2381
Olano D. see Fuentes J. 203
O'Leary P. J. see Howell J. A. S. 307
Oliver J. E. see Khrimian A. P. 37
Omelanczuk J. and Mikołajczyk M. Chiral *t*-butylphenylphosphinothioic acid: a useful chiral solvating agent for direct determination of enantiomeric purity of alcohols, thiols, amines, diols, aminoalcohols and related compounds 2687
Ono M. Saotome C. and Akita H. Chemoenzymatic syntheses of each stereoisomer of (4,5)-epoxy-(2*E*)-hexenoates 2595
Ordoñez M. Guerrero-de la Rosa V. Labastida V. and Liera J. M. Enantioselective Diels–Alder reactions catalyzed by chiral magnesium Lewis acids prepared from hydroxy-sulfoxides 2675
Orejón A. see Masdeu-Bultó A. M. 1829
Orena M. see Galeazzi R. 79
Orena M. see Galeazzi R. 3573
Orgueira H. A. see Zamora F. 1811
Oritani T. see Saito A. 2923
Oritani T. see Tanimoto H. 1695
Orlova S. see Belokon' Y. 851
Orsini F. and Pelizzoni F. Cyclic chiral diols with C_2 symmetry: synthesis of (2*R*,3*R*)-dihydroxy-1,2,3,4-tetrahydronaphthalene 1033
Ortega-Alcántara J. J. see López-Herrera F. J. 2065
Ortuño R. M. see Díaz M. 3465
Ortuño R. M. see Jiménez J. M. 537
Ortuño R. M. see Jiménez J. M. 3203
Ortuño R. M. Ibarzo J. d'Angelo J. Dumas F. Alvarez-Larena A. and Piniella J. F. High-pressure and thermally induced asymmetric Diels–Alder cycloadditions of heterosubstituted dienes to homochiral α,β-didehydro amino acid derivatives 127
Osborn J. A. see Sablong R. 3059
Ottolina G. Carrea G. Colonna S. and Rückemann A. A predictive active site model for cyclohexanone monooxygenase catalyzed Baeyer–Villiger oxidations 1123
Ottolina G. Pasta P. Varley D. and Holland H. L. Active site model of cyclohexanone monooxygenase—III. The case of benzyl sulfides bearing polar groups 3427
Ovitt T. M. see Adrian, Jr J. C. 2407
Owen S. N. see Moseley J. D. 3351

Pachera R. see Panunzio M. 2929
Padrón J. M. see Kokotos G. 857
Page P. C. B. Heer J. P. Bethell D. Collington E. W. and Andrews D. M. Corrigendum 619
Pagnotta E. see Trincone A. 2773
Pakulski Z. see Frelek J. 1363
Palacios J. C. see Avalos M. 2333
Palin M. G. see Howell J. A. S. 95
Palin M. G. see Howell J. A. S. 307
Pallavicini M. Valoti E. Villa L.

and Piccolo O. Isopropylidene glycerol hydrogen phthalate: a new resolving agent. Application to the resolution of 1-arylethylamines 1117
Palmieri G. see Cimarelli C. 2099
Palmisano G. Annunziata R. Papeo G. and Sisti M. Oxindole alkaloids. A novel non-biomimetic entry to (–)-horsfiline 1
Pandiaraju S. see Basavaiah D. 13
Pandiaraju S. see Basavaiah D. 997
Panfil I. see Frelek J. 3415
Panicker S. see Khrimian A. P. 37
Panunzio M. see Bongini A. 1467
Panunzio M. see Bongini A. 3485
Panunzio M. Camerini R. Pachera R. Donati D. Marchioro C. and Perboni A. Highly stereocontrolled synthesis of enantiomeric 4-methoxy trienems via resolution of scalemic enol phosphates 2929
Papeo G. see Palmisano G. 1
Pappalardo L. see Hoarau S. 2585
Párkányi L. see Adam W. 2437
Parrain J.-L. see Pempo D. 1951
Passarella D. see Amat M. 2775
Passarella D. see Danieli B. 345
Passmore G. see Franck-Neumann M. 3193
Pasta P. see Colonna S. 565
Pasta P. see Ottolina G. 3427
Pastó M. Moyano A. Pericàs M. A. and Riera A. An enantioselective, stereodivergent approach to *anti*- and *syn*-α-hydroxy-β-amino acids from *anti*-3-amino-1,2-diols. Synthesis of the ready for coupling Taxotere® side chain 243
Patel H. V. see Biju Kumar G. 3391
Patonay T. see Adam W. 2437
Patti A. Sanfilippo C. Piattelli M. and Nicolosi G. Enzymatic desymmetrisation of conduritol D. Preparation of homochiral intermediates for the synthesis of cyclitols and aminocyclitols 2665
Pätzel M. see Galley G. 2073
Pätzel M. see Grubert L. 1137
Paul D. R. see Moloney M. G. 2551
Paulus W. see Issberner J. 2223
Pedraza-Cebrián M. G. see López-Herrera F. J. 2065
Pedrini P. see Fantin G. 277
Pedrini P. see Fantin G. 2879
Pedrocchi-Fantoni G. see Donzelli F. 3129
Pedrosa R. see Caballero M. 219
Pélinski L. see Malfait S. 653
Pelizzoni F. see Orsini F. 1033
Pelletier S. W. see Joshi B. S. 25
Pelloux-Léon N. Gautier-Luneau I. Wendt S. and Vallée Y. Stereoselective synthesis of sulfinates from mannitol derived sulfites 1007
Pempo D. Viala J. Parrain J.-L. and Santelli M. Synthesis of (11*R*,17*S*)-11,17-dimethylhentriacontane: a communication pheromone of ant *Camponotus vagus* 1951
Peper N. C. M. W. see Hulst R. 1373
Peper N. C. M. W. see Hulst R. 2755
Perboni A. see Panunzio M. 2929
Peregrina J. M. see Avenoza A. 721
Peregrina J. M. see Avenoza A. 1555
Periasamy M. see Venkatraman L. 2471
Pericàs M. A. see Montenegro E. 3553
Pericàs M. A. see Pastó M. 243
Perlmutter P. see Collis M. P. 2117
Perricone S. C. Chidester C. G. and Hester J. B. Synthesis of (*R*)-*N*-[4-[4-(dibutylamino)-1-hydroxybutyl]phenyl]methanesulfonamide, (*E*)-2-butenedioate (2:1) salt (artilide fumarate) and the enantiomers of *N*-[4-[4-(ethylheptylamino)-1-hydroxybutyl]phenyl]methanesulfonamide, (*E*)-2-butenedioate (2:1) salt (ibutilide fumarate) 677
Pertici P. see Rosini C. 2971
Péteri I. see Gizur T. 1589
Petitou M. see Kovensky J. 3119
Petri A. see Minutolo F. 2293
Petsch M. see de Raadt A. 467
Petsch M. see de Raadt A. 473
Petsch M. see de Raadt A. 491
Petschen I. Malo E. A. Bosch M. P. and Guerrero A. Highly enantioselective synthesis of long chain alkyl trifluoromethyl carbinols and β-thiotrifluoromethyl carbinols through lipases 2135
Petter R. C. see Shapiro M. 2169
Pezzullo S. L. see Breitenbach R. 435
Pfaltz A. see Koch G. 2213
Philipova I. see Dimitrov V. 1493
Philippe M. see Solladié G. 2359
Philippe N. Levacher V. Dupas G. Duflos J. Quéguiner G. and Bourguignon J. Diastereoselective alkylation of homochiral 1,2,3,4-tetrahydroisoquinolin-3-one. A potential route to enantiomerically pure 4-substituted tetrahydroisoquinolines 417
Philippe N. Levacher V. Dupas G. Duflos J. Quéguiner G. and Bourguignon J. Corrigendum 925
Piattelli M. see Neri P. 17
Piattelli M. see Patti A. 2665
Picasso S. see Goti A. 1659
Piccolo O. see Pallavicini M. 1117
Pichon M. and Figadère B. Synthesis of 2,5-disubstituted pyrrolidines 927
Picoul W. see Meddour A. 2489
Pietropaolo G. see Castellari C. 1059
Pietzsch M. see Huber P. 69
Piga E. see Stead P. 2247
Pineschi M. see Crotti P. 779
Pineschi M. see Crotti P. 1347
Pini D. see Minutolo F. 2293
Piniella J. F. see Ortuño R. M. 127
Pinkerton A. A. see Guidi A. 3153
Pino-González M. S. see López-Herrera F. J. 2065
Pinto G. F. see Gonçalves L. P. B. 1237
Pires E. see Cativiela C. 2391
Pirkle W. H. Brice L. J. Widlanski T. S. and Roestamadji J. Resolution and determination of the enantiomeric purity and absolute configurations of α-aryl-α-hydroxymethanephosphonates 2173
Pirkle W. H. Gan K. Z. and Brice L. J. The enhancement of enantioselectivity by halogen substituents 2813
Pischel I. Grimme S. Kotila S. Nieger M. and Vögtle F. A configurationally stable pyrrolohelicene: experimental and theoretical structure–chiroptic relationships 109
Plachota P. see de Raadt A. 467
Plachota P. see de Raadt A. 473
Plachota P. see de Raadt A. 491
Platt F. M. see Brandstetter T. W. 157

Plaza M. T. see Izquierdo I. 2567
Plaza M. T. see Izquierdo I. 3593
Ploux O. see Lucet D. 985
Plumet J. see Aceña J. L. 3535
Polonski T. see Milewska M. J. 3169
Poppe L. see Egri G. 1437
Porcheddu A. see Falorni M. 1999
Port A. Virgili A. and Jaime C. Preparation of enantiomers of 9-(1-amino-2,2-dimethyl-propyl)-9,10-dihydro-anthracene. Conformational study and their behaviour as chiral solvating agents 1295
Porzi G. see Graziani L. 1341
Porzi G. see Madau A. 825
Porzi G. and Sandri S. Enantioselective synthesis of (*R*)- and (*S*)-α-aminoacids using (6*S*)- and (6*R*)-6-methyl-morpholine-2,5-dione derivatives 189
Potier P. see Al Mourabit A. 3455
Potter G. A. see Newman L. M. 1597
Potvin S. and Canonne P. The first enantioselective synthesis of (−)-microcionin 2 2821
Poupat C. see Al Mourabit A. 3455
Pozuelo M. C. see Noheda P. 2801
Pradera M. A. see Fuentes J. 203
Prangé T. see Dorta R. L. 1907
Prasad K. see Xu D. 747
Prasad K. Houlihan W. J. Chen C.-P. Underwood R. L. and Repic O. An enantioselective construction of a tetrahydrofuran synthon via an epoxy alcohol: synthesis of *S*-enantiomer of SRI 62-834 837
Prasad K. R. K. and Joshi N. N. C_2-Symmetric chiral zinc alkoxides as catalysts for the enantioselective addition of diethylzinc to aryl aldehydes 1957
Prasad K. R. K. and Joshi N. N. An optimised *in situ* procedure for the oxazaborolidine catalysed enantioselective reduction of prochiral ketones 3147
Prati F. see Antolini L. 3309
Preite M. D. see Bacigaluppo J. A. 1041
Preobrazhenskaya M. N. Lazhko E. I. and Korolev A. M. Reaction of (indol-3-yl)ethanediol with L-ascorbic acid 641
Preobrazhenskaya M. N. Lazhko E. I. Korolev A. M. Reznikova M. I. and Rozhkov I. I. Transformation of ascorbigen into 1-deoxy-1-(indol-3-yl)-α-L-sorbopyranose and 1-deoxy-1-(indol-3-yl)-α-L-tagatopyranose 461
Principato G. see Caccamese S. 2577
Pshenichnyi G. see Amat M. 3091
Pu L. see Cheng H. 3083
Pu L. see Ma L. 3103
Puebla P. see Caballero E. 1985
Puranik V. G. see Srirajan V. 2733

Quéguiner G. see Philippe N. 417
Quéguiner G. see Philippe N. 925
Quiñoá E. see Ferreiro M. J. 2195
Quintana D. see Juaristi E. 2233
Quintela J. M² see Ojea V. 3335
Quintero-Cortés L. see Anaya de Parrodi C. 1915
Quirion J.-C. see Micouin L. 2839
Quirion J.-C. Husson H.-P. Jullian V. and Micouin L. Erratum 3334

Raabe G. see Hainz R. 2505
Rajagopal D. Rajagopalan K. and Swaminathan S. Asymmetric synthesis without solvent 2189
Rajagopalan K. see Rajagopal D. 2189
Ramacciotti A. Fiaschi R. and Napolitano E. Enantioselective synthesis of natural combretastatin 1101
Ramachandran P. V. see Brown H. C. 3527
Ramesh N. G. see Yechezkel T. 2423
Rassu G. see Zanardi F. 1167
Rath N. see Murray R. W. 1611
Raubo P. and Wicha J. An iterative synthesis of optically active 1,2-diols using α,β-epoxysilanes as key intermediates 763
Rauk A. see Shustov G. V. 699
Razkin J. González A. and Gil P. Stereoselective synthesis of sitophilate and sitophilure 3479
Reamer R. A. see Douglas A. W. 1303
Reddy A. S. see Lohray B. B. 2411
Rees N. H. see Aw B.-H. 1753
Regan A. C. see Duffield J. J. 663
Reider P. J. see Senanayake C. H. 1501
Reina J. A. see Cernerud M. 2863
Reiners I. Martens J. Schwarz S. and Henkel H. Intramolecular versus intermolecular induction in the diastereoselective catalytic reduction of 17-oxo-steroids 1763
Remuiñán M. J. see Ezquerra J. 2613
Remuson R. see Bardot V. 1077
Remuzon P. Dussy C. Jacquet J.-P. Roty P. and Bouzard D. Enantioselective synthesis of 1,2-acetonide of (2*S*,3*R*)-3-*N*-Boc-3-amino-4-phenyl-1,2-butanediol 1181
Renard P.-Y. and Lallemand J.-Y. 1,3-Dienylboronates in Diels–Alder reactions—II 2523
Repic O. see Prasad K. 837
Repic O. see Xu D. 747
Reznikova M. I. see Preobrazhenskaya M. N. 461
Richards C. J. and Mulvaney A. W. Synthesis of phosphino-ferrocenyloxazolines. New ligands for asymmetric catalysis 1419
Richter L. S. and Gadek T. R. Penicillamine: an extractable chiral auxiliary providing excellent stereocontrol 427
Ridvan L. Abdallah N. Holakovsky R. Tichy M. and Závada J. 6-Amino-1,11-dimethyl-6,7-dihydro-5*H*-dibenzo[*a*,*c*]-cycloheptene-6-carboxylic acid: the first chiral α-amino acid without asymmetric carbon atom 231
Riera A. see Montenegro E. 3553
Riera A. see Pastó M. 243
Rifé J. see Jiménez J. M. 537
Righi P. see Fantin G. 277
Riguera R. see Ferreiro M. J. 2195
Riva S. see Danieli B. 1675
Riva S. see De Amici M. 787
Rizzo J. D. see Khilevich A. 3315
Roberts S. see Stead P. 2247
Robles R. see Izquierdo I. 3593
Roche D. see Solladié-Cavallo A. 1797
Rodríguez C. see Izquierdo I. 3593
Rodríguez-Vicente A. see Alcaide B. 2203

Roestamadji J. see Pirkle W. H. 2173
Rojas-Rousseau A. see Langlois N. 1095
Rojo I. see Merchán F. L. 667
Rojo I. see Tejero T. 1529
Ronchetti F. see Colombo D. 771
Roos G. H. P. see Dastlik K. A. 2525
Rosini C. Tanturli R. Pertici P. and Salvadori P.
Enantioselective dihydroxylation of olefins by osmium tetroxide in the presence of an optically active 1,1'-binaphthyl diamine derivative 2971
Ross T. M. see Ince J. 3397
Rossi D. see Fantin G. 2879
Rossi T. see Giacobbe S. A. 3079
Rossi T. see Stead P. 2247
Roty P. see Remuzon P. 1181
Roucoux A. Suisse I. Devocelle M. Carpentier J.-F. Agbossou F. and Mortreux A.
Rhodium(I) bis(aminophosphane) complexes as catalysts for asymmetric hydrogenation of activated ketones 379
Roumestant M. L. see Hoarau S. 2585
Royo A. J. see Fraile J. M. 2263
Rozenberg V. I. see Sergeeva E. V. 3445
Rozhkov I. I. see Preobrazhenskaya M. N. 461
Rubio A. see Ezquerra J. 2613
Rückemann A. see Ottolina G. 1123
Rugang X. see Xingshu L. 2779
Ruiz M. see Ojea V. 3335
Ruiz P. M. see Martínez A. G. 1257
Rúveda E. A. see Bacigaluppo J. A. 1041

Saba A. see Chelucci G. 1027
Sablong R. and Osborn J. A.
Asymmetric hydrogenation of imines catalysed by carboxylato(diphosphine)iridium(III) complexes 3059
Saboureau A. see Célimène C. 1585
Saf R. see Mischitz M. 2041
Saha-Möller C. R. see Adam W. 2207
Saha-Möller C. R. see Adam W. 2287
Saigo K. see Kinbara K. 1539
Saigo K. see Sudo A. 619
Saigo K. see Sudo A. 2939
Saint Clair J.-F. see Solladié G. 2359
Saito A. Tanaka A. and Oritani T.
A practical synthesis of enantiomerically pure (–)-geosmin via highly diastereoselective reduction of (4a*S*,8*S*)-4,4a,5,6,7,8-hexahydro-4a,8-dimethyl-2(3*H*)-naphthalenone 2923
Sakaguchi K. see Maezaki N. 2787
Sakai K. see Kinbara K. 1539
Sakai T. see Ema T. 625
Sakai T. Kubo K. Kashino S. and Uneyama K.
Synthesis of enantiomerically pure (1*R*,2*S*)- and (1*S*,2*R*)-2-amino-1,2-bis-(pentafluorophenyl)ethanols 1883
Sakamoto A. see Maezaki N. 29
Sakamoto A. see Maezaki N. 2787
Sakamoto I. see Maezaki N. 29
Sakamoto I. see Maezaki N. 2787
Saladini M. see Braghiroli D. 831
Salaün J. see Howell J. A. S. 95
Salazar L. see Bermudez J. L. 2485
Salchert K. see Ullmann D. 2047
Salgado A. see de March P. 2603
Salvadori P. see Minutolo F. 2293
Salvadori P. see Rosini C. 2971
Šaman D. see Svatoš A. 1285
Sánchez M. see Caballero E. 1985
Sánchez-Sancho F. Valverde S. and Herradón B.
Stereoselective syntheses and reactions of chiral oxygenated α,β-unsaturated-γ- and δ-lactones 3209
Sandri S. see Graziani L. 1341
Sandri S. see Madau A. 825
Sandri S. see Porzi G. 189
San Feliciano A. see Caballero E. 1985
Sanfilippo C. see Patti A. 2665
Sanière M. see Tuch A. 897
Sanière M. see Tuch A. 2901
Sankaranarayanan S. Sharma A. and Chattopadhyay S.
Convenient synthesis of (±)- and (*S*)-antipode of (4*E*,7*S*)-7-methoxytetradec-4-enoic acid, the antimicrobial principle of marine cyanophyte 2639
Santaniello E. see Ferraboschi P. 1551
Santaniello E. see Ferraboschi P. 2160
Santelli M. see Pempo D. 1951
Saotome C. see Ono M. 2595
Sarabia-García F. see López-Herrera F. J. 2065
Sardone N. see Broggini G. 797
Sato M. see Yokomatsu T. 2743
Saunders J. see Estevez J. C. 383
Savoia D. see Alvaro G. 2083
Scala A. see Colombo D. 771
Scarpi D. see Occhiato E. G. 1929
Scettri A. Bonadies F. and Lattanzi A.
Asymmetric oxidation with furylhydroperoxides 629
Scettri A. Bonadies F. Lattanzi A. Senatore A. and Soriente A.
Kinetic resolution of racemic sulfoxides by a modified Sharpless procedure 657
Schabel M. J. see Csuk R. 3505
Schachtner J. and Stachel H.-D.
Organoalane-mediated isomerization of ascorbic and isoascorbic acid derivatives 3263
Schäfer H. J. see Scharpwinkel K. 2497
Scharf H.-D. see Curtius F. W. 2957
Scharf H.-D. see Sundermann B. 1995
Scharf H.-D. see Wiegers A. 2303
Scharpwinkel K. Matull S. and Schäfer H. J.
Enantioselective addition of lithium trimethylsilyl acetylide to substituted cyclohexanones. Synthesis of optically active tertiary cyclohexanols 2497
Schick H. see Lemke K. 971
Schiffers R. see Enders D. 1847
Schmidt U. see Heller D. 3025
Schmidt U. see Kreuzfeld H.-J. 1011
Schmitt M. see Schreder B. 1543
Schneider M. see Waldinger C. 1485
Schneider M. P. see Andersch P. 349
Schoo N. see de Raadt A. 467
Schoo N. see de Raadt A. 473
Schoo N. see de Raadt A. 491
Schreder B. Lukacs Z. Schmitt M. Schreier P. and Humpf H.-U.
1-Naphthoic acid: a new type of asymmetric chromophore for exciton-coupled circular dichroism (ECCD) 1543
Schreier P. see Adam W. 2287
Schreier P. see Schreder B. 1543
Schwaneberg U. see Wünsche K. 2017
Schwarz S. see Reiners I. 1763
Scopelliti R. see Lanza S. 3347
Sebok P. see Adam W. 2437
Sechi A. see Chelucci G. 1027

Seki M. Furutani T. Miyake T. Yamanaka T. and Ohmizu H. A novel synthesis of a key intermediate for penems and carbapenems utilizing lipase-catalyzed kinetic resolution 1241
Selke R. see Berens U. 285
Selke R. see Berens U. 2055
Selke R. see Kless A. 33
Selvaratnam S. see Aw B.-H. 1753
Semeria D. see Solladié G. 2359
Senanayake C. H. Larsen R. D. DiMichele L. M. Liu J. Toma P. H. Ball R. G. Verhoeven T. R. and Reider P. J. Asymmetric synthesis of conformationally constrained *cis*-1-amino-1-phenylcyclo-hexan-2-ol 1501
Senatore A. see Scettri A. 657
Seresini P. see Bravo P. 2321
Sergeeva E. V. Rozenberg V. I. Vorontsov E. V. Danilova T. I. Starikova Z. A. Yanovsky A. I. Belokon' Y. N. and Hopf H. Asymmetric synthesis of (*R,S*)- and (*R,R*)-4-hydroxy-5-(α-substituted)-hydroxy-methyl[2.2]paracyclophane and derivatives by stereoselective addition to (*R*)-4-hydroxy-5-formyl-[2.2]paracyclophane and derivatives 3445
Sernau V. see Barbaro P. 843
Servi S. see Donzelli F. 3129
Sewald N. and Wendisch V. Synthesis of homochiral camphor annulated pyrrole derivatives 1269
Shah A. C. see Biju Kumar G. 3391
Shan Z. Wang G. Duan B. and Zhao D. Preparation of enantiomerically pure 1,1'-bi-2-naphthol via cyclic borate ester 2847
Shapiro M. Lin M. Versace R. and Petter R. C. Application of HMQC in determination of chiral purity using quinine 2169
Sharma A. see Sankaranarayanan S. 2639
Sharma N. D. see Boyd D. R. 1559
Shen C.-C. Chou S.-C. Chou C.-J. and Ho L.-K. Total synthesis of acetylmelodorinol 3141
Shi Y.-J. see Douglas A. W. 1303
Shibata T. see Hayase T. 2509
Shibata T. see Suzuki T. 2519
Shibuya S. see Yokomatsu T. 2743
Shimoji Y. see Fukazawa T. 1649
Shing T. K. M. and Tam E. K. W. First enantiospecific syntheses of crotepoxide and iso-crotepoxide from (–)-quinic acid 353
Shing T. K. M. Wong C.-H. and Yip T. Synthetic studies on zoapatanol: construction of oxepanes via an intramolecular 1,3-dipolar cycloaddition strategy 1323
Shing T. K. M. Zhu X. Y. and Mak T. C. W. Synthetic studies towards pentacyclic quassinoids: facile and stereocontrolled construction of the E ring 673
Shipman M. see Ince J. 3397
Shirahama H. see Morimoto Y. 3371
Shiro M. see Arai Y. 1199
Shiro M. see Takahashi T. 2797
Shustov G. V. and Rauk A. 3-Methylazetidin-2-one and its precursors: optical resolution and absolute configurations 699
Shvo Y. Gal M. Becker Y. and Elgavi A. Asymmetric hydrocyanation of aldehydes with cyclo-dipeptides: a new mechanistic approach 911
Siah S.-Y. Leung P.-H. Mok K. F. and Drew M. G. B. A P–O chelation with palladium: toward understanding of the stereochemistry of an optically active sulfinyl-substituted phosphine with five stereogenic centres 357
Sieler J. see Bacigaluppo J. A. 1041
Sienkiewicz K. see Jefford C. W. 1069
Sierra M. A. see Alcaide B. 2203
Sikora M. see Kaminska J. 907
Silvani A. see Danieli B. 345
Simova S. see Dimitrov V. 1493
Sinaÿ P. see Kovensky J. 3119
Singh M. see Murray R. W. 1611
Sinisterra J. V. see Bermudez J. L. 2485
Sinisterra J. V. see del Campo C. 2627
Sisti M. see Palmisano G. 1
Skowronek P. see Gawronski J. 301
Skwarczynski M. see Zymanczyk-Duda E. 1277
Smelt K. H. see Blériot Y. 2761
Smith M. D. see Estevez J. C. 387
Smith M. D. see Estevez J. C. 391
Smith M. E. B. see Morris K. G. 2185
Smitt O. see Lundh M. 3277
Smyth G. D. see Davies S. G. 1001
Smyth G. D. see Davies S. G. 1005
Smyth G. D. see Davies S. G. 1273
Soai K. see Hayase T. 2509
Soai K. see Suzuki T. 2519
Soe T. see Kawate T. 1249
Soejima M. see Maezaki N. 29
Soejima M. see Maezaki N. 2787
Solans X. see López C. 2527
Solladié G. and Gressot-Kempf L. Chiral sulfoxides in asymmetric synthesis: enantioselective synthesis of (–)-(5*S*,7*R*)-tarchonanthus-lactone 2371
Solladié G. Saint Clair J.-F. Philippe M. Semeria D. and Maignan J. Synthesis of 1,2:5,6-di-*O*-isopropylidene-D-gluco-furanos-3-yl and 1,2:3,4-di-*O*-isopropylidene-D-galacto-pyranos-6-yl-(*N*-diphenyl-methylene) glycinates 2359
Solladié-Cavallo A. and Bonne F. Synthesis of enantiomerically pure *threo* 1-alkyl-2-benzyloxypropylamines 171
Solladié-Cavallo A. Diep-Vohuule A. Sunjic V. and Vinkovic V. A two-step asymmetric synthesis of pure *trans*-(*R,R*)-diaryl-epoxides 1783
Solladié-Cavallo A. Roche D. Bold G. Açemoglu F. Tintelnot-Blomley M. Fischer J. and De Cian A. Stereoselective synthesis of (4*S*,5*R*,6*S*)-4-(5,6-epoxy-6-phenyl)-γ-lactone 1797
Soloshonok V. A. Avilov D. V. and Kukhar V. P. Highly diastereoselective asymmetric aldol reactions of chiral Ni(II)-complex of glycine with alkyl trifluoromethyl ketones 1547
Song C. E. Yang J. W. Ha H. J. and Lee S. Efficient and practical polymeric catalysts for heterogeneous asymmetric dihydroxylation of olefins 645
Sonnenschein H. see Theil F. 3365
Sonzogni M. see Broggini G. 797
Soriente A. see Scettri A. 657
Soundararajan T. see Chadha A. 1571
Souvie J.-C. see Doucet H. 525

Spanu P. see Zanardi F. 1167
Spek A. L. see Franssen M. C. R. 497
Spencer J. Gramlich V. Häusel R. and Togni A. Synthesis of P,S,O-ligands incorporating a planar chiral ferrocenyl motif 41
Spunta G. see Bongini A. 3485
Srirajan V. Deshmukh A. R. A. S. Puranik V. G. and Bhawal B. M. Asymmetric synthesis of α-hydroxy acids via β-lactams 2733
Stachel H.-D. see Schachtner J. 3263
Staigers T. see Breitenbach R. 435
Stalmans W. see Blériot Y. 2761
Starikova Z. A. see Sergeeva E. V. 3445
Stead P. Marley H. Mahmoudian M. Webb G. Noble D. Ip Y. T. Piga E. Rossi T. Roberts S. and Dawson M. J. Efficient procedures for the large-scale preparation of (1*S*,2*S*)-*trans*-2-methoxycyclohexanol, a key chiral intermediate in the synthesis of tricyclic β-lactam antibiotics 2247
Steel P. J. see Katritzky A. R. 1621
Steel P. J. see Katritzky A. R. 1631
Steiner H. see Giese B. 1261
Stelzer U. see Effenberger F. 607
Stevenson C. A. see Donohoe T. J. 317
Stewart A. O. see Kolasa T. 729
Stewart A. O. see Kolasa T. 2645
Stöber P. see Franck-Neumann M. 3193
Studley J. R. see Gamble M. P. 3071
Suárez E. see Dorta R. L. 1907
Subramanian L. R. see García Martínez A. 2177
Subramanian L. R. see Martínez A. G. 1257
Sudo A. and Saigo K. Corrigendum 619
Sudo A. and Saigo K. Design, synthesis, resolution, and application of a highly efficient chiral auxiliary: *cis*-2-amino-3,3-dimethyl-1-indanol 2939
Suemune H. see Gawronski J. 301
Suginaka K. Hayashi Y. and Yamamoto Y. Highly selective resolution of secondary alcohols and acetoacetates with lipases and diketene in organic media 1153
Suisse I. see Roucoux A. 379
Summa V. see Botta M. 1263
Summa V. see Waldinger C. 1485
Sun P. see Zhang Y. 3055
Sundberg M. R. see Uggla R. 1741
Sundberg M. R. see Uggla R. 2725
Sundermann B. and Scharf H.-D. Short and efficient synthesis of enantiomerically pure building blocks for the preparation of carbocyclic nucleosides and prostaglandins via diastereoselective dihydroxylation of 5-menthyloxy-2[5*H*]-furanone 1995
Sundholm O. see Kanerva L. T. 1705
Šunjić V. see Majeric M. 815
Sunjić V. see Solladié-Cavallo A. 1783
Surivet J.-P. Volle J.-N. and Vatele J.-M. Easy access to an enantiopure precursor of (+)-goniodiol 3305
Suzuki T. Idogaki H. and Kasai N. A novel generation of optically active ethyl 4-chloro-3-hydroxybutyrate as a C4 chiral building unit using microbial dechlorination 3109
Suzuki T. Narisada N. Shibata T. and Soai K. *N*-Alkyl-*N*-vinylbenzylnorephedrines and their copolymers as chiral ligands for the highly enantioselective ethylation of *N*-diphenylphosphinylimine 2519
Svatoš A. Hunková Z. Kren V. Hoskovec M. Šaman D. Valterová I. Vrkoc J. and Koutek B. Biotransformations of γ-methyl-β-ketosulfones: stereoselectivity of 3-methyl-1-(phenylsulfonyl)hexan-2-one reductions by various yeasts 1285
Swaminathan S. see Rajagopal D. 2189
Syldatk C. see Huber P. 69

Tabacchi R. see Fkyerat A. 2023
Taddei M. see D'Aniello F. 1217
Taga T. see Fuji K. 1749
Taga T. see Tanaka K. 2199
Taino I. M. see Colombo D. 771
Tait A. Colorni E. and Di Bella M. Stereospecific synthesis of 3-[(2*H*-1,2,4-benzothiadiazine-1,1-dioxide-3-yl)thio]-2-methylpropanoic acids 2703
Takabe K. see Yoda H. 373
Takabe K. see Yoda H. 2113
Takada Y. see Kishikawa K. 1733
Takahashi M. see Iseki K. 1205
Takahashi S. see Takahashi T. 2797
Takahashi S. see Takahata H. 3047
Takahashi T. Zhang J. Kurose N. Takahashi S. Koizumi T. and Shiro M. First synthesis and structure of optically pure Te-chiral-alkoxytelluranes 2797
Takahata H. Kubota M. Takahashi S. and Momose T. A new asymmetric entry to 2-substituted piperidines. A concise synthesis of (+)-coniine, (−)-pelletierine, (+)-δ-coniceine, and (+)-epidihydropinidine 3047
Takahata H. Kusunoki M. Takeda Y. and Momose T. Functionalized chiral γ-butyrolactones as C_5 building units: a straightforward formal synthesis of (+)-*exo*- and (+)-*endo*-brevicomines 2093
Takasu K. see Fuji K. 1749
Takata T. see Nakanishi S. 2219
Takaya Y. see Ema T. 625
Takeda Y. see Takahata H. 2093
Takemoto Y. Kuraoka S. Hamaue N. and Iwata C. Enantioselective Cu-catalyzed 1,4-addition of Me_3Al to a 4,4-disubstituted cyclohexa-2,5-dienone: novel effect of trialkylsilylOTf on enantioselectivity 993
Takeshita M. see Ishida T. 3113
Takeuchi M. see Harada T. 2479
Takeuchi T. see Matsui J. 1357
Tam E. K. W. see Shing T. K. M. 353
Tamblyn J. G. see Hamon D. P. G. 263
Tamura Y. see Kokuryo Y. 3545
Tanaka A. see Saito A. 2923
Tanaka K. see Fuji K. 1749
Tanaka K. Ahn M. Watanabe Y. and Fuji K. Asymmetric synthesis of uncommon α-amino acids by diastereoselective alkylations of a chiral glycine equivalent 1771
Tanaka K. Furuta T. Fuji K. Miwa Y. and Taga T. Preparation and absolute configuration of hexahydroxyter- and octa-

hydroxyquaternaphthalene derivatives 2199
Tanaka R. see Naemura K. 1581
Tanaka R. see Naemura K. 3285
Tanaka T. see Maezaki N. 29
Tanaka T. see Maezaki N. 2787
Tanimoto H. and Oritani T. Practical synthesis of Ambrox® from farnesyl acetate involving lipase catalyzed resolution 1695
Tanturli R. see Rosini C. 2971
Tanyeli C. see Demir A. S. 3359
Tanyeli C. Demir A. S. and Dikici E. New chiral synthon from the PLE catalyzed enantiomeric separation of 6-acetoxy-3-methylcyclohex-2-en-1-one 2399
Tararov V. see Belokon' Y. 851
Taylor I. N. see Kelly D. R. 365
Tegenfeldt J. see Cernerud M. 2863
Tejero T. see Merchán F. L. 667
Tejero T. see Merino P. 1887
Tejero T. Franco S. Junquera F. Lanaspa A. Merchán F. L. Merino P. and Rojo I. Absolute configuration determination in furfuryl amines and hydroxylamines by circular dichroism 1529
Tempkin O. Blacklock T. J. Burke J. A. and Anastasia M. β-Butyrolactone as a chiral building block in organic synthesis: a convenient synthesis of MK-0507 keto sulfone 2721
Teso Vilar E. see García Martínez A. 2177
Tfirst E. see Margitfalvi J. L. 571
Theil F. see Lemke K. 971
Theil F. and Ballschuh S. Chemoenzymatic synthesis of both enantiomers of cispentacin 3565
Theil F. Sonnenschein H. and Kreher T. Lipase-catalysed resolution of 3,3'-bi-indolizines: the first preparative access to enantiomerically pure samples 3365
Theurillat-Moritz V. see Guidi A. 3153
Theurillat-Moritz V. and Vogel P. Synthesis of enantiomerically pure 7-oxabicyclo[2.2.1]hept-2-enes; precursors in the preparation of taxol analogues 3163
Thiel W. R. see Barz M. 1717
Thompson R. M. see Moloney M. G. 2551
Thorey C. Hénin F. and Muzart J. Enantioselective hydrogenation of α,β-unsaturated ketones over palladium on charcoal in the presence of (–)-ephedrine 975
Tian H. see Ma D. 1567
Tichy M. see Ridvan L. 231
Timmers C. M. Leeuwenburgh M. A. Verheijen J. C. van der Marel G. A. and van Boom J. H. Rhodium(II) catalyzed asymmetric cyclopropanation of glycals with ethyl diazoacetate 49
Tintelnot-Blomley M. see Solladié-Cavallo A. 1797
Tobe Y. see Naemura K. 1581
Tobe Y. see Naemura K. 3285
Togni A. see Spencer J. 41
Toma L. see Colombo D. 771
Toma P. H. see Senanayake C. H. 1501
Tomasini C. see Bongini A. 1457
Tomasini C. see Cardillo G. 755
Tomioka K. see Mizuno M. 2483
Tömösközi I. see Gács-Baitz E. 2447
Top S. see Howell J. A. S. 95
Top S. see Howell J. A. S. 307
Touet J. see Brown E. 2029
Tran C. H. and Crout D. H. G. Syntheses of pseudo-α-L-fucopyranose and pseudo-6-deoxy-β-D-altropyranose from ((5*S*,6*R*)-5,6-dihydroxy-1,3-cyclohexadienyl)methanenitrile 2403
Tran C. H. Crout D. H. G. Errington W. and Whited G. M. Synthesis of (–)-6-hydroxyshikimic acid from ((5*S*,6*R*)-5,6-dihydroxy-1,3-cyclohexadienyl)methanenitrile 691
Trenkle M. see Biju Kumar G. 3391
Trincone A. and Pagnotta E. Facile chemo-enzymatic access to monoglucosyl derivatives of 2,3-oxirane dimethanol 2773
Trombini C. see Castellari C. 1059
Tschaen D. M. see Douglas A. W. 1303
Tsitsanou K. E. see Brandstetter T. W. 157
Tuch A. Sanière M. Le Merrer Y. and Depezay J.-C. Enantiopure aminotriol from D-isoascorbic acid synthesis of D-*threo*-C_{18}-sphingosine 897
Tuch A. Sanière M. Le Merrer Y. and Depezay J.-C. Synthesis of (2*S*,3*R*)-3-amino-2-hydroxydecanoic acid and (3*R*,4*R*)-3-amino-4-hydroxyazepane from D-isoascorbic acid 2901
Turner N. J. see Morris K. G. 2185

Ueda S. see Harada T. 2479
Uggla R. Nevalainen V. and Sundberg M. R. On the role of π-stacking in aldehyde complexes of *N*-sulphonylated oxazaborolidinones used as chiral catalysts 2725
Uggla R. Sundberg M. R. and Nevalainen V. Boronic acids as molecular sensors. NBO analysis and ^{13}C chemical shifts as tools for evaluation of DFT geometry optimization of complexes of diphenylmethane 3,3'-diboronic acids and glucose 1741
Ukaji Y. Kenmoku Y. and Inomata K. Asymmetric addition reaction of organozinc reagents to nitrones using a catalytic amount of external chiral auxiliary 53
Ullmann D. Bordusa F. Salchert K. and Jakubke H.-D. A new simple route to the synthesis of protease substrates in ice 2047
Underwood R. L. see Prasad K. 837
Uneyama K. see Sakai T. 1883
Uozumi Y. Kyota H. Kishi E. Kitayama K. and Hayashi T. Homochiral 2,2'-bis(oxazolyl)-1,1'-binaphthyls as ligands for copper(I)-catalyzed asymmetric cyclopropanation 1603
Urriolabeitia E. P. see Cantín O. 2695
Utaka M. see Ema T. 625

Vallée Y. see Pelloux-Léon N. 1007
Valls N. see Bonjoch J. 1899
Valoti E. see Pallavicini M. 1117
Valterová I. see Svatoš A. 1285
Valverde S. see Sánchez-Sancho F. 3209
van Boom J. H. see Timmers C. M. 49
van den Nieuwendijk A. M. C. H. see Warmerdam E. G. J. C. 2539
van der Gen A. see Warmerdam E. G. J. C. 1723
van der Gen A. see Warmerdam E. G. J. C. 2539

van der Marel G. A. see Timmers C. M. 49
Vankar P. S. Bhattacharya I. and Vankar Y. D. Asymmetric synthesis of chiral vinylic epoxides and α-hydroxy-β,γ-unsaturated esters via (–)-menthol based auxiliary and enzymatic resolution respectively 1683
Vankar Y. D. see Vankar P. S. 1683
van Rijn R. D. see Warmerdam E. G. J. C. 1723
Vänttinen E. and Kanerva L. T. Optically active 1,3-dioxolane-4-methanols. Lipase-catalysed acylation of racemic ketals and diastereomeric acetals 3037
van Zanden M. N. A. see Dijkink J. 515
Vaquero J. J. see Ezquerra J. 2613
Varela O. see Zamora F. 1811
Varley D. see Ottolina G. 3427
Vasconcellos M. L. A. A. see Mellão M. L. 1607
Vatele J.-M. see Surivet J.-P. 3305
Veighey C. R. see Blériot Y. 2761
Velasco D. Yu Z. Franco P. and Minguillón C. Chromatographic resolution of several racemic 9-fluorenyl derivatives on a bonded cellulose derived chiral stationary phase for HPLC 633
Venkatraman L. and Periasamy M. A novel, simple method for enrichment of enantiomeric excess of scalemic 1,1'-bi-2-naphthol 2471
Verheijen J. C. see Timmers C. M. 49
Verhoeven T. R. see Senanayake C. H. 1501
Verrier H. M. see Moseley J. D. 3351
Versace R. see Shapiro M. 2169
Verza E. see Ferraboschi P. 1551
Verza E. see Ferraboschi P. 2160
Veschambre H. see Bardot V. 1077
Viala J. see Pempo D. 1951
Viallefont P. see Hoarau S. 2585
Viani F. see Abrate F. 581
Vic G. Hastings J. J. and Crout D. H. G. Glycosidase-catalysed synthesis of glycosides by an improved procedure for reverse hydrolysis: application to the chemoenzymatic synthesis of galactopyranosyl-(1→4)-*O*-α-galactopyranoside derivatives 1973
Vic G. Hastings J. J. Howarth O. W. and Crout D. H. G. Chemoenzymatic synthesis of ethyl 1-thio-(β-D-galactopyranosyl)-*O*-β-D-glycopyranosyl disaccharides using the β-galactosidase from *Bacillus circulans* 709
Vicente M. see Caballero M. 219
Vidari G. see Dossena A. 1911
Vidari G. Lanfranchi G. Masciaga F. and Moriggi J.-D. Enantioselective synthesis of γ-cyclohomocitral, pallescensone, and ancistrodial 3009
Vilar E. T. see Martínez A. G. 1257
Vilar J. see Ojea V. 3335
Villa L. see Pallavicini M. 1117
Villani C. see Di Giovanni M. C. 2277
Villieras J. see Nyzam V. 1835
Vinkovic V. see Solladié-Cavallo A. 1783
Virgili A. see Carrière A. 227
Virgili A. see Carrière A. 2793
Virgili A. see Port A. 1295
Visa Castejon-Bordas M. P. see Cardillo G. 755
Vogel P. see Goti A. 1659
Vogel P. see Guidi A. 3153
Vogel P. see Theurillat-Moritz V. 3163
Vögtle F. see Issberner J. 2223
Vögtle F. see Pischel I. 109
Volle J.-N. see Surivet J.-P. 3305
Volonterio A. see Bravo P. 2321
von der Weiden I. see Gais H.-J. 1253
von Scholz Y. see Csuk R. 3505
Vörde C. Högberg H.-E. and Hedenström E. Resolution of 2-methylalkanoic esters: enantioselective aminolysis by (*R*)-1-phenylethylamine of ethyl 2-methyloctanoate catalysed by lipase B from *Candida antarctica* 1507
Vorontsov E. V. see Sergeeva E. V. 3445
Voss G. see Jakob B. 3255
Vo Thanh G. Célérier J.-P. and Lhommet G. Enantioselective synthesis of (–)-indolizidine 239AB [(3*R*,5*S*,8a*R*)-3-butyl-5-(3-hydroxypropyl)-octahydro-indolizine] 2211
Vrkoc J. see Svatoš A. 1285

Waagen V. see Hoff B. H. 3181
Waldinger C. Schneider M. Botta M. Corelli F. and Summa V. Aryl propargylic alcohols of high enantiomeric purity via lipase catalyzed resolutions 1485
Wang C.-L. J. see Huang H.-L. 3067
Wang G. see Shan Z. 2847
Wang J. see Katritzky A. R. 1631
Wang K.-C. see Gutcait A. 1641
Wang K. C. see Lee S.-S. 1563
Warmerdam E. G. J. C. van den Nieuwendijk A. M. C. H. Brussee J. Kruse C. G. and van der Gen A. Asymmetric epoxidation of chiral allylic alcohols 2539
Warmerdam E. G. J. C. van Rijn R. D. Brussee J. Kruse C. G. and van der Gen A. Synthesis of α-hydroxy-β-amino acids from chiral cyanohydrins 1723
Wärnmark K. see Adolfsson H. 1967
Warren S. see O'Brien P. 3431
Warren S. and Wyatt P. Synthesis of homochiral dibenzo[*b*,*f*]phosphepin 5-oxides using a double *ortho*-lithiation strategy 989
Watanabe Y. see Tanaka K. 1771
Waters R. M. see Khrimian A. P. 37
Watkin D. J. see Blériot Y. 2761
Watkin D. J. see Estevez J. C. 387
Webb G. see Stead P. 2247
Weber H. see de Raadt A. 467
Weber H. see de Raadt A. 473
Weber H. see de Raadt A. 491
Weissensteiner W. see Wiesauer C. 5
Weissensteiner W. see Wiesauer C. 397
Wendisch V. see Sewald N. 1269
Wendt S. see Pelloux-Léon N. 1007
White A. J. P. see Loh S.-K. 45
Whited G. M. see Tran C. H. 691
Wicha J. see Raubo P. 763
Widlanski T. S. see Pirkle W. H. 2173
Wieczorek M. W. see Mikołajczyk M. 3513
Wiegers A. and Scharf H.-D. The influence of electronic effects and temperature on the enantioselective reductions of acetophenone derivatives with (–)-diisopino-campheylchloroborane—a dynamic model of enantioselection 2303
Wiesauer C. Kratky C. and

Weissensteiner W.
Synthesis, determination of enantiomeric purity and structural characterisation of enantiopure (2*R*,5*R*)-(+)-2,5-bis-(diphenylphosphino)-hexane, a chiral DPPB analogue 397
Wiesauer C. and Weissensteiner W.
Rhodium catalysed enantioselective hydroboration of alkenylboronic esters with catecholborane 5
Wilken J. see Eilers J. 2343
Williams B. J. see Moseley J. D. 3351
Williams D. J. see Loh S.-K. 45
Williams J. M. J. see Newman L. M. 1597
Wills M. see Brenchley G. 2809
Wills M. see Gamble M. P. 3071
Wisedale R. see Hodgson D. M. 1275
Wong C.-H. see Shing T. K. M. 1323
Woodley J. M. see Morris K. G. 2185
Wormald M. R. see Brandstetter T. W. 157
Wormald M. R. see Estevez J. C. 391
Wright E. see Moloney M. G. 2551
Wright M. A. see Kelly D. R. 365
Wünsche K. Schwaneberg U. Bornscheuer U. T. and Meyer H. H.
Chemoenzymatic route to β-blockers via 3-hydroxy esters 2017
Wyatt P. see Warren S. 989
Wyss C. see Giese B. 1261

Xia L. Y. see Maezaki N. 2787
Xingshu L. and Rugang X.
Enantioselective reduction of aromatic ketones with borane catalyzed by (*R*)-4-thiazolidinecarboxylic acids or (*R*)-4-thiazolidine methanol 2779
Xiong Z. Yang J. and Li Y.
An efficient asymmetric route to eudesmane acids. Total synthesis of (+)-12-hydroxy-α-cyperone, (+)-12-oxo-α-cyperone and (+)-3-oxoeudesma-4,11(13)-dien-12-oic acid 2607
Xu D. Mattner P. G. Kucerovy A. Prasad K. and Repic O.
An efficient synthesis of enantiopure SDZ 267-489 via a resolution/ racemization method 747
Xu Z.-Q. see Khilevich A. 3315

Yamada H. see Kawate T. 1249
Yamada I. Yamaguchi M. and Yamagishi T.
A novel chiral phosphine-diamine ligand and asymmetric hydrogenation of acrylic acid derivatives 3339
Yamada K. see Kishikawa K. 1733
Yamada K. Ishii R. Nakagawa H. and Kawazura H.
A second-order asymmetric transformation of racemic 2-hydroxymethyl(5)thiahetero-helicene into a single enantiomer upon uptake by bovine serum albumin 737
Yamagishi T. see Yamada I. 3339
Yamaguchi H. see Nakanishi S. 2219
Yamaguchi M. see Yamada I. 3339
Yamaguchi R. see Haraguchi Y. 443
Yamamoto H. Kobayashi S. and Kanemasa S.
Synthesis of pure enantiomers of a new diol ligand, *trans*-4,5-bis(2-hydroxyphenyl)-2,2-dimethyl-1,3-dioxolane 149
Yamamoto M. see Kishikawa K. 1733
Yamamoto Y. see Suginaka K. 1153
Yamanaka T. see Seki M. 1241
Yamashita T. see Ishibashi H. 2531
Yamazaki A. Achiwa I. and Achiwa K.
Asymmetric cyclization of 3,4-dihydro-2-vinyl-2*H*-1,4-benzoxazine catalyzed by palladium–BHMP catalyst 403
Yamazaki H. see Yoda H. 373
Yang J. see Xiong Z. 2607
Yang J. W. see Song C. E. 645
Yang T.-K. Chen C.-J. Lee D.-S. Jong T.-T. Jiang Y.-Z. and Mi A.-Q.
Asymmetric Diels–Alder reaction of α-sulfinylacrylate derived from (1*R*,2*S*,3*R*)-3-mercaptocamphan-2-ol 57
Yano M. see Naemura K. 1581
Yano M. see Naemura K. 3285
Yanovsky A. I. see Sergeeva E. V. 3445
Yao J. see Ma D. 3075
Yashkina L. see Belokon' Y. 851
Yechezkel T. Ghera E. Ramesh N. G. and Hassner A.
Asymmetric synthesis of substituted cyclopentanes via Michael initiated ring closure reactions 2423
Yeo L. and Harris K. D. M.
Chiral recognition in incommensurate one-dimensional inclusion compounds: a computational investigation 1891
Yip C.-W. see Zhang F.-Y. 2463
Yip C.-W. see Zhang F.-Y. 3135
Yip T. see Shing T. K. M. 1323
Yoda H. Oguchi T. and Takabe K.
An expeditious and practical synthetic process for phytosphingosine and tetrahydroxy-LCB from D-glutamic acid 2113
Yoda H. Yamazaki H. and Takabe K.
A novel stereoselective synthesis of enantiomerically pure antifungal agent, (+)-preussin 373
Yoganathan G. see Grigg R. 273
Yokomatsu T. Sato M. and Shibuya S.
Lipase-catalyzed enantioselective acylation of prochiral 2-(ω-phosphono)-alkyl-1,3-propanediols: application to the enantioselective synthesis of ω-phosphono-α-amino acids 2743
Yu Z. see Velasco D. 633
Yus M. see Bachki A. 2997
Yus M. see Foubelo F. 2911

Zammattio F. see Nyzam V. 1835
Zamojski A. see Frelek J. 1363
Zamora F. Bueno M. Molina I. Orgueira H. A. Varela O. and Galbis J. A.
Synthesis of carbohydrate-based monomers that are precursors for the preparation of stereoregular polyamides 1811
Zanardi F. Battistini L. Nespi M. Rassu G. Spanu P. Cornia M. and Casiraghi G.
Total synthesis of both enantiomers of *trans*-2,3-*cis*-3,4-dihydroxyproline 1167
Zanda M. see Abrate F. 581
Zanda M. see Bravo P. 2321
Zappia G. see Dell'Uomo N. 181
Zappia G. see Di Giovanni M. C. 2277
Závada J. see Ridvan L. 231
Zecchi G. see Broggini G. 797
Zeiser A. see de Raadt A. 467
Zeiser A. see de Raadt A. 473
Zeiser A. see de Raadt A. 491
Zembower D. E. see Khilevich A. 3315
Zhang F.-Y. Yip C.-W. and Chan A. S. C.
Enantioselective borane reduction of ketones catalyzed by chiral lanthanum alkoxides 2463
Zhang F.-Y. Yip C.-W. and Chan A. S. C.
The acceleration of the

catalytic asymmetric borane reduction of ketones by organoaluminum compounds 3135
Zhang H. see Khilevich A. 3315
Zhang J. see Takahashi T. 2797
Zhang W. see Imai Y. 2453
Zhang W. Adachi Y. Hirao T. and Ikeda I.
Highly diastereoselective *ortho*-lithiation of 1,1'-bis(oxazolinyl)ferrocene directed to C_2-symmetric chiral ligands 451
Zhang W. Adachi Y. Hirao T. and Ikeda I.
Corrigendum 1235
Zhang Y. and Sun P.
The asymmetric induction and catalysis of chiral reverse micelle: asymmetric reduction of prochiral ketones 3055
Zhang Z. and Lu X.
Total synthesis of phaseolinic acid by enyne cyclization 1923
Zhao D. see Shan Z. 2847
Zheng X.-F. see Cheng H. 3083
Zhou C. see O'Donnell M. J. 621
Zhu H. J. see Dai W.-M. 1245
Zhu X.-X. Ding P. Y. and Cai M.-S.
Synthesis of tumor-associated saccharides via *O*-glycosyl trichloroacetic 2833
Zhu X. Y. see Shing T. K. M. 673
Zhu Y.-Y. and Burnell D. J.
Enantio- and diastereoselectivity in the reduction of spiro[4.5]decane-1,4-dione derivatives with baker's yeast 3295
Zinczuk J. see Bacigaluppo J. A. 1041
Ziółkowski M. see Czarnocki Z. 2711
Zographos S. E. see Brandstetter T. W. 157
Zondervan C. and Feringa B. L.
Remarkable reversal of the non-linear effect in the catalytic enantioselective allylic oxidation of cyclohexene using copper proline complexes and *t*-butyl hydroperoxide 1895
Zucchi G. see Donzelli F. 3129
Zul-Qarnian Khan Arvidsson P. I. and Ahlberg P.
Solvent induced isomerization of 2-cyclohexen-1-ol to 3-cyclohexen-1-ol by a chiral lithium amide 399
Zurbano M. M. see Avenoza A. 1555
Zymanczyk-Duda E. Skwarczynski M. Lejczak B. and Kafarski P.
Accurate assay of enantiopurity of 1-hydroxy- and 2-hydroxyalkyl-phosphonate esters 1277

Volume Contents 1996

NUMBER 1

Contents

	iii	Contributors to this Issue
	v	Graphical Abstracts
		COMMUNICATIONS
Giovanni Palmisano, Rita Annunziata, Gianluca Papeo and Massimo Sisti	1	Oxindole alkaloids. A novel non-biomimetic entry to (–)-horsfiline
Christian Wiesauer and Walter Weissensteiner	5	Rhodium catalysed enantioselective hydroboration of alkenylboronic esters with catecholborane
Didier Buisson and Robert Azerad	9	A chemoenzymatic preparation of both enantiomers of ω-hydroxymethyl-substituted lactones
Deevi Basavaiah, Subramanian Pandiaraju and Kannan Muthukumaran	13	Enantioselective synthesis of (1*R*,2*R*)- and (1*S*,2*S*)-2-nitroxycyclohexan-1-ols
Placido Neri, Alessandra Bottino, Corrada Geraci and Mario Piattelli	17	Synthesis of glycidyl calixarenes, versatile substrates for the preparation of chiral calixarene-based ligands
Sung-Kee Chung and Dong-Ho Kang	21	Asymmetric synthesis of α-aminophosphonates via diastereoselective addition of phosphite to chiral imine derivatives
Balawant S. Joshi, M. Gary Newton, Doo Won Lee, Angela D. Barber and S. William Pelletier	25	Reversal of absolute stereochemistry of the pyrrolo[2,1-*b*]quinazoline alkaloids vasicine, vasicinone, vasicinol and vasicinolone
Naoyoshi Maezaki, Motohiro Soejima, Atsunobu Sakamoto, Ikuyo Sakamoto, Yuki Matsumori, Tetsuaki Tanaka, Toshimasa Ishida, Yasuko In and Chuzo Iwata	29	Asymmetric desymmetrization of σ-symmetrical diols: the role of chelation in the diastereoselective acetal cleavage induced by the chiral α-sulfinyl carbanion
Achim Kless, Jens Holz, Detlef Heller, Renat Kadyrov, Rüdiger Selke, Christine Fischer and Armin Börner	33	Chiral phosphinephosphites having axial and central chirality in asymmetric hydroformylations
Achot P. Khrimian, James E. Oliver, Rolland M. Waters, Sini Panicker, Jesse M. Nicholson and Jerome A. Klun	37	Enantioselective synthesis of 2-fluoro carboxylic acids from trichloromethyl carbinols: an efficient approach to chiral fluorine introduction into insect sex pheromones
John Spencer, Volker Gramlich, Robert Häusel and Antonio Togni	41	Synthesis of P,S,O-ligands incorporating a planar chiral ferrocenyl motif
Soh-Kheang Loh, K. F. Mok, Pak-Hing Leung, Andrew J. P. White and David J. Williams	45	Isolation and structural characterisation of a reactive chiral palladium(II) complex containing a ClO_4 ligand

Cornelis M. Timmers, Michiel A. Leeuwenburgh, Jeroen C. Verheijen, Gijsbert A. van der Marel and Jacques H. van Boom 49 Rhodium(II) catalyzed asymmetric cyclopropanation of glycals with ethyl diazoacetate

Yutaka Ukaji, Yuuichi Kenmoku and Katsuhiko Inomata 53 Asymmetric addition reaction of organozinc reagents to nitrones using a catalytic amount of external chiral auxiliary

Teng-Kuei Yang, Ching-Jung Chen, Dong-Sheng Lee, Ting-Ting Jong, Yao-Zhong Jiang and Ai-Qiao Mi 57 Asymmetric Diels–Alder reaction of α-sulfinylacrylate derived from (1*R*,2*S*,3*R*)-3-mercaptocamphan-2-ol

ARTICLES

Tomas Hudlicky, Mary Ann A. Endoma and Gabor Butora 61 New chiral synthons from the microbial oxidation of bromonaphthalenes

Priska Huber, Svetoslav Bratovanov, Stefan Bienz, Christoph Syldatk and Markus Pietzsch 69 Chiral silicon groups as auxiliaries for enantioselective synthesis: access to optically active silanes by biotransformation and the enantiospecific preparation of (*R*)-(+)-1-phenylethanol

Roberta Galeazzi, Silvano Geremia, Giovanna Mobbili and Mario Orena 79 Diastereomerically pure pyrrolidin-2-ones by intramolecular Michael reaction. Synthesis of both (*S*)- and (*R*)-3-pyrrolidineacetic acid

Chris Meier and Wolfgang H. G. Laux 89 Asymmetric synthesis of chiral, nonracemic dialkyl-α-hydroxyalkylphosphonates via a (–)-chlorodiisopinocampheylborane (Ipc_2B–Cl) reduction

James A. S. Howell, Michael G. Palin, Gérard Jaouen, Bernard Malezieux, Siden Top, Jean Michel Cense, Jacques Salaün, Patrick McArdle, Desmond Cunningham and Margaret O'Gara 95 Enzymatic generation of planar chirality in the (arene)$Cr(CO)_3$ series: experimental results and modelling studies

José Marco-Contelles, Christine Destabel and José Luis Chiara 105 Palladium-catalyzed reduction of a propargylic acetate derived from a sugar with SmI_2. Some unexpected results

Ivo Pischel, Stefan Grimme, Sirpa Kotila, Martin Nieger and Fritz Vögtle 109 A configurationally stable pyrrolohelicene: experimental and theoretical structure–chiroptic relationships

Christian Döbler, H.-J. Kreuzfeld, M. Michalik and H. W. Krause 117 Unusual amino acids—VII. Asymmetric synthesis of 3- and 4-pyridylalanines

Rosa M. Ortuño, Javier Ibarzo, Jean d'Angelo, Françoise Dumas, Angel Alvarez-Larena and Joan F. Piniella 127 High-pressure and thermally induced asymmetric Diels–Alder cycloadditions of heterosubstituted dienes to homochiral α,β-didehydro amino acid derivatives

José L. García Ruano, Ana M. González, Ana I. Bárcena, María J. Camazón and Carmen Navarro-Ranninger 139 Enantiomerically pure palladacycles with one stereogenic Csp^3 center directly bonded to the metal

Hidetoshi Yamamoto, Shigeru Kobayashi and Shuji Kanemasa 149 Synthesis of pure enantiomers of a new diol ligand, *trans*-4,5-bis(2-hydroxyphenyl)-2,2-dimethyl-1,3-dioxolane

Tilmann W. Brandstetter, Mark R. Wormald, Raymond A. Dwek, Terry D. Butters, Frances M. Platt, Katerina E. Tsitsanou, Spyros E. Zographos, Nikos G. Oikonomakos and George W. J. Fleet 157 A galactopyranose analogue of hydantocidin

Arlette Solladié-Cavallo and Frédérique Bonne 171 Synthesis of enantiomerically pure *threo* 1-alkyl-2-benzyloxypropylamines

Natalina Dell'Uomo, Maria Cristina Di Giovanni, Domenico Misiti, Giovanni Zappia and Giuliano Delle Monache 181 A straightforward synthesis of (2*S*,3*R*)-3-hydroxyproline and *trans*-(2*R*,3*S*)-2-hydroxymethyl-3-hydroxypyrrolidine

Gianni Porzi and Sergio Sandri 189 Enantioselective synthesis of (*R*)- and (*S*)-α-aminoacids using (6*S*)- and (6*R*)-6-methyl-morpholine-2,5-dione derivatives

Giuseppe Bellucci, Cinzia Chiappe and Antonio Cordoni 197 Enantioconvergent transformation of racemic *cis*-β-alkyl substituted styrene oxides to (*R*,*R*) *threo* diols by microsomal epoxide hydrolase catalysed hydrolysis

José Fuentes, José L. Molina, David Olano and M. Angeles Pradera	203	Stereoselective synthesis of nucleoside analogues of chiral imidazolidines from sugar isothiocyanates
Mercedes Caballero, María García-Valverde, Rafael Pedrosa and Martina Vicente	219	Elimination versus diastereoselective alkylation in homochiral 2-(β-ethoxy carbonyl) acetals
Anne Carrière and Albert Virgili	227	Use of 9-anthrylcarbinol derivatives as chiral auxiliaries in asymmetric Diels–Alder reaction
Ludek Ridvan, Nevine Abdallah, Roman Holakovsky, Miloš Tichy and Jirí Závada	231	6-Amino-1,11-dimethyl-6,7-dihydro-5*H*-dibenzo[*a*,*c*]cycloheptene-6-carboxylic acid: the first chiral α-amino acid without asymmetric carbon atom
Dirk Heerding, Pradip Bhatnagar, Michael Hartmann, Peter Kremminger and Stephen LoCastro	237	Stereoselective synthesis of (2*R*)-6-benzyloxycarbonylamino-2-*tert*-butoxycarbonylaminohex-4-ynoic acid
Mireia Pastó, Albert Moyano, Miquel A. Pericàs and Antoni Riera	243	An enantioselective, stereodivergent approach to *anti*- and *syn*-α-hydroxy-β-amino acids from *anti*-3-amino-1,2-diols. Synthesis of the ready for coupling Taxotere® side chain
David P. G. Hamon, Peter J. Hayball, Ralph A. Massy-Westropp, Josephine L. Newton and Julie G. Tamblyn	263	Enantioselective synthesis of the four isomers of the biologically active metabolite of the 2-arylpropanoic acid NSAID, ximoprofen, and assessment of their inhibitory activity on human platelet cyclo-oxygenase *in vitro*
Ronald Grigg and Gnanamoly Yoganathan	273	Chiral *N*-substituted 4,5,6,7-tetrahydroindoles
Giancarlo Fantin, Marco Fogagnolo, Alessandro Medici, Paola Pedrini, Emanuela Marotta, Marcella Monti and Paolo Righi	277	Microbial reduction of methyl-substituted bicyclo[3.2.0]hept-3-en-6-ones: a screening to homochiral *endo*- and *exo*-alcohols
Alain Hercouet, Bernard Bessières and Maurice Le Corre	283	Expedient synthesis of (–)-(1*S*,2*R*)-allonorcoronamic acid
Ulrich Berens, John M. Brown, James Long and Rüdiger Selke	285	Synthesis and resolution of 2,2'-bis-diphenylphosphino[3,3']biindolyl; a new atropisomeric ligand for transition metal catalysis
Massimo Falorni, Cristina Collu, Sandra Conti and Giampaolo Giacomelli	293	Chiral ligands containing heteroatoms—XIV. 1,3-Oxazolidinyl methanols as chiral catalysts in the enantioselective addition of diethylzinc to aldehydes
J. Gawronski, K. Gawronska, G. Buczak, A. Katrusiak, P. Skowronek and H. Suemune	301	Conformational preference of *trans*-3,5-cyclohexadiene-1,2-diol, a benzene metabolite, from circular dichroism, molecular mechanics and X-ray diffraction study
James A. S. Howell, Paula J. O'Leary, Michael G. Palin, Gérard Jaouen and Siden Top	307	Diastereoselectivity in the bakers yeast reduction of [1-^{2}H](sorbaldehyde)-$Fe(CO)_3$
	A1	Stereochemistry Abstracts
	I	Instructions for Authors

NUMBER 2

Contents

	iii	Tetrahedron Prize for Creativity in Organic Chemistry
	v	Contributors to this Issue
	vii	Graphical Abstracts
		TETRAHEDRON: ASYMMETRY REPORT NUMBER 21
Timothy J. Donohoe, Rina Garg and Clare A. Stevenson	317	Prospects for stereocontrol in the reduction of aromatic compounds
		COMMUNICATIONS
Bruno Danieli, Giordano Lesma, Daniele Passarella and Alessandra Silvani	345	Stereoselective enzymatic hydrolysis of dimethyl *meso*-piperidine-3,5-dicarboxylates
P. Andersch and M. P. Schneider	349	Enzyme assisted synthesis of D-*myo*-inositol-1,2,6-trisphosphate

Tony K. M. Shing and Eric K. W. Tam	353	First enantiospecific syntheses of crotepoxide and iso-crotepoxide from (–)-quinic acid
Soh-Yun Siah, Pak-Hing Leung, K. F. Mok and Michael G. B. Drew	357	A P–O chelation with palladium: toward understanding of the stereochemistry of an optically active sulfinyl-substituted phosphine with five stereogenic centres
Stig Allenmark, Sofia Claeson and Christina Löwendahl	361	Stereochemistry of the formation of endocyclic sulfoximides from *o*-carboxyphenyl sulfoxides
David R. Kelly, Christopher J. Knowles, Jassem G. Mahdi, Ian N. Taylor and Michael A. Wright	365	The enantioselective oxidation of sulfides to sulfoxides with *Acinetobacter* sp. NCIMB 9871, *Pseudomonas* sp. NCIMB 9872, *Xanthobacter autotrophicus* DSM 431(NCIMB 10811) and the black yeast NV-2
Elisa Cecchet, Fulvio Di Furia, Giulia Licini and Giorgio Modena	369	Synthesis and Diels–Alder reactions of enantiopure (–)-*trans*-benzo[*d*]-dithiine-*S*,*S*'-dioxide
Hidemi Yoda, Hiroyasu Yamazaki and Kunihiko Takabe	373	A novel stereoselective synthesis of enantiomerically pure antifungal agent, (+)-preussin
Arun K. Ghosh and Packiarajan Mathivanan	375	Asymmetric Diels–Alder reaction: *cis*-1-arylsulfonamido-2-indanols as highly effective chiral auxiliaries
Alain Roucoux, Isabelle Suisse, Marc Devocelle, Jean-François Carpentier, Francine Agbossou and André Mortreux	379	Rhodium(I) bis(aminophosphane) complexes as catalysts for asymmetric hydrogenation of activated ketones
Juan C. Estevez, John Saunders, Gurdyal S. Besra, Patrick J. Brennan, Robert J. Nash and George W. J. Fleet	383	Mimics of L-rhamnose: synthesis of *C*-glycosides of L-rhamnofuranose and an α-azidoester as divergent intermediates for combinatorial generation of rhamnofuranose libraries
Juan C. Estevez, Martin D. Smith, Alexandra L. Lane, Sarah Crook, David J. Watkin, Gurdyal S. Besra, Patrick J. Brennan, Robert J. Nash and George W. J. Fleet	387	Mimics of L-rhamnose: anomeric spirohydantoins and diketopiperazines—approaches to novel *N*-linked glycopeptides of rhamnofuranose
Juan C. Estevez, Martin D. Smith, Mark R. Wormald, Gurdyal S. Besra, Patrick J. Brennan, Robert J. Nash and George W. J. Fleet	391	Mimics of L-rhamnose: analogues of rhamnopyranose containing a constituent α-amino acid at the anomeric position. A rhamnopyranose analogue of hydantocidin
Monique Calmes, Jacques Daunis and Françoise Escale	395	Synthesis of enantiomerically pure 2-alkyl 1-amino cyclopropane-1-carboxylic acid
Christian Wiesauer, Christoph Kratky and Walter Weissensteiner	397	Synthesis, determination of enantiomeric purity and structural characterisation of enantiopure (2*R*,5*R*)-(+)-2,5-bis-(diphenylphosphino)-hexane, a chiral DPPB analogue
Agha Zul-Qarnian Khan, Per I. Arvidsson and Per Ahlberg	399	Solvent induced isomerization of 2-cyclohexen-1-ol to 3-cyclohexen-1-ol by a chiral lithium amide
Akira Yamazaki, Issei Achiwa and Kazuo Achiwa	403	Asymmetric cyclization of 3,4-dihydro-2-vinyl-2*H*-1,4-benzoxazine catalyzed by palladium–BHMP catalyst
David M. Hodgson and Andrew R. Gibbs	407	Highly enantioselective rearrangement of quaternary carbon-containing *meso*-epoxides to allylic alcohols
Kaoru Nakamura, Shin-ichi Kondo, Yasushi Kawai, Kouichi Hida, Kazutada Kitano and Atsuyoshi Ohno	409	Enantio- and regioselective reduction of α-diketones by baker's yeast
Giovanna Delogu, Davide Fabbri and Maria Antonietta Dettori	413	Enantiopure atropisomeric phosphorothioates and phosphorothioamidates
Nicolas Philippe, Vincent Levacher, Georges Dupas, Jack Duflos, Guy Quéguiner and Jean Bourguignon	417	Diastereoselective alkylation of homochiral 1,2,3,4-tetrahydroisoquinolin-3-one. A potential route to enantiomerically pure 4-substituted tetrahydroisoquinolines
Katia Hervouet and André Guingant	421	Highly diastereoselective addition of cyclic β-enamino esters to *N*-acryloyl-(*S*)-proline derivatives
Katia Hervouet and André Guingant	425	Highly diastereoselective addition of methyl 2-(*N*-benzylamino)-1-cyclohexenecarboxylate to chiral acrylates
		ARTICLES
Lutz S. Richter and Thomas R. Gadek	427	Penicillamine: an extractable chiral auxiliary providing excellent stereocontrol

Ralph Breitenbach, Charles K.-F. Chiu, Stephen S. Massett, Morgan Meltz, C. William Murtiashaw, Susan L. Pezzullo and Thomas Staigers	435	A practical synthesis of 3(*S*)-methyl-heptanoic acid from (*S*)-citronellol
Yoshikazu Haraguchi, Sinpei Kozima and Ryohei Yamaguchi	443	An efficient asymmetric synthesis of allo- and pseudo-7,8-dimethoxy-berbane systems through tin-mediated three component coupling
Wanbin Zhang, Yoichi Adachi, Toshikazu Hirao and Isao Ikeda	451	Highly diastereoselective *ortho*-lithiation of 1,1'-bis(oxazolinyl)ferrocene directed to C_2-symmetric chiral ligands
Maria N. Preobrazhenskaya, Eduard I. Lazhko, Alexander M. Korolev, Marina I. Reznikova and Ilia I. Rozhkov	461	Transformation of ascorbigen into 1-deoxy-1-(indol-3-yl)-α-L-sorbopyranose and 1-deoxy-1-(indol-3-yl)-α-L-tagatopyranose
A. de Raadt, H. Griengl, M. Petsch, P. Plachota, N. Schoo, H. Weber, G. Braunegg, I. Kopper, M. Kreiner, A. Zeiser and K. Kieslich	467	Microbial hydroxylation of 2-cycloalkylbenzoxazoles—I. Product spectrum obtained from *Cunninghamella blakesleeana* DSM 1906 and *Bacillus megaterium* DSM 32
A. de Raadt, H. Griengl, M. Petsch, P. Plachota, N. Schoo, H. Weber, G. Braunegg, I. Kopper, M. Kreiner and A. Zeiser	473	Microbial hydroxylation of 2-cycloalkylbenzoxazoles—II. Determination of product structures and enhancement of enantiomeric excess
A. de Raadt, H. Griengl, M. Petsch, P. Plachota, N. Schoo, H. Weber, G. Braunegg, I. Kopper, M. Kreiner and A. Zeiser	491	Microbial hydroxylation of 2-cycloalkylbenzoxazoles—III. Determination of product enantiomeric excess and cleavage of benzoxazoles
Maurice C. R. Franssen, Hugo Jongejan, Huub Kooijman, Anthony L. Spek, Nuno L. F. L. Camacho Mondril, Paulo M. A. C. Boavida dos Santos and Aede de Groot	497	Resolution of a tetrahydrofuran ester by *Candida rugosa* lipase (CRL) and an examination of CRLs stereochemical preference in organic media
Mangalam S. Nair and A. T. Anilkumar	511	Versatile chiral intermediates for terpenoid synthesis using lipase catalysed acylation
Jan Dijkink, Kjetil Eriksen, Kees Goubitz, Marco N. A. van Zanden and Henk Hiemstra	515	Synthesis and X-ray crystal structure of (*S*)-9-hydroxymethyl-1,5-diazabicyclo[4.3.0]non-5-ene, an enantiopure DBN-analogue
Henri Doucet, Pierre Le Gendre, Christian Bruneau, Pierre H. Dixneuf and Jean-Claude Souvie	525	Enantioselective hydrogenation of 2'-chloroacetophenone with ((*R*)-Binap)Ru(O_2CAr)$_2$ complexes: influence of carboxylate ligands and solvents
Carlos Cativiela, Maria D. Diaz-de-Villegas and José A. Gálvez	529	Stereoselective synthesis of α-hydroxy-β-amino acids using D-glyceraldehyde as the homochiral source
José M. Jiménez, Joan Rifé and Rosa M. Ortuño	537	Enantioselective total syntheses of cyclopropane amino acids: natural products and protein methanologs
Murielle Bonnat, Jean-Olivier Durand and Maurice Le Corre	559	Bithiocamphor: an interesting synthon for the synthesis of chiral ligands
Stefano Colonna, Nicoletta Gaggero, Giacomo Carrea and Piero Pasta	565	Enantio and diastereoselectivity of cyclohexanone monooxygenase catalyzed oxidation of 1,3-dithioacetals
József L. Margitfalvi, Mihály Hegedüs and Ernô Tfirst	571	Enantioselective hydrogenation of α-keto esters over cinchona–Pt/Al_2O_3 catalyst. Kinetic evidence for the substrate–modifier interaction in the liquid phase
Francesca Abrate, Pierfrancesco Bravo, Massimo Frigerio, Fiorenza Viani and Matteo Zanda	581	Synthesis and reactions of enantiomerically pure chloromethyl oxiranes

Andrew A. Bell, Robert J. Nash and George W. J. Fleet	595	Acetonides of octonolactones
F. Effenberger, Andreas Kremser and Uwe Stelzer	607	A convenient synthesis of (*S*)-2-azidonitriles, (*S*)-2-aminonitriles and (*S*)-1,2-diamines
	A61	Stereochemistry Abstracts
	I	Tetrahedron: Asymmetry Reports
	III	Instructions for Authors

NUMBER 3

Contents

	iii	Contributors to this Issue
	v	Graphical Abstracts
	619	Corrigenda
		COMMUNICATIONS
Martin J. O'Donnell, Changyou Zhou and Ning Chen	621	Preparation of optically active β-carboxyaspartic acid derivatives via Pd(0)-catalyzed asymmetric substitution of Schiff base acetates
Tadashi Ema, Soichi Maeno, Yusuke Takaya, Takashi Sakai and Masanori Utaka	625	Significant effect of acyl groups on enantioselectivity in lipase-catalyzed transesterifications
Arrigo Scettri, Francesco Bonadies and Alessandra Lattanzi	629	Asymmetric oxidation with furylhydroperoxides
Dolores Velasco, Zhanru Yu, Pilar Franco and Cristina Minguillón	633	Chromatographic resolution of several racemic 9-fluorenyl derivatives on a bonded cellulose derived chiral stationary phase for HPLC
Peter Köll and Arne Lützen	637	D-Xylose derived oxazolidin-2-ones as chiral auxiliaries in stereoselective alkylations
Maria N. Preobrazhenskaya, Eduard I. Lazhko and Alexander M. Korolev	641	Reaction of (indol-3-yl)ethanediol with L-ascorbic acid
Choong Eui Song, Jung Woon Yang, Hyun Joon Ha and Sang-gi Lee	645	Efficient and practical polymeric catalysts for heterogeneous asymmetric dihydroxylation of olefins
Howard A. J. Carless and Yvonne Dove	649	Enantiospecific synthesis of cyanocyclitols and (6*R*)-6-hydroxyshikimic acid from benzonitrile
Stéphane Malfait, Lydie Pélinski and Jacques Brocard	653	Stereoselective synthesis and use in catalytic asymmetric addition of diethylzinc to benzaldehyde of new chiral amino alcohol complexes: influence of the chromium complexation on the enantioselectivity
Arrigo Scettri, Francesco Bonadies, Alessandra Lattanzi, Angela Senatore and Annunziata Soriente	657	Kinetic resolution of racemic sulfoxides by a modified Sharpless procedure
Santiago Ini, Moshe Kapon, Shmuel Cohen and Zeev Gross	659	Self assembly assisted preparation of a homochiral porphyrin
Jonathan J. Duffield and Andrew C. Regan	663	Asymmetric synthesis of tetronic acids by Blaise reaction of protected optically active cyanohydrins
Francisco L. Merchán, Pedro Merino, Isabel Rojo, Tomas Tejero and Alessandro Dondoni	667	Enantioselective addition of Grignard reagents to a 2-thiazolyl nitrone
Albrecht Berkessel and Matthias Frauenkron	671	Stoichiometric asymmetric oxidation with hydrogen peroxide activated by a chiral phosphoryl chloride
Tony K. M. Shing, Xue Y. Zhu and Thomas C. W. Mak	673	Synthetic studies towards pentacyclic quassinoids: facile and stereo-controlled construction of the E ring
		ARTICLES
Sam C. Perricone, Constance G. Chidester and Jackson B. Hester	677	Synthesis of (*R*)-*N*-[4-[4-(dibutylamino)-1-hydroxybutyl]phenyl]methanesulfonamide, (*E*)-2-butenedioate (2:1) salt (artilide fumarate) and the enantiomers of *N*-[4-[4-(ethylheptylamino)-1-hydroxybutyl]phenyl]methanesulfonamide, (*E*)-2-butenedioate (2:1) salt (ibutilide fumarate)

Chuong Hao Tran, David H. G. Crout, William Errington and Gregory M. Whited	691	Synthesis of (–)-6-hydroxyshikimic acid from ((5*S*,6*R*)-5,6-dihydroxy-1,3-cyclohexadienyl)methanenitrile
G. V. Shustov and A. Rauk	699	3-Methylazetidin-2-one and its precursors: optical resolution and absolute configurations
Gabin Vic, Jeremy J. Hastings, Oliver W. Howarth and David H. G. Crout	709	Chemoenzymatic synthesis of ethyl 1-thio-(β-D-galactopyranosyl)-*O*-β-D-glycopyranosyl disaccharides using the β-galactosidase from *Bacillus circulans*
Alberto Avenoza, Carlos Cativiela, Miguel A. Fernández-Recio and Jesús M. Peregrina	721	Synthesis of a new enantiomerically pure constrained homoserine
Teodozyj Kolasa, Andrew O. Stewart and Clint D. W. Brooks	729	Asymmetric synthesis of (*R*)-*N*-3-butyn-2-yl-*N*-hydroxyurea, a key intermediate for 5-lipoxygenase inhibitors
Koh-ichi Yamada, Rieko Ishii, Hiroko Nakagawa and Hiroshi Kawazura	737	A second-order asymmetric transformation of racemic 2-hydroxymethyl[5]-thiaheterohelicene into a single enantiomer upon uptake by bovine serum albumin
Daqiang Xu, Paul G. Mattner, Andrew Kucerovy, Kapa Prasad and Oljan Repic	747	An efficient synthesis of enantiopure SDZ 267-489 via a resolution/racemization method
Giuliana Cardillo, Luca Gentilucci, Claudia Tomasini and Maria Pilar Visa Castejon-Bordas	755	Synthesis of enantiomerically pure *trans* aziridine-2-carboxylates by diastereoselective Gabriel–Cromwell reaction
Piotr Raubo and Jerzy Wicha	763	An iterative synthesis of optically active 1,2-diols using α,β-epoxysilanes as key intermediates
Diego Colombo, Fiamma Ronchetti, Antonio Scala, Ida M. Taino and Lucio Toma	771	A facile lipase catalyzed access to fatty acid monoesters of 2-*O*-β-D-glucosylglycerol
Paolo Crotti, Valeria Di Bussolo, Lucilla Favero, Franco Macchia and Mauro Pineschi	779	An efficient stereoselective synthesis of the amino sugar component (E ring) of calicheamicin γ_1^I
Marco De Amici, Carlo De Micheli, Giacomo Carrea and Sergio Riva	787	Nitrile oxides in medicinal chemistry—VI. Enzymatic resolution of a set of bicyclic Δ^2-isoxazolines
Gianluigi Broggini, Franco Folcio, Nicola Sardone, Milko Sonzogni and Gaetano Zecchi	797	Synthesis of enantiopure 3-hydroxymethylchromanes via intramolecular nitrone cycloaddition
Mandana Gruber-Khadjawi, Helmut Hönig and Carina Illaszewicz	807	Chemoenzymatic methods for the preparation of optically active cyclic polyazido alcohols from easily available achiral starting materials
Maja Majeric and Vitomir Šunjic	815	Preparation of *S*-2-ethylhexyl-*para*-methoxycinnamate by lipase catalyzed sequential kinetic resolution
Alessandra Madau, Gianni Porzi and Sergio Sandri	825	Stereoselective synthesis of unnatural aminoacids *cis*-4-hydroxyproline and bulgecinine
Daniela Braghiroli, Elisa Mussati, Maria Di Bella and Monica Saladini	831	Asymmetric synthesis of 2-methyltaurine
Kapa Prasad, William J. Houlihan, Chung-Pin Chen, Russell L. Underwood and Oljan Repic	837	An enantioselective construction of a tetrahydrofuran synthon via an epoxy alcohol: synthesis of *S*-enantiomer of SRI 62-834
Pierluigi Barbaro, Claudio Bianchini and Volker Sernau	843	New enantiomerically pure aminoalcohols from (*R*)-α-methylbenzylamine and cyclohexene oxide
Yuri Belokon', Nicolai Ikonnikov, Margarita Moscalenko, Michael North, Svetlana Orlova, Vitali Tararov and Lidia Yashkina	851	Asymmetric trimethylsilylcyanation of aldehydes catalyzed by chiral (salen)Ti(IV) complexes
George Kokotos, José M. Padrón, Caterina Noula, William A. Gibbons and Victor S. Martín	857	A general approach to the enantiomeric synthesis of lipidic α-amino acids, peptides and vicinal amino alcohols
Claus Herdeis, Claudia Kaschinski, Rolf Karla and Hermann Lotter	867	Synthesis of homochiral piperidine derivatives from *S*-glutamic acid. Stereoselective 1,4-addition of organocuprates to a Δ^3-piperidine-2-one. A paroxetine analogue

Giorgio Chelucci, M. Antonietta Cabras, Carlo Botteghi, Carmen Basoli and Mauro Marchetti	885	Synthesis of homochiral pyridyl, bipyridyl and phosphino derivatives of 2,2-dimethyl-1,3-dioxolane: use in asymmetric catalysis
Arounarith Tuch, Michèle Sanière, Yves Le Merrer and Jean-Claude Depezay	897	Enantiopure aminotriol from D-isoascorbic acid synthesis of D-*threo*-C_{18}-sphingosine
Janina Kaminska, Iwona Górnicka, Magdalena Sikora and Józef Góra	907	Preparation of homochiral (*S*)- and (*R*)-1-(2-furyl)ethanols by lipase-catalyzed transesterification
Youval Shvo, Meir Gal, Yigal Becker and Asher Elgavi	911	Asymmetric hydrocyanation of aldehydes with cyclo-dipeptides: a new mechanistic approach
	A121	Stereochemistry Abstracts
	I	Instructions for Authors

NUMBER 4

Contents

	iii	Contributors to this Issue
	v	Graphical Abstracts
	925	Corrigendum
		TETRAHEDRON: ASYMMETRY REPORT NUMBER 22
Marianne Pichon and Bruno Figadère	927	Synthesis of 2,5-disubstituted pyrrolidines
		COMMUNICATIONS
Giorgio Chelucci and M. Antonietta Cabras	965	Enantioselective palladium catalyzed allylic substitution with sulfur-containing pyridine ligands
Oleg I. Kolodiazhnyi and Evgen V. Grishkun	967	Simple route to chiral organophosphorus compounds
Karin Lemke, Fritz Theil, Annamarie Kunath and Hans Schick	971	Lipase-catalysed kinetic resolution of phenylethan-1,2-diol by sequential transesterification—the influence of the solvent
Claire Thorey, Françoise Hénin and Jacques Muzart	975	Enantioselective hydrogenation of α,β-unsaturated ketones over palladium on charcoal in the presence of (–)-ephedrine
Mercedes Amat, Núria Llor, José Hidalgo, Albert Hernández and Joan Bosch	977	Synthesis of enantiopure piperidines. Total synthesis of (2*R*,6*S*)-2-methyl-6-propylpiperidine [(–)-dihydropinidine]
Tomasz Bauer	981	Highly stereoselective addition of 2-trimethylsilyloxyfuran to *N*-glyoxyloyl-(2*R*)-bornane-10,2-sultam
Denis Lucet, Thierry Le Gall, Charles Mioskowski, Olivier Ploux and Andrée Marquet	985	First synthesis of both enantiomers of the biotin vitamer 8-amino-7-oxopelargonic acid
Stuart Warren and Paul Wyatt	989	Synthesis of homochiral dibenzo[*b,f*]phosphepin 5-oxides using a double *ortho*-lithiation strategy
Yoshiji Takemoto, Satoru Kuraoka, Naoko Hamaue and Chuzo Iwata	993	Enantioselective Cu-catalyzed 1,4-addition of Me_3Al to a 4,4-disubstituted cyclohexa-2,5-dienone: novel effect of trialkylsilylOTf on enantioselectivity
Deevi Basavaiah, Subramanian Pandiaraju, Manickam Bakthadoss and Kannan Muthukumaran	997	(1*R*,2*R*)-2-Nitroxycyclohexan-1-ol: first example of a cyclohexyl based chiral auxiliary with nitroxy function as diastereoface discriminating group
Stephen G. Davies and G. Darren Smyth	1001	Asymmetric synthesis of (*R*)-hexane-1,5-diol and (*R*)-hex-3-ene-1,5-diol via a tandem asymmetric conjugate addition/stereospecific Meisenheimer rearrangement protocol
Stephen G. Davies and G. Darren Smyth	1005	Asymmetric synthesis of (*R*)-sulcatol
Nadia Pelloux-Léon, Isabelle Gautier-Luneau, Silke Wendt and Yannick Vallée	1007	Stereoselective synthesis of sulfinates from mannitol derived sulfites

ARTICLES

Hans-Jörn Kreuzfeld, Ute Schmidt, Christian Döbler and Hans Walter Krause	1011	Enantioselective hydrogenation of dehydroamino acid derivatives using PINDOPHOS–rhodium as chiral catalyst
Leonardo J. Breña-Valle, Rodolfo Carreón Sánchez and Raymundo Cruz-Almanza	1019	Diastereoselective alkylation of 1-benzyl-(5*S*)-substituted 2-pyrrolidinones
Giorgio Chelucci, M. Antonietta Cabras, Antonio Saba and Alessandra Sechi	1027	Synthesis and resolution of 1,1-bi-8-methylisoquinoline: formation of an optically active complex with high chiral recognition
Fulvia Orsini and Francesca Pelizzoni	1033	Cyclic chiral diols with C_2 symmetry: synthesis of (2*R*,3*R*)-dihydroxy-1,2,3,4-tetrahydronaphthalene
José A. Bacigaluppo, María I. Colombo, Marcelo D. Preite, Juan Zinczuk, Edmundo A. Rúveda and Joachim Sieler	1041	Enantioselective syntheses and resolution of the key White intermediate for the synthesis of trisporic acids
Carlo Castellari, Marco Lombardo, Graziano Pietropaolo and Claudio Trombini	1059	Lewis-acid promoted addition of 2-trimethylsilyloxyfuran to nitrones: synthesis and absolute configuration of tetrahydro-2-benzyl-3-(1-benzyloxyethyl)-furo[2,3-*d*]isoxazol-5(2*H*)ones
Charles W. Jefford, Fabienne de Villedon de Naide and Krzysztof Sienkiewicz	1069	The synthesis of chiral 1-(1*H*-pyrrole) derivatives
Valérie Bardot, Pascale Besse, Yvonne Gelas-Miahle, Roland Remuson and Henri Veschambre	1077	Microbial synthesis of (+)-(3*R*)-ethyl 3-hydroxy-3-(3,4-dimethoxyphenyl)-propionate
Stig G. Allenmark and Malin A. Andersson	1089	Chloroperoxidase-catalyzed asymmetric synthesis of a series of aromatic cyclic sulfoxides
Nicole Langlois, Anne Rojas-Rousseau and Oreste Decavallas	1095	Synthesis of conformationally constrained analogues of (*R*)-2-amino-7-phosphonoheptanoic acid
Alessio Ramacciotti, Rita Fiaschi and Elio Napolitano	1101	Enantioselective synthesis of natural combretastatin
Eero Kiljunen and Liisa T. Kanerva	1105	(*R*)- and (*S*)-Cyanohydrins using oxynitrilases in whole cells
Marco Pallavicini, Ermanno Valoti, Luigi Villa and Oreste Piccolo	1117	Isopropylidene glycerol hydrogen phthalate: a new resolving agent. Application to the resolution of 1-arylethylamines
Gianluca Ottolina, Giacomo Carrea, Stefano Colonna and Andreas Rückemann	1123	A predictive active site model for cyclohexanone monooxygenase catalyzed Baeyer–Villiger oxidations
Lutz Grubert, Guido Galley and Michael Pätzel	1137	Diastereoselective 1,3-dipolar cycloaddition of nitrilimines to γ-oxygenated α,β-unsaturated enones and esters
David R. Kelly	1149	A proposal for the origin of stereoselectivity in enzyme catalysed Baeyer–Villiger reactions
Kaoru Suginaka, Yoshiyuki Hayashi and Yukio Yamamoto	1153	Highly selective resolution of secondary alcohols and acetoacetates with lipases and diketene in organic media
Antoine Fadel and Sebastien Garcia-Argote	1159	Asymmetric construction of benzylic quaternary carbons from chiral malonates: formal synthesis of both (–)- and (+)-aminoglutethimides AG and analogues
Franca Zanardi, Lucia Battistini, Marika Nespi, Gloria Rassu, Pietro Spanu, Mara Cornia and Giovanni Casiraghi	1167	Total synthesis of both enantiomers of *trans*-2,3-*cis*-3,4-dihydroxyproline
Philippe Remuzon, Christian Dussy, Jean-Pierre Jacquet, Pascale Roty and Daniel Bouzard	1181	Enantioselective synthesis of 1,2-acetonide of (2*S*,3*R*)-3-*N*-Boc-3-amino-4-phenyl-1,2-butanediol
Lotfi I. Monser, Gillian M. Greenway and David F. Ewing	1189	Novel 2-chrysenyl- and 1-pyrenyl-tartaramide derivatives as liquid chromatographic chiral phases for enantiomeric separation on porous graphitic carbon
Yoshitsugu Arai, Tsutomu Masuda, Yukio Masaki and Motoo Shiro	1199	Highly stereoselective hetero Diels–Alder reactions of chiral 3-(*p*-tolylsulfinyl)-2-furaldehyde with Danishefsky's diene promoted by a lanthanoid Lewis acid

Katsuhiko Iseki, Daisuke Asada, Mie Takahashi, Takabumi Nagai and Yoshiro Kobayashi	1205	Diastereoselective bromodifluoromethylation and difluoromethylation of chiral imide enolates via insertion of difluorocarbene
Fabiana D'Aniello, Massimo Falorni, André Mann and Maurizio Taddei	1217	Stereocontrolled synthesis of γ-branched amino acids. $TiCl_4$ mediated addition of (*E*)-crotylsilane to N,O-protected serine aldehyde
Pelayo Camps and Sílvia Giménez	1227	Deracemization of α-substituted arylacetic acids
	A169	Stereochemistry Abstracts
	I	Tetrahedron: Asymmetry Reports
	III	Instructions for Authors

NUMBER 5

Contents

	iii	Publisher's Announcement
	v	Contributors to this Issue
	vii	Graphical Abstracts
	1235	Corrigendum
		COMMUNICATIONS
L. P. B. Gonçalves, O. A. C. Antunes, G. F. Pinto and E. G. Oestreicher	1237	Enzymatic laboratory scale production of homochiral (*R*)-3-fluorolactic acid methyl ester via enantiospecific reduction of sodium fluoropyruvate catalyzed by rabbit muscle L-lactate dehydrogenase (L-LDH)
Masahiko Seki, Toshiyuki Furutani, Tsutomu Miyake, Takeshi Yamanaka and Hiroshi Ohmizu	1241	A novel synthesis of a key intermediate for penems and carbapenems utilizing lipase-catalyzed kinetic resolution
Wei-Min Dai, Hua Jie Zhu and Xiao-Jiang Hao	1245	Chiral ligands derived from abrine—II. Oxazolidines as promoters for enantioselective addition of diethylzinc toward aromatic aldehydes
Tomohiko Kawate, Hideki Yamada, Than Soe and Masako Nakagawa	1249	Enantioselective asymmetric Pictet–Spengler reaction catalyzed by diisopinocampheylchloroborane
Hans-Joachim Gais and Ingo von der Weiden	1253	Preparation of enantiomerically pure α-hydroxymethyl S-*tert*-butyl sulfones by *Candida antarctica* lipase catalyzed resolution
A. García Martínez, E. Teso Vilar, A. García Fraile, S. de la Moya Cerero, P. Martínez Ruiz and L. R. Subramanian	1257	A facile synthesis of new homochiral β-amino alcohols with norbornane framework
Bernd Giese, Stephan N. Müller, Caroline Wyss and Hans Steiner	1261	Synthesis of the chiral auxiliary 1,3:4,6-di-*O*-benzylidene-2,5-dideoxy-2,5-imino-D-iditol
Maurizio Botta, Vincenzo Summa, Federico Corelli, Giovanna Di Pietro and Paolo Lombardi	1263	Synthesis of aryl 2-benzofuranyl and aryl 2-indolyl carbinols of high enantiomeric purity via palladium-catalyzed heteroannulation of chiral arylpropargylic alcohols
Alain Hercouet, Bernard Bessières and Maurice Le Corre	1267	First asymmetric synthesis of (–)-(2*S*,3*R*)-methanoproline
Norbert Sewald and Volkmar Wendisch	1269	Synthesis of homochiral camphor annulated pyrrole derivatives
Stephen G. Davies and G. Darren Smyth	1273	Asymmetric synthesis of methyl α-L-daunosaminide hydrochloride
David M. Hodgson and Richard Wisedale	1275	Enantioselective rearrangement of *exo*-norbornene oxide to nortricyclanol
Ewa Zymanczyk-Duda, Mariusz Skwarczynski, Barbara Lejczak and Pawel Kafarski	1277	Accurate assay of enantiopurity of 1-hydroxy- and 2-hydroxyalkylphosphonate esters
Colin L. Gibson and Sheetal Handa	1281	An expedient synthesis of (*R*)-(+)-umbelactone
		ARTICLES
Aleš Svatoš, Zdenka Hunková, Vladimír Kren, Michal Hoskovec, David Šaman, Irena Valterová, Jan Vrkoc and Bohumír Koutek	1285	Biotransformations of γ-methyl-β-ketosulfones: stereoselectivity of 3-methyl-1-(phenylsulfonyl)hexan-2-one reductions by various yeasts

Adriana Port, Albert Virgili and Carlos Jaime	1295	Preparation of enantiomers of 9-(1-amino-2,2-dimethylpropyl)-9,10-dihydroanthracene. Conformational study and their behaviour as chiral solvating agents
Alan W. Douglas, David M. Tschaen, Robert A. Reamer and Yao-Jun Shi	1303	The oxazaborolidine–borane reduction of ketones: identification and reactivity of transient intermediates
Stefan E. Boiadjiev and David A. Lightner	1309	Stereocontrol of bilirubin conformation
Tony K. M. Shing, Ching-Hung Wong and Ting Yip	1323	Synthetic studies on zoapatanol: construction of oxepanes via an intramolecular 1,3-dipolar cycloaddition strategy
Lucia Graziani, Gianni Porzi and Sergio Sandri	1341	An improved procedure for the enantioselective synthesis of (+)- and (−)-*cis*-4-hydroxyprolines and bulgecinines
Paolo Crotti, Valeria Di Bussolo, Lucilla Favero, Filippo Minutolo and Mauro Pineschi	1347	Efficient application of lipase-catalyzed transesterification to the resolution of γ-hydroxy ketones
Jun Matsui, Ian A. Nicholls and Toshifumi Takeuchi	1357	Highly stereoselective molecularly imprinted polymer synthetic receptors for *Cinchona* alkaloids
Jadwiga Frelek, Zbigniew Pakulski and Aleksander Zamojski	1363	Application of $[Mo_2(OAc)_4]$ for determination of absolute configuration of pyranoid and furanoid *vic*-diols by circular dichroism
Ron Hulst, Hero Heres, Nathalie C. M. W. Peper and Richard M. Kellogg	1373	Synthesis and application of new chiral ligands for the asymmetric borane reduction of prochiral ketones
Tomasz Bauer, Artur Jezewski, Christian Chapuis and Janusz Jurczak	1385	Efficient synthesis of *N*-glyoxyloyl-(2*R*)-bornane-10,2-sultam
Tomasz Bauer, Christian Chapuis, Artur Jezewski, Janusz Kozak and Janusz Jurczak	1391	Stereochemical course of the [4 + 2] cycloaddition of 1-methoxybuta-1,3-diene to *N*-glyoxyloyl-(2*R*)-bornane-10,2-sultam. The formal synthesis of compactin and mevinolin
Tomasz Bauer, Artur Jezewski and Janusz Jurczak	1405	The stereocontrolled synthesis of methyl 2,6-*N*,*N*-diacetyl-D-purpurosaminide C
Janusz Jurczak and Artur Jezewski	1413	The asymmetric cyclocondensation reaction of 1-methoxy-3-silyloxybuta-1,3-dienes with *N*-glyoxyloyl-(2*R*)-bornane-10,2-sultam
Christopher J. Richards and Andrew W. Mulvaney	1419	Synthesis of phosphinoferrocenyloxazolines. New ligands for asymmetric catalysis
Elena Buñuel, Carlos Cativiela and Maria D. Diaz-de-Villegas	1431	*Z*-2-Phenyl-4-[(*S*)-2,2-dimethyl-1,3-dioxolan-4-ylmethylen]-5(4*H*)-oxazolone as the dienophile in asymmetric Diels–Alder reactions—II
Gabriella Egri, Eszter Baitz-Gács and László Poppe	1437	Kinetic resolution of 2-acylated-1,2-diols by lipase-catalyzed enantiomer selective acylation
Vesa Nevalainen	1449	Borane as a model of Lewis acidic activators of chiral *N*-sulphonylated oxazaborolidinones used to catalyze asymmetric Diels–Alder reactions
Alessandro Bongini, Giuliana Cardillo, Anna Mingardi and Claudia Tomasini	1457	Asymmetric 1,4 addition of Grignard reagents to chiral α,β-unsaturated imides in the presence of Lewis acids
Alessandro Bongini, Roberto Camerini and Mauro Panunzio	1467	Efficient synthesis of the four diastereomers of phosphothreonine from lactaldehyde
András Mravik, Zsolt Böcskei, Sándor Keszei, Ferenc Elekes and Elemér Fogassy	1477	New route to enantiomers of cyclic β-hydroxyethers. The crystal structure of (*S*)-(+)-tetrahydrofurfuryl-*O*,*O*′-diacetyl-(2*R*,3*R*)-hydrogentartrate
Claudia Waldinger, Manfred Schneider, Maurizio Botta, Federico Corelli and Vincenzo Summa	1485	Aryl propargylic alcohols of high enantiomeric purity via lipase catalyzed resolutions
Dominique Martini, Gérard Buono, Jean-Luc Montillet and Gilles Iacazio	1489	Chemo-enzymatic synthesis of methyl 9(*S*)-HODE (dimorphecolic acid methyl ester) and methyl 9(*S*)-HOTE catalysed by barley seed lipoxygenase
Vladimir Dimitrov, Irena Philipova and Svetlana Simova	1493	Synthesis and absolute configuration of new chiral epoxyalcohols by stereoselective epoxidation of allylic and homoallylic alcohols with a (1*R*)-(+)-camphor skeleton
Chris H. Senanayake, Robert D. Larsen, Lisa M. DiMichele, Ji Liu, Pascal H. Toma, Richard G. Ball, Thomas R. Verhoeven and Paul J. Reider	1501	Asymmetric synthesis of conformationally constrained *cis*-1-amino-1-phenylcyclohexan-2-ol

Carin Vörde, Hans-Erik Högberg and Erik Hedenström	1507	Resolution of 2-methylalkanoic esters: enantioselective aminolysis by (*R*)-1-phenylethylamine of ethyl 2-methyloctanoate catalysed by lipase B from *Candida antarctica*
Rüdiger Brünner and Hans Gerlach	1515	Absolute configuration and circular dichroism of methyl substituted tricarbonyl(1,3-butadiene)iron(0) complexes
Elena Buñuel, Carlos Cativiela and Maria D. Diaz-de-Villegas	1521	Diastereoselective synthesis of (1*S*,2*S*,3*R*,4*R*)- and (1*R*,2*S*,3*R*,4*S*)-bicyclo[2.2.1]hept-2-amino-2,3-dicarboxylic acids: new conformationally-constrained (*S*)-aspartic acid analogues
Tomás Tejero, Santiago Franco, Federico Junquera, Ana Lanaspa, Francisco L. Merchán, Pedro Merino and Isabel Rojo	1529	Absolute configuration determination in furfuryl amines and hydroxylamines by circular dichroism
	A205	Stereochemistry Abstracts
	I	Instructions for Authors

NUMBER 6

Contents

	iii	Contributors to this Issue
	v	Graphical Abstracts
		COMMUNICATIONS
Xu-Ran Li and Teck-Peng Loh	1535	Indium trichloride-promoted tin-mediated carbonyl allylation in water: high simple diastereo- and diastereofacial selectivity
Kazushi Kinbara, Kenichi Sakai, Yukihiko Hashimoto, Hiroyuki Nohira and Kazuhiko Saigo	1539	Design of resolving reagents: *p*-substituted mandelic acids as resolving reagents for 1-arylalkylamines
Bianca Schreder, Zoltan Lukacs, Marko Schmitt, Peter Schreier and Hans-Ulrich Humpf	1543	1-Naphthoic acid: a new type of asymmetric chromophore for exciton-coupled circular dichroism (ECCD)
Vadim A. Soloshonok, Dimitry V. Avilov and Valery P. Kukhar	1547	Highly diastereoselective asymmetric aldol reactions of chiral Ni(II)-complex of glycine with alkyl trifluoromethyl ketones
Patrizia Ferraboschi, Antonella Molatore, Elisa Verza and Enzo Santaniello	1551	The first example of lipase-catalyzed resolution of a stereogenic center in steroid side chains by transesterification in organic solvent
Alberto Avenoza, Carlos Cativiela, Jesús M. Peregrina and María M. Zurbano	1555	Synthesis of *meso*-2,4-diaminoglutaric acid
Derek R. Boyd, Narain D. Sharma, Nigel I. Bowers, Peter A. Goodrich, Melanie R. Groocock, A. John Blacker, David A. Clarke, Tina Howard and Howard Dalton	1559	Stereoselective dioxygenase-catalysed benzylic hydroxylation at prochiral methylene groups in the chemoenzymatic synthesis of enantiopure vicinal aminoindanols
Shoei-Sheng Lee, Gwo-Sen Lin and K. C. Wang	1563	Microbial reduction of 2-(6-*m*-methoxyphenyl-3-oxohexyl)-2,4,5-trimethyl-cyclopenta-1,3-dione with *Schizosaccharomyces pombe* (NRRL Y-164)
Dawei Ma and Hongqi Tian	1567	Stereoselective synthesis of (*S*)-(+)-αM4CPG, a selective antagonist of metabotropic glutamate receptors
A. Chadha, M. Manohar, T. Soundararajan and T. S. Lokeswari	1571	Asymmetric reduction of 2-oxo-4-phenylbutanoic acid ethyl ester by *Daucus carota* cell cultures
Lucien A. Maciejewski, Sophie J. Goetgheluck, Olivier A. Delacroix and Jacques S. Brocard	1573	Highly stereoselective alkylation through asymmetric intramolecular autoactivation; synthesis and use of a new chiral ligand
David B. Berkowitz and Jun-Ho Maeng	1577	Enantioselective entry into benzoxabicyclo[2.2.1]heptyl systems via enzymatic desymmetrization: toward chiral building blocks for lignan synthesis
Koichiro Naemura, Masaki Murata, Rie Tanaka, Masashi Yano, Keiji Hirose and Yoshito Tobe	1581	Enantioselective acylation of alcohols catalyzed by lipase QL from *Alcaligenes* sp.: a predictive active site model for lipase QL to identify the faster reacting enantiomer of an alcohol in this acylation

C. Célimène, H. Dhimane, A. Saboureau and G. Lhommet	1585	Unexpected diastereoselectivity in the formation of 3,5-disubstituted indolizidines by intramolecular reductive amination
Tibor Gizur, Imre Péteri, Kálmán Harsányi and Elemér Fogassy	1589	Resolution of racemic 1,3-disubstituted propanols by (*R,R*)-di-(4-toluoyl)-tartaric acid: similar conditions for similar structures
Mercedes Amat, José Hidalgo and Joan Bosch	1591	Synthesis of enantiopure 3,4-disubstituted piperidines. An asymmetric synthesis of (+)-paroxetine
Stephen G. Davies and Gurdip Bhalay	1595	A formal synthesis of (–)-pumiliotoxin C
Louise M. Newman, Jonathan M. J. Williams, Raymond McCague and Gerard A. Potter	1597	Rhodium catalysed asymmetric hydrosilylation of ketones using phosphorus-containing oxazoline ligands
Thomas Langer, Jörg Janssen and Günter Helmchen	1599	Catalytic asymmetric hydrosilylation of ketones using rhodium(I)-complexes of chiral phosphinooxazoline ligands
Yasuhiro Uozumi, Hirokazu Kyota, Eiji Kishi, Kenji Kitayama and Tamio Hayashi	1603	Homochiral 2,2'-bis(oxazolyl)-1,1'-binaphthyls as ligands for copper(I)-catalyzed asymmetric cyclopropanation
		ARTICLES
Mauro L. Mellão and Mário L. A. A. Vasconcellos	1607	New camphor derivatives for enantioselective syntheses
Robert W. Murray, Megh Singh and Nigam Rath	1611	Stereochemistry in the oxidation of primary amines to nitro compounds by dimethyldioxirane
Alan R. Katritzky, Saad R. El-Zemity, Peter Leeming, Chris M. Hartshorn and Peter J. Steel	1621	Synthesis and highly diastereoselective alkylation of chiral *N*-[(*S,S*)-3,5-bis(1-methoxyethyl)-1,2,4-triazol-4-yl]arylimines
Alan R. Katritzky, Jin Wang, Peter Leeming and Peter J. Steel	1631	Chiral 1,2,4-triazole derivatives as potential synthetic intermediates
Alexander Gutcait, Kuang-Chao Wang, Hsiu-Wen Liu and Ji-Wang Cherr	1641	Studies on quinazolines—VI. Asymmetric synthesis of (*S*)-(+)- and (*R*)-(–)-3-[[4-(2-methoxyphenyl)piperazin-1-yl]methyl]-5-methylthio-2,3-dihydroimidazo[1,2-*c*]quinazolines
Tetuya Fukazawa, Yasuo Shimoji and Toshihiko Hashimoto	1649	Synthesis of an enantiomerically pure aminoisoquinocarbazole with anti-arrhythmic activity via lipase-catalyzed enantioselective transesterification
Andrea Goti, Francesca Cardona, Alberto Brandi, Sylviane Picasso and Pierre Vogel	1659	(1*S*,2*S*,7*R*,8a*S*)- and (1*S*,2*S*,7*S*,8a*S*)-trihydroxyoctahydroindolizine: two new glycosidase inhibitors by nitrone cycloaddition strategy
Bruno Danieli, Carlo Barra, Giacomo Carrea and Sergio Riva	1675	Oxynitrilase-catalyzed transformation of substituted aldehydes: the case of (±)-2-phenylpropionaldehyde and of (±)-3-phenylbutyraldehyde
Padma S. Vankar, Indrani Bhattacharya and Yashwant D. Vankar	1683	Asymmetric synthesis of chiral vinylic epoxides and α-hydroxy-β,γ-unsaturated esters via (–)-menthol based auxiliary and enzymatic resolution respectively
Hisahide Tanimoto and Takayuki Oritani	1695	Practical synthesis of Ambrox® from farnesyl acetate involving lipase catalyzed resolution
Liisa T. Kanerva, Péter Csomós, Oskari Sundholm, Gábor Bernáth and Ferenc Fülöp	1705	Approach to highly enantiopure β-amino acid esters by using lipase catalysis in organic media
M. Barz, E. Herdtweck and W. R. Thiel	1717	Kinetic resolution of *trans*-2-(1-pyrazolyl)cyclohexan-1-ol catalyzed by lipase B from *Candida antarctica*
Erwin G. J. C. Warmerdam, Rachel D. van Rijn, Johannes Brussee, Chris G. Kruse and Arne van der Gen	1723	Synthesis of α-hydroxy-β-amino acids from chiral cyanohydrins
Keiki Kishikawa, Yuki Takada, Koichiro Kawashima, Shigeo Kohmoto, Makoto Yamamoto and Kazutoshi Yamada	1733	Enantioseparation of *N*-(1-arylethyl)amides and α-[*N*-(3,5-dinitrobenzoyl)]-amino esters by column chromatography. Chiral recognition using a hydrogen bond acceptor centered in a pseudo-C_2 symmetric environment—II
Rolf Uggla, Markku R. Sundberg and Vesa Nevalainen	1741	Boronic acids as molecular sensors. NBO analysis and ^{13}C chemical shifts as tools for evaluation of DFT geometry optimization of complexes of diphenylmethane 3,3'-diboronic acids and glucose
Kaoru Fuji, Kiyoshi Tanaka, Kiyosei Takasu and Tooru Taga	1749	Facile synthesis of optically active *cis*-2,5-diphenyl-1,4-diazabicyclo[2.2.2]-octane

Beng-Hwee Aw, S. Selvaratnam, Pak-Hing Leung, Nicholas H. Rees and William McFarlane	1753	NMR assignment of absolute configuration of a P-chiral diphosphine and mechanics of its stereoselective formation
I. Reiners, J. Martens, S. Schwarz and H. Henkel	1763	Intramolecular versus intermolecular induction in the diastereoselective catalytic reduction of 17-oxo-steroids
Kiyoshi Tanaka, Mija Ahn, Yukari Watanabe and Kaoru Fuji	1771	Asymmetric synthesis of uncommon α-amino acids by diastereoselective alkylations of a chiral glycine equivalent
Arlette Solladié-Cavallo, Anh Diep-Vohuule, Vitomir Sunjic and Vladimir Vinkovic	1783	A two-step asymmetric synthesis of pure *trans*-(*R,R*)-diaryl-epoxides
Péter Csomós, Liisa T. Kanerva, Gábor Bernáth and Ferenc Fülöp	1789	Biocatalysis for the preparation of optically active β-lactam precursors of amino acids
Arlette Solladié-Cavallo, Didier Roche, Guido Bold, Figan Acemoglu, Marina Tintelnot-Blomley, Jean Fischer and André De Cian	1797	Stereoselective synthesis of (4*S*,5*R*,6*S*)-4-(5,6-epoxy-6-phenyl)-γ-lactone
Francisca Zamora, Manuel Bueno, Inmaculada Molina, Hernán A. Orgueira, Oscar Varela and Juan A. Galbis	1811	Synthesis of carbohydrate-based monomers that are precursors for the preparation of stereoregular polyamides
José L. García Ruano, M. Carmen Maestro, David Barros and Ana M. González-Vadillo	1819	Synthesis of enantiomerically pure β-hydroxy-γ-sulfinylaldehyde dimethyl acetals
Anna M. Masdeu-Bultó, Aránzazu Orejón, Aida Castellanos, Sergio Castillón and Carmen Claver	1829	Asymmetric hydroformylation of styrene using a rhodium catalyst with BDPP as the chiral ligand
Valérie Nyzam, Chantal Belaud, Françoise Zammattio and Jean Villieras	1835	Stereocontrolled synthesis of chiral secondary (α-methylene-β-substituted)-γ-lactams by addition of β-functional crotylzinc reagents to chiral imines
	A253	Stereochemistry Abstracts
	I	Instructions for Authors

NUMBER 7

Contents

	iii	Contributors to this Issue
	v	Graphical Abstracts
	1845	Corrigendum
		TETRAHEDRON: ASYMMETRY REPORT NUMBER 23
Dieter Enders, Monika Knopp and Robert Schiffers	1847	Asymmetric [3.3]-sigmatropic rearrangements in organic synthesis
		COMMUNICATIONS
Takashi Sakai, Kazuhiro Kubo, Setsuo Kashino and Kenji Uneyama	1883	Synthesis of enantiomerically pure (1*R*,2*S*)- and (1*S*,2*R*)-2-amino-1,2-bis-(pentafluorophenyl)ethanols
Pedro Merino, Sonia Anoro, Elena Castillo, Francisco Merchan and Tomas Tejero	1887	Direct vinylation and ethynylation of nitrones. Stereodivergent synthesis of allyl and propargyl amines
Lily Yeo and Kenneth D. M. Harris	1891	Chiral recognition in incommensurate one-dimensional inclusion compounds: a computational investigation
Charon Zondervan and Ben L. Feringa	1895	Remarkable reversal of the non-linear effect in the catalytic enantioselective allylic oxidation of cyclohexene using copper proline complexes and *t*-butyl hydroperoxide
Josep Bonjoch, Juanlo Catena, Esther Isábal, Meritxell López-Canet and Nativitat Valls	1899	Synthesis of the octahydroindole core of aeruginosins: a new bicyclic α-amino acid

Angela Bassoli, Lucio Merlini, Clara Baldoli, Stefano Maiorana and Michael G. B. Drew	1903	Asymmetric synthesis of (+)- and (−)-2-(2-methoxyphenyl)-3,1-benzoxathiane
Rosa L. Dorta, Angeles Martín, Ernesto Suárez and Thierry Prangé	1907	Synthesis of (5*R*,7*S*,13*S*)-13-methoxy-1,6,8-trioxadispiro[4.1.5.3]pentadecane
Arnaldo Dossena, Angelo Lunghi, Luigi Garlaschelli and Giovanni Vidari	1911	Fungal metabolites—XL. The structure and absolute configuration of two novel triterpene depsipeptides from the fruiting bodies of *Hebeloma senescens*
Cecilia Anaya de Parrodi, Eusebio Juaristi, Leticia Quintero-Cortés and Patricia Amador	1915	Enantioselective addition of Et_2Zn to benzaldehyde catalyzed by *N*-(*S*)-α-methylbenzyl-β-aminoalcohols
Stephen G. Davies and Osamu Ichihara	1919	Asymmetric synthesis of (+)-negamycin
		ARTICLES
Zhaoguo Zhang and Xiyan Lu	1923	Total synthesis of phaseolinic acid by enyne cyclization
Ernesto G. Occhiato, Dina Scarpi, Gloria Menchi and Antonio Guarna	1929	Synthesis of enantiopure 2,7-diaryl-1,6-dioxaspiro[4.4]nonanes via enantioselective reduction of prochiral γ-nitroketones by diisopinocampheylchloroborane (DIP-Cl™)
Jose L. García Ruano, Alberto Fraile and M. Rosario Martín	1943	(S_S)-5-Ethoxy-3-*p*-tolylsulfinylfuran-2(5*H*)-ones as chiral dipolarophiles: first asymmetric cycloaddition of diazomethane to vinyl sulfoxides
Delphine Pempo, Jacques Viala, Jean-Luc Parrain and Maurice Santelli	1951	Synthesis of (11*R*,17*S*)-11,17-dimethylhentriacontane: a communication pheromone of ant *Camponotus vagus*
K. R. K. Prasad and N. N. Joshi	1957	C_2-Symmetric chiral zinc alkoxides as catalysts for the enantioselective addition of diethylzinc to aryl aldehydes
Michel Barrelle, Laurence Boyer, Jean Chang-Fong and Sylvain Hamman	1961	2-Fluoro-2-phenylacetic acid as a chiral derivatizing agent—VI. Distinction of configurations of its esters with 2,2'-dihydroxy-1,1'-binaphthyl and some derivatives by ^{19}F NMR
Hans Adolfsson, Kerstin Nordström, Kenneth Wärnmark and Christina Moberg	1967	Novel 2-(hydroxyalkyl)pyridines derived from the chiral pool
Gabin Vic, Jeremy J. Hastings and David H. G. Crout	1973	Glycosidase-catalysed synthesis of glycosides by an improved procedure for reverse hydrolysis: application to the chemoenzymatic synthesis of galactopyranosyl-(1→4)-*O*-α-galactopyranoside derivatives
Esther Caballero, Pilar Puebla, Mar Sánchez, Manuel Medarde, Lourdes Morán del Prado and Arturo San Feliciano	1985	Enantiospecific synthesis of dihydropyridines from chiral enamines
Bernd Sundermann and Hans-Dieter Scharf	1995	Short and efficient synthesis of enantiomerically pure building blocks for the preparation of carbocyclic nucleosides and prostaglandins via diastereoselective dihydroxylation of 5-menthyloxy-2[5*H*]-furanone
Massimo Falorni, Andrea Porcheddu and Giampaolo Giacomelli	1999	Synthesis of (2*R*,5*S*)- and (2*S*,5*S*)-2-carboxy-1,4-diaza[4.3.0]bicyclononane as building blocks for the synthesis of new potential HIV protease inhibitors
Margaret A. Brimble, Clayton H. Heathcock and Gregory N. Nobin	2007	Synthesis and ene reactions of di-(−)-menthyl diazenedicarboxylate
Kerstin Wünsche, Ulrich Schwaneberg, Uwe T. Bornscheuer and Hartmut H. Meyer	2017	Chemoenzymatic route to β-blockers via 3-hydroxy esters
Abdellatif Fkyerat, Nicolas Burki and Raffaele Tabacchi	2023	Enantioselective synthesis of 3-hydroxycitronellic acid isolated from *Ceratocystis fimbriata* sp. *platani*
Eric Brown, Antoine Lézé and Joël Touet	2029	Synthesis of chiral alcohols by asymmetric reductions of various ketones including α-aminophenones
M. Mischitz, C. Mirtl, R. Saf and K. Faber	2041	Regioselectivity of *Rhodococcus* NCIMB 11216 epoxide hydrolase: applicability of *E*-values for description of enantioselectivity depends on substrate structure
Dirk Ullmann, Frank Bordusa, Katrin Salchert and Hans-Dieter Jakubke	2047	A new simple route to the synthesis of protease substrates in ice

Ulrich Berens and Rüdiger Selke	2055	New seven-membered ring chelates with unexpected enantioselectivity induction in asymmetric hydrogenation—hint for a constant relative enantioselectivity *Q* for pairs of substrates determined by the structure of the catalysts
F. J. López-Herrera, M. S. Pino-González, F. Sarabia-García, A. Heras-López, J. J. Ortega-Alcántara and M. G. Pedraza-Cebrián	2065	Asymmetric synthesis of 2,3-epoxyamides by reacting monosaccharide derivatives with stabilised sulphur ylides generated *in situ*: two-phase method and configurational assignations
Guido Galley, Peter G. Jones and Michael Pätzel	2073	Enantiomerically pure isoxazolines by stereoselective 1,3-dipolar cycloaddition of silyl nitronates
Giuseppe Alvaro and Diego Savoia	2083	Addition of allylmetal reagents to the imine derived from 2-pyridine carboxaldehyde and methyl (*S*)-valinate. Synthesis of (*S*)- and (*R*)-1-(2-pyridyl)-3-butenamine
Hiroki Takahata, Mami Kusunoki, Yuka Takeda and Takefumi Momose	2093	Functionalized chiral γ-butyrolactones as C_5 building units: a straightforward formal synthesis of (+)-*exo*- and (+)-*endo*-brevicomines
Cristina Cimarelli, Gianni Palmieri and Mercedes Camalli	2099	A directed stereoselective aldol reaction: simple synthesis of enantiopure δ-hydroxy-β-enamino ketones by condensation of homochiral β-enamino ketones with aldehydes and ketones
Hidemi Yoda, Tetsuhiro Oguchi and Kunihiko Takabe	2113	An expeditious and practical synthetic process for phytosphingosine and tetrahydroxy-LCB from D-glutamic acid
Maree P. Collis and Patrick Perlmutter	2117	A stereodivergent synthesis of 3,4-disubstituted-2-azetidinones
Inés Petschen, Edi A. Malo, M. P. Bosch and Angel Guerrero	2135	Highly enantioselective synthesis of long chain alkyl trifluoromethyl carbinols and β-thiotrifluoromethyl carbinols through lipases
Daniela Braghiroli and Maria Di Bella	2145	Asymmetric syntheses of (*R*)- and (*S*)-2-aminobutanesulfonic acid and their 3,3-dimethyl derivatives
M. Carmen Carreño, M. Belén Cid and José L. García Ruano	2151	Diels–Alder reactions of [(S)*R*]-(1*E*,3*E*)-1-*p*-tolylsulfinyl-1,3-pentadiene: the unexpected evolution of maleic anhydride adducts
	A309	Stereochemistry Abstracts
	I	Instructions for Authors

NUMBER 8

Contents

	iii	Tetrahedron Prize for Creativity in Organic Chemistry
	v	Contributors to this Issue
	vii	Graphical Abstracts
	2159	Corrigendum
	2160	Erratum
		COMMUNICATIONS
Robert Chênevert and Marie-Pascale Morin	2161	Chemoenzymatic synthesis of both enantiomers of *cis*-6-hydroxy-methylpipecolic acid
Arun K. Ghosh, Packiarajan Mathivanan, John Cappiello and K. Krishnan	2165	Asymmetric hetero Diels–Alder reactions of Danishefsky's diene and glyoxylate esters catalyzed by chiral bisoxazoline derived catalysts
Michael Shapiro, Mengfen Lin, Richard Versace and Russell C. Petter	2169	Application of HMQC in determination of chiral purity using quinine
William H. Pirkle, L. Jonathan Brice, Theodore S. Widlanski and Juliatiek Roestamadji	2173	Resolution and determination of the enantiomeric purity and absolute configurations of α-aryl-α-hydroxymethanephosphonates
A. García Martínez, E. Teso Vilar, A. García Fraile, S. de la Moya Cerero, P. Martínez Ruiz and L. R. Subramanian	2177	Synthesis of homochiral 3-substituted cyclopentanones from 2-norbornanones
Syun-ichi Kiyooka and Mostofa Abu Hena	2181	A chiral oxazaborolidinone-promoted aldol reaction with a silyl ketene acetal from ethyl 1,3-dithiolane-2-carboxylate. Synthesis of acetate aldols in high enantiomeric purity

K. Gail Morris, Mark E. B. Smith, Nicholas J. Turner, Malcolm D. Lilly, Robin K. Mitra and John M. Woodley	2185	Transketolase from *Escherichia coli*: a practical procedure for using the biocatalyst for asymmetric carbon–carbon bond synthesis
Desikan Rajagopal, K. Rajagopalan and S. Swaminathan	2189	Asymmetric synthesis without solvent
José L. Marco and Gema Martín	2191	Transformations of L-erythrulose: synthesis of 2-amino-4-[1'*R*(1',2'-*O*-isopropylidene)-1,2-dihydroxyethyl]-3-furancarbonitrile
M. J. Ferreiro, Sh. K. Latypov, E. Quiñoá and R. Riguera	2195	Determination of the absolute configuration and enantiomeric purity of chiral primary alcohols by ^{1}H NMR of 9-anthrylmethoxyacetates
Kiyoshi Tanaka, Takumi Furuta, Kaoru Fuji, Yoshihisa Miwa and Tooru Taga	2199	Preparation and absolute configuration of hexahydroxyter- and octahydroxyquaternaphthalene derivatives
Benito Alcaide, Angel M. Moreno, Alberto Rodríguez-Vicente and Miguel A. Sierra	2203	The asymmetric synthesis of 2,3-benzocarbapenems by intramolecular aryl radical cyclizations
Waldemar Adam, María Teresa Díaz, Rainer T. Fell and Chantu R. Saha-Möller	2207	Kinetic resolution of racemic α-hydroxy ketones by lipase-catalyzed irreversible transesterification
Giang Vo Thanh, Jean-Pierre Célérier and Gérard Lhommet	2211	Enantioselective synthesis of (–)-indolizidine 239AB [(3*R*,5*S*,8a*R*)-3-butyl-5-(3-hydroxypropyl)-octahydroindolizine]
Guido Koch and Andreas Pfaltz	2213	Chiral phosphinooxazolines as ligands in asymmetric catalysis: intramolecular Pd-catalyzed allylic alkylation
Hans-Jürgen Hamann and Eugen Höft	2217	Kinetic resolution of 1,2,3,4-tetrahydro[1]naphthyl hydroperoxide by decomposition in the presence of a chiral Mn(III) salen complex
Saburo Nakanishi, Hiroshi Yamaguchi, Kenji Okamoto and Toshikazu Takata	2219	Preparation and structural feature of (η^3-allyl)dicarbonylnitrosyliron complexes with planar chirality
		ARTICLES
Jörg Issberner, Marc Böhme, Stefan Grimme, Martin Nieger, Wolfgang Paulus and Fritz Vögtle	2223	Poly(amine/imine) dendrimers bearing planar chiral terminal groups—synthesis and chiroptical properties
Eusebio Juaristi, Delia Quintana, Margarita Balderas and Enrique García-Pérez	2233	Enantioselective synthesis of β-amino acids—VII. Preparation of enantiopure α-substituted β-amino acids from 1-benzoyl-2(*S*)-*tert*-butyl-3-methylperhydropyrimidin-4-one
Paul Stead, Hugh Marley, Mahmoud Mahmoudian, Graham Webb, David Noble, Yam To Ip, Elisabetta Piga, Tino Rossi, Stanley Roberts and Michael J. Dawson	2247	Efficient procedures for the large-scale preparation of (1*S*,2*S*)-*trans*-2-methoxycyclohexanol, a key chiral intermediate in the synthesis of tricyclic β-lactam antibiotics
Hak-Fun Chow and Man-Kit Ng	2251	Synthesis, chiroptical and redox properties of axially chiral binaphthol-based oligomers
José M. Fraile, José I. García, José A. Mayoral and Ana J. Royo	2263	Chiral Lewis acids supported on silica gel and alumina, and their use as catalysts in Diels–Alder reactions of methacrolein and bromoacrolein
Maria Cristina Di Giovanni, Domenico Misiti, Claudio Villani, Giovanni Zappia	2277	A straightforward synthesis of proclavaminic acid, a biosynthetic precursor of clavulanic acid
Waldemar Adam, Michael Lazarus, Chantu R. Saha-Möller and Peter Schreier	2287	Enantioselective α hydroxylation of carboxylic acids with molecular oxygen catalyzed by the α oxidation enzyme system of young pea leaves (*Pisum sativum*): a substrate selectivity study
Filippo Minutolo, Dario Pini, Antonella Petri and Piero Salvadori	2293	Heterogeneous asymmetric epoxidation of unfunctionalized olefins catalyzed by polymer-bound (salen)manganese complexes
Andreas Wiegers and Hans-Dieter Scharf	2303	The influence of electronic effects and temperature on the enantioselective reductions of acetophenone derivatives with (–)-diisopinocampheylchloroborane—a dynamic model of enantioselection
Thibaud Biadatti, John L. Esker and Carl R. Johnson	2313	Chemoenzymatic synthesis of a versatile cyclopentenone: (+)-(3a*S*,6a*S*)-2,2-dimethyl-3aβ,6aβ-dihydro-4*H*-cyclopenta-1,3-dioxol-4-one
Pierfrancesco Bravo, Silvia Capelli, Stefano V. Meille, Paolo Seresini, Alessandro Volonterio and Matteo Zanda	2321	Enantiomerically pure α-fluoroalkyl-α-amino acids: synthesis of (*R*)-α-difluoromethyl-alanine and (*S*)-α-difluoromethyl-serine

Martín Avalos, Reyes Babiano, Pedro Cintas, José L. Jiménez and Juan C. Palacios	2333	A simple, CIP-based notation system for the unambiguous specification of asymmetric reactions
J. Eilers, J. Wilken and J. Martens	2343	Syntheses of new chiral 1,2-diamines and δ-amino-alcohols and their application in catalytic enantioselective C–C bond formations at an elevated temperature of up to 110°C
Guy Solladié, Jean-François Saint Clair, Michel Philippe, Didier Semeria and Jean Maignan	2359	Synthesis of 1,2:5,6-di-*O*-isopropylidene-D-glucofuranos-3-yl and 1,2:3,4-di-*O*-isopropylidene-D-galactopyranos-6-yl-(*N*-diphenylmethylene) glycinates
Dawei Ma, Jingyuan Ma, Wenli Ding and Lixin Dai	2365	An improved procedure to homochiral cyclic statines
Guy Solladié and Laurence Gressot-Kempf	2371	Chiral sulfoxides in asymmetric synthesis: enantioselective synthesis of (–)-(5*S*,7*R*)-tarchonanthuslactone
Hiroto Nakano, Kazuto Iwasa, Yuko Okuyama and Hiroshi Hongo	2381	Lipase-catalyzed resolution of 2-azabicyclo[2.2.1]hept-5-en-3-ones
András Mravik, Zsolt Lepp and Elemér Fogassy	2387	Simple resolution of *O,O'*-dibenzoyltartaric acid by preferential crystallization of its calcium salt–methoxyethanol complex
Carlos Cativiela, José M. Fraile, José I. García, Mª Pilar López, José A. Mayoral and Elisabet Pires	2391	Diels–Alder reactions of (*E*)-2-phenyl-4-[(*S*)-2,2-dimethyl-1,3-dioxolan-4-ylmethylen]-5(4*H*)-oxazolone with heterogeneous catalysts
Cihangir Tanyeli, Ayhan S. Demir and Emre Dikici	2399	New chiral synthon from the PLE catalyzed enantiomeric separation of 6-acetoxy-3-methylcyclohex-2-en-1-one
Chuong Hao Tran and David H. G. Crout	2403	Syntheses of pseudo-α-L-fucopyranose and pseudo-6-deoxy-β-D-altropyranose from ((5*S*,6*R*)-5,6-dihydroxy-1,3-cyclohexadienyl)methanenitrile
James C. Adrian, Jr and Tina M. Ovitt	2407	An improved, two step synthesis of the chiral templating reagent 2,6-dihydroxy-9,10-dihydro-11,12-dicarbomethoxyethenoanthracene
B. B. Lohray, A. Sekar Reddy and Vidya Bhushan	2411	An efficient synthesis of (3*R*)-4-amino-3-hydroxy butyric acid (GABOB) via cyclic sulfite methodology
Daniele Nanni and Dennis P. Curran	2417	Synthesis and some reactions of the first chiral tin hydride containing a C_2-symmetric binaphthyl substituent
Tamar Yechezkel, Eugene Ghera, Namakkal G. Ramesh and Alfred Hassner	2423	Asymmetric synthesis of substituted cyclopentanes via Michael initiated ring closure reactions
Waldemar Adam, József Jeko, Albert Lévai, Zsuzsa Majer, Csaba Nemes, Tamás Patonay, László Párkányi and Péter Sebok	2437	Determination of the absolute configuration of optically active 2,2-dimethyl-3,4-epoxychromans prepared by the catalytic enantioselective epoxidation with the dimethyldioxirane/Jacobsen Mn(III)salen system
Eszter Gács-Baitz, István Tömösközi and Mária Kajtár-Peredy	2447	Configurational determination and conformational properties of diastereomeric nucleoside-phosphorothioates
Yoshitane Imai, Wanbin Zhang, Toshiyuki Kida, Yohji Nakatsuji and Isao Ikeda	2453	Novel C_2-symmetric chiral bisoxazoline ligands in rhodium(I)-catalyzed asymmetric hydrosilylation
	A351	Stereochemistry Abstracts
	I	Instructions for Authors

NUMBER 9

Contents

	iii	Contributors to this Issue
	v	Graphical Abstracts
		COMMUNICATIONS
Fu-Yao Zhang, Chiu-Wing Yip and Albert S. C. Chan	2463	Enantioselective borane reduction of ketones catalyzed by chiral lanthanum alkoxides

Elise B. Koroleva and Pher G. Andersson	2467	Development of an asymmetric palladium-catalysed elimination
Lakshmanan Venkatraman and Mariappan Periasamy	2471	A novel, simple method for enrichment of enantiomeric excess of scalemic 1,1'-bi-2-naphthol
M. Carmen Bernabeu, Pedro Bonete, Francisco Caturla, Rafael Chinchilla and Carmen Nájera	2475	Asymmetric synthesis of β-hydroxy sulfones by reduction of chiral β-keto sulfones
Toshiro Harada, Masahiro Takeuchi, Masanori Hatsuda, Shinji Ueda and Akira Oku	2479	Effects of torsional angles of 2,2'-biaryldiol ligands in asymmetric Diels–Alder reactions of acrylates catalyzed by their titanium complexes
Masashi Mizuno, Motomu Kanai, Akira Iida and Kiyoshi Tomioka	2483	Chiral ligand controlled enantioselective opening of oxirane and oxetane
Jose L. Bermudez, Carmen del Campo, Loreto Salazar, Emilio F. Llama and Jose V. Sinisterra	2485	A new application of *Candida antarctica* lipase for obtaining natural homochiral BBAs aryloxypropanolamine
Abdelkrim Meddour, Arnaud Haudrechy, Philippe Berdagué, Willy Picoul, Yves Langlois and Jacques Courtieu	2489	Analysis of the diastereoselectivity of a Diels–Alder cycloaddition through ^{2}H NMR in chiral liquid crystals
Hans-Josef Altenbach, Gerd F. Merhof and David J. Brauer	2493	*S*-(−)-2-Acetoxymethyl-2,5-dihydrothiophene via enzymatic resolution
Katja Scharpwinkel, Stefan Matull and Hans J. Schäfer	2497	Enantioselective addition of lithium trimethylsilyl acetylide to substituted cyclohexanones. Synthesis of optically active tertiary cyclohexanols
Mercedes Amat, Núria Llor, José Hidalgo, Joan Bosch, Elies Molins and Carles Miravitlles	2501	New chiral nonracemic piperidine-derived epoxy lactams
Rüdiger Hainz, Hans-Joachim Gais and Gerhard Raabe	2505	Stereoselective hydroxyalkylation of titanated allyl sulfoximines at the α- as well as the γ-position through variation of the titanation reagent
Tadakatsu Hayase, Yukikazu Inoue, Takanori Shibata and Kenso Soai	2509	Asymmetric synthesis of *N*-(diphenylphosphinyl)ferrocenylamine by the enantioselective alkylation of ferrocenylimine
Graeme A. Cran, Colin L. Gibson, Sheetal Handa and Alan R. Kennedy	2511	Scalemic β-amino sulfide ligands: use in enantioselective conjugate additions and X-ray analysis of a dimeric copper(I) complex
Marvin M. Hansen, Allen R. Harkness, Vien V. Khau, Michael J. Martinelli and Jack B. Deeter	2515	Synthesis of enantioenriched 4-thiazolidinone (−)-LY213829 by chemoselective benzylamide cleavage in the presence of a C–S bond
Takefumi Suzuki, Naoyuki Narisada, Takanori Shibata and Kenso Soai	2519	*N*-Alkyl-*N*-vinylbenzylnorephedrines and their copolymers as chiral ligands for the highly enantioselective ethylation of *N*-diphenylphosphinylimine
Pierre-Yves Renard and Jean-Yves Lallemand	2523	1,3-Dienylboronates in Diels–Alder reactions—II
Kim A. Dastlik, Robin G. F. Giles and Gregory H. P. Roos	2525	An expedient route to the glycine templates (*R*)- or (*S*)-*N*-Cbz-5-phenyl-1,4-oxazin-2-one
Concepción López, Ramón Bosque, Xavier Solans and Mercè Font-Bardia	2527	Syntheses and characterization of optically active cyclopalladated compounds containing ferrocenyl units
		ARTICLES
Hiroyuki Ishibashi, Yumi Fuke, Takashi Yamashita and Masazumi Ikeda	2531	Radical cyclization of chiral *N*-(1-cycloalken-1-yl)-α-haloacetamides: synthesis of optically active bicyclic pyrrolidinones
Erwin G. J. C. Warmerdam, Adrianus M. C. H. van den Nieuwendijk, Johannes Brussee, Chris G. Kruse and Arne van der Gen	2539	Asymmetric epoxidation of chiral allylic alcohols
Mark G. Moloney, Diana R. Paul, Russell M. Thompson and Emma Wright	2551	Chiral carboxylic acid ligands derived from camphoric acid
David Ager, Nicholas Cooper, Geoffrey G. Cox, Florence Garro-Hélion and Laurence M. Harwood	2563	Synthesis, isomerisation and Diels–Alder reactions of (5*S*)-5-phenyl-3,4-dehydromorpholin-2-one
Isidoro Izquierdo, Maria T. Plaza and F. Aragón	2567	Enantiospecific synthesis of 8-*O*-methylthioswainsonine from a derivative of D-glucose

Salvatore Caccamese, Grazia Principato, Alba Chimirri and Silvana Grasso	2577	Separation of the enantiomers of anticonvulsant tricyclic pyrroloimidazolones by enantioselective HPLC. A chiral recognition model and a chiroptical study
Sylvie Hoarau, Jean Luc Fauchère, Louis Pappalardo, Marie Louise Roumestant and Philippe Viallefont	2585	Synthesis of enantiomerically pure (2*R*,5*S*)- and (2*R*,5*R*)-5-hydroxypipecolic acid from glycinate Schiff bases
Machiko Ono, Chikako Saotome and Hiroyuki Akita	2595	Chemoenzymatic syntheses of each stereoisomer of (4,5)-epoxy-(2*E*)-hexenoates
Pedro de March, Marta Figueredo, Josep Font, Lluïsa González and Antonio Salgado	2603	Two new chiral equivalents of H_2S: a thio- and a dithiocarboxylic acid
Zhaoming Xiong, Jiong Yang and Yulin Li	2607	An efficient asymmetric route to eudesmane acids. Total synthesis of (+)-12-hydroxy-α-cyperone, (+)-12-oxo-α-cyperone and (+)-3-oxoeudesma-4,11(13)-dien-12-oic acid
Jesús Ezquerra, Ana Escribano, Almudena Rubio, Modesto Jesús Remuiñán and Juan José Vaquero	2613	4-Benzyl-2,3-didehydroprolinate as a homochiral template for Michael additions. Synthesis of enantiopure α-allokainoids, β-kainoids, 2,3-methanoprolines and other 3,4-disubstituted prolines
C. del Campo, E. F. Llama and J. V. Sinisterra	2627	Design, synthesis and evaluation of a chiral propranolol selector
Henrik Walbye Anthonsen, Bård Helge Hoff and Thorleif Anthonsen	2633	Calculation of enantiomer ratio and equilibrium constants in biocatalytic ping-pong bi–bi resolutions
Sankaranarayanan S., Anubha Sharma and Subrata Chattopadhyay	2639	Convenient synthesis of (±)- and (*S*)-antipode of (4*E*,7*S*)-7-methoxytetradec-4-enoic acid, the antimicrobial principle of marine cyanophyte
Teodozyj Kolasa, David E. Gunn, Andrew O. Stewart and Clint D. W. Brooks	2645	Synthesis and resolution of 2-(cyclohexyl-4-(2-quinolylmethoxy)phenyl)-methoxyiminopropionic acid, leukotriene biosynthesis inhibitors
Vesa Nevalainen	2655	$HB(OH)_2$ and H_2CO as probes for a study on binding of dialkoxyboranes and ketones to oxazaborolidines capable of catalyzing the enantioselective reduction of ketones
Angela Patti, Claudia Sanfilippo, Mario Piattelli and Giovanni Nicolosi	2665	Enzymatic desymmetrisation of conduritol D. Preparation of homochiral intermediates for the synthesis of cyclitols and aminocyclitols
Yasumasa Hamada and Shiho Mukai	2671	Synthesis of ethano-Tröger's base, configurationally stable substitute of Tröger's base
M. Ordoñez, V. Guerrero-de la Rosa, V. Labastida and J. M. Llera	2675	Enantioselective Diels–Alder reactions catalyzed by chiral magnesium Lewis acids prepared from hydroxysulfoxides
Jan Omelanczuk and Marian Mikołajczyk	2687	Chiral *t*-butylphenylphosphinothioic acid: a useful chiral solvating agent for direct determination of enantiomeric purity of alcohols, thiols, amines, diols, aminoalcohols and related compounds
Oscar Cantín, Carlos Cativiela, María D. Díaz-de-Villegas, Rafael Navarro and Esteban P. Urriolabeitia	2695	A practical method for the absolute configuration assignment of α-amino acids using their Pd(dmba) amino acidato complexes
Annalisa Tait, Emma Colorni and Maria Di Bella	2703	Stereospecific synthesis of 3-[(2*H*-1,2,4-benzothiadiazine-1,1-dioxide-3-yl)thio]-2-methylpropanoic acids
Philippe Delair, Alice M. Kanazawa, Mariangela B. M. de Azevedo and Andrew E. Greene	2707	Efficient, large-scale preparation of (*R*)- and (*S*)-1-(2,4,6-triisopropylphenyl)ethanol, versatile chiral auxiliary for cyclopentenone, γ-butyrolactone, and γ-butyrolactam synthesis
Zbigniew Czarnocki, Józef B. Mieczkowski and Marek Ziółkowski	2711	Enantioselective synthesis of (*R*)-(−)-laudanosine and (*R*)-(−)-glaucine from L-ascorbic acid
Orin Tempkin, Thomas J. Blacklock, J. Andrew Burke and Maria Anastasia	2721	β-Butyrolactone as a chiral building block in organic synthesis: a convenient synthesis of MK-0507 keto sulfone
Rolf Uggla, Vesa Nevalainen and Markku R. Sundberg	2725	On the role of π-stacking in aldehyde complexes of *N*-sulphonylated oxazaborolidinones used as chiral catalysts
V. Srirajan, A. R. A. S. Deshmukh, V. G. Puranik and B. M. Bhawal	2733	Asymmetric synthesis of α-hydroxy acids via β-lactams

Massimo Falorni, Cristina Collu and Giampaolo Giacomelli	2739	Chiral ligands containing heteroatoms—XV. Cyclic β-amino alcohols as chiral inductors for enantioselective reductions of ketones
Tsutomu Yokomatsu, Mutsumi Sato and Shiroshi Shibuya	2743	Lipase-catalyzed enantioselective acylation of prochiral 2-(ω-phosphono)-alkyl-1,3-propanediols: application to the enantioselective synthesis of ω-phosphono-α-amino acids
Ron Hulst, Hero Heres, Kevin Fitzpatrick, Nathalie C. M. W. Peper and Richard M. Kellogg	2755	Catalytic enantioselective alkylation of benzaldehyde with diethylzinc using chiral nonracemic (thio)-phosphoramidates
Yves Blériot, Clifford R. Veighey, Kathryn H. Smelt, Joan Cadefau, Willy Stalmans, Keith Biggadike, Alexandra L. Lane, Matthias Müller, David J. Watkin and George W. J. Fleet	2761	The first example of a 6-*C*-aryl-D-glucose: inhibition of glucokinase
	A401	Stereochemistry Abstracts
	I	Instructions for Authors

NUMBER 10

Contents

	iii	Contributors to this Issue
	v	Graphical Abstracts
		COMMUNICATIONS
Antonio Trincone and Edoardo Pagnotta	2773	Facile chemo-enzymatic access to monoglucosyl derivatives of 2,3-oxirane dimethanol
Mercedes Amat, Mª-Dolors Coll, Daniele Passarella and Joan Bosch	2775	An enantioselective synthesis of the *Strychnos* alkaloid (–)-tubifoline
Li Xingshu and Xie Rugang	2779	Enantioselective reduction of aromatic ketones with borane catalyzed by (*R*)-4-thiazolidinecarboxylic acids or (*R*)-4-thiazolidine methanol
Richard Laï and Sandrine Martin	2783	A simple route to chiral carbohydrate-cyclopentadienyl and -indenyl ligands
Naoyoshi Maezaki, Atsunobu Sakamoto, Motohiro Soejima, Ikuyo Sakamoto, Li Ying Xia, Tetsuaki Tanaka, Hirofumi Ohishi, Ken-ichi Sakaguchi and Chuzo Iwata	2787	1,5-Benzodithiepan-3-one 1,5-dioxide: a novel chiral auxiliary for asymmetric desymmetrization of *meso*-1,2-diols
Timothy T. Curran and David A. Hay	2791	Resolution of *cis*-4-*O*-TBS-2-cyclopenten-1,4-diol
A. Carrière, A. Virgili and M. Figueredo	2793	Use of 9-anthrylcarbinol derivatives as chiral auxiliaries—II. Asymmetric 1,3-dipolar cycloaddition
Tamiko Takahashi, Jian Zhang, Noriyuki Kurose, Shigemasa Takahashi, Toru Koizumi and Motoo Shiro	2797	First synthesis and structure of optically pure Te-chiral-alkoxytelluranes
Pedro Noheda, Germán García, M. Carmen Pozuelo and Bernardo Herradón	2801	Chemo-enzymatic synthesis of chiral cyclic compounds: efficient kinetic resolution of 2-bromo-2-cyclohexenol
B. B. Lohray, E. Nandanan and Vidya Bhushan	2805	Catalytic asymmetric dihydroxylation of alkenes using silica gel supported cinchona alkaloid
Guy Brenchley, Michael Fedouloff, Eric Merifield and Martin Wills	2809	Synthesis and applications of a new class of C_2 symmetric phosphorus donor ligand for asymmetric catalysis
William H. Pirkle, Kevin Z. Gan and L. Jonathan Brice	2813	The enhancement of enantioselectivity by halogen substituents
Philippe Dagneau and Perséphone Canonne	2817	An efficient synthesis of the natural (+)-fulvanin 1

Steeves Potvin and Perséphone Canonne	2821	The first enantioselective synthesis of (–)-microcionin 2
		ARTICLES
Stefan E. Boiadjiev and David A. Lightner	2825	pH-Sensitive exciton chirality chromophore. Solvatochromic effects on circular dichroism spectra
Xiao-Xiang Zhu, Ping Yu Ding and Meng-Shen Cai	2833	Synthesis of tumor-associated saccharides via *O*-glycosyl trichloroacetic
Laurent Micouin, Valérie Jullian, Jean-Charles Quirion and Henri-Philippe Husson	2839	Origins of diastereoselectivity in the alkylation of N-substituted lactams and amides derived from optically active aminoalcohols
Zixing Shan, Guoping Wang, Biao Duan and Dejie Zhao	2847	Preparation of enantiomerically pure 1,1'-bi-2-naphthol via cyclic borate ester
Jing Li, Jiong Lan, Zuosheng Liu, Ying Li and Yulin Li	2851	First total synthesis of three cembrene diterpenoids
Magnus Cernerud, José Antonio Reina, Jörgen Tegenfeldt and Christina Moberg	2863	Chiral polymers via asymmetric epoxidation and asymmetric dihydroxylation
Bruce W. Baldwin and Cary J. Morrow	2871	Differentiation and assignment of the proton NMR signals in the bis-MTPA ester of *meso*-α,α'-dimethyl-1,4-benzenedimethanol
Giancarlo Fantin, Marco Fogagnolo, Maria Elisabetta Guerzoni, Rosalba Lanciotti, Alessandro Medici, Paola Pedrini and Damiano Rossi	2879	Effect of high hydrostatic pressure and high pressure homogenization on the enantioselectivity of microbial reductions
Thomas F. J. Lampe, H. M. R. Hoffmann and Uwe T. Bornscheuer	2889	Lipase mediated desymmetrization of *meso*-2,6-di(acetoxymethyl)-tetrahydropyran-4-one derivatives. An innovative route to enantiopure 2,4,6-trifunctionalized C-glycosides
Arounarith Tuch, Michèle Sanière, Yves Le Merrer and Jean-Claude Depezay	2901	Synthesis of (2*S*,3*R*)-3-amino-2-hydroxydecanoic acid and (3*R*,4*R*)-3-amino-4-hydroxyazepane from D-isoascorbic acid
Francisco Foubelo and Miguel Yus	2911	EPC-synthesis of functionalised amides via chiral β-nitrogenated organolithium compounds
Akiko Saito, Akira Tanaka and Takayuki Oritani	2923	A practical synthesis of enantiomerically pure (–)-geosmin via highly diastereoselective reduction of (4a*S*,8*S*)-4,4a,5,6,7,8-hexahydro-4a,8-dimethyl-2(3*H*)-naphthalenone
Mauro Panunzio, Roberto Camerini, Roberta Pachera, Daniele Donati, Carla Marchioro and Alcide Perboni	2929	Highly stereocontrolled synthesis of enantiomeric 4-methoxy trienems via resolution of scalemic enol phosphates
Atsushi Sudo and Kazuhiko Saigo	2939	Design, synthesis, resolution, and application of a highly efficient chiral auxiliary: *cis*-2-amino-3,3-dimethyl-1-indanol
Frank W. Curtius and Hans-Dieter Scharf	2957	Synthesis and characterization of both enantiomers of *trans*-1,2-di-(2-hydroxy-2-propyl)-cyclobutane
Elisabeth Coudert, Francine Acher and Robert Azerad	2963	Resolution and regioselective protection of glutamic acid analogues—II. Synthesis, resolution and configuration assignment of (+)-α-methyl-4-carboxyphenylglycine (M4CPG)
Carlo Rosini, Roberto Tanturli, Paolo Pertici and Piero Salvadori	2971	Enantioselective dihydroxylation of olefins by osmium tetroxide in the presence of an optically active 1,1'-binaphthyl diamine derivative
Cécile Abalain, Didier Buisson and Robert Azerad	2983	Selective synthesis of 1- and 3-carbomethoxy 2-tetralol stereoisomers by microbial reduction of the corresponding tetralones
Abderrazak Bachki, Francisco Foubelo and Miguel Yus	2997	Chiral epoxides as a source of chiral β-oxidofunctionalised organolithium compounds: reaction with electrophiles
Giovanni Vidari, Gianluigi Lanfranchi, Francesca Masciaga and Jean-Dominique Moriggi	3009	Enantioselective synthesis of γ-cyclohomocitral, pallescensone, and ancistrodial
Kaoru Nakamura, Tomoko Matsuda and Atsuyoshi Ohno	3021	Asymmetric synthesis of (*S*)-arylalkanols by microbial reduction
Detlef Heller, Renat Kadyrov, Manfred Michalik, Thomas Freier, Ute Schmidt and Hans Walter Krause	3025	Asymmetric hydrogenation of dimethyl itaconate catalysed by rhodium chelates of aminophosphine phosphinites: a kinetic and NMR spectroscopical study
Eero Vänttinen and Liisa T. Kanerva	3037	Optically active 1,3-dioxolane-4-methanols. Lipase-catalysed acylation of racemic ketals and diastereomeric acetals

Hiroki Takahata, Minoru Kubota, Seiki Takahashi and Takefumi Momose 3047 A new asymmetric entry to 2-substituted piperidines. A concise synthesis of (+)-coniine, (–)-pelletierine, (+)-δ-coniceine, and (+)-epidihydropinidine

A453 Stereochemistry Abstracts

I Instructions for Authors

NUMBER 11

Contents

iii Tetrahedron Prize for Creativity in Organic Chemistry

v Contributors to this Issue

vii Graphical Abstracts

COMMUNICATIONS

Yongmin Zhang and Peipei Sun 3055 The asymmetric induction and catalysis of chiral reverse micelle: asymmetric reduction of prochiral ketones

Rafaël Sablong and John A. Osborn 3059 Asymmetric hydrogenation of imines catalysed by carboxylato(diphosphine)iridium(III) complexes

Udo Bremen and Hans-Joachim Gais 3063 Asymmetric acylation with polyethylene glycol-modified *Candida cylindracea* lipase in homogeneous organic media

Hsiang-Ling Huang, Ya-Chuan Lin, Shyh-Fong Chen, Chia-Lin J. Wang and Lee Tai Liu 3067 The steric effect and enantioselectivity of chiral 2,2-disubstituted thiaprolinol derivatives as ligands for borane reduction of aromatic ketones and for diethylzinc addition to aromatic aldehydes

Mark P. Gamble, John R. Studley and Martin Wills 3071 Design, synthesis and applications of a ketone reduction catalyst containing a phosphinamide combined with a dioxaborolidine unit

Dawei Ma and Jiangchao Yao 3075 Synthesis of chiral *N*-aryl-α-amino acids by Pd–Cu catalyzed couplings of chiral α-amino acids with aryl halides

Simone A. Giacobbe and Tino Rossi 3079 Alkyl groups on the metal enhance the reactivity of the 'classical' zirconium enolate of 1-methoxycyclohexanone

Hua Cheng, Liang Ma, Qiao-Sheng Hu, Xiao-Fan Zheng, Julie Anderson and Lin Pu 3083 The first sterically regular chiral conjugated crown ether polymer

Hans-Josef Altenbach and Gerd F. Merhof 3087 Synthesis of 1-deoxy-4-thio-L-ribose starting from D-arabitol

Mercedes Amat, Grigorii Pshenichnyi, Joan Bosch, Elies Molins and Carles Miravitlles 3091 Enantioselective syntheses of the indole alkaloid (+)-*R*-decarbomethoxytetrahydrosecodine and its enantiomer

Henri Brunner, Jürgen Bügler and Bernhard Nuber 3095 Optically active transition metal complexes—CXI. Synthesis and structure of a new thioamidato rhodium(I) complex

Thierry Gefflaut, Udo Bauer, Karri Airola and Ari M. P. Koskinen 3099 Asymmetric 1,3-dipolar cycloaddition: synthesis of N-protected (4*S*)-4-hydroxy L-glutamic acid diester

Liang Ma, Qiao-Sheng Hu and Lin Pu 3103 Synthesis of an optically active poly(aryleneethynylene) containing extended conjugation in the repeat unit

Bryon E. Carpenter, Ian R. Hunt and Brian A. Keay 3107 A short efficient preparation of (+)- and (–)-*trans*-2-phenylcyclohexanol

Toshio Suzuki, Hideaki Idogaki and Naoya Kasai 3109 A novel generation of optically active ethyl 4-chloro-3-hydroxybutyrate as a C4 chiral building unit using microbial dechlorination

ARTICLES

Takashi Ishida, Stephen V. J. Bounds, John Caldwell, Alex Drake and Mitsuhiro Takeshita 3113 The absolute configuration of the four stereoisomers of *trans*-anethole diol (1-(4'-methoxyphenyl)-1,2-propanediol), a metabolite of anethole in the rat

José Kovensky, Philippe Duchaussoy, Maurice Petitou and Pierre Sinaÿ 3119 Binding of heparan sulfate to fibroblast growth factor-2. Total synthesis of a putative pentasaccharide binding site

Fabio Donzelli, Claudio Fuganti, Monica Mendozza, Giuseppe Pedrocchi-Fantoni, Stefano Servi and Gioia Zucchi 3129 On the stereochemistry of the Baeyer–Villiger degradation of arylalkylketones structurally related to raspberry ketone by *Beauveria bassiana*

Fu-Yao Zhang, Chiu-Wing Yip and Albert S. C. Chan	3135	The acceleration of the catalytic asymmetric borane reduction of ketones by organoaluminum compounds
Chien-Chang Shen, Shiu-Ching Chou, Cheng-Jen Chou and Li-Kang Ho	3141	Total synthesis of acetylmelodorinol
K. R. K. Prasad and N. N. Joshi	3147	An optimised *in situ* procedure for the oxazaborolidine catalysed enantioselective reduction of prochiral ketones
Antonio Guidi, Viviane Theurillat-Moritz, Pierre Vogel and A. Alan Pinkerton	3153	Enantiomerically pure Diels–Alder adducts of maleic anhydride to furfural acetals through thermodynamic control. Single crystal and molecular structure of (1*S*,4*R*,4'*S*,5'*S*)-1-(4',5'-dimethyldioxolan-2'-yl)-5,6-dimethylidene-7-oxabicyclo[2.2.1]hept-2-ene
Viviane Theurillat-Moritz and Pierre Vogel	3163	Synthesis of enantiomerically pure 7-oxabicyclo[2.2.1]hept-2-enes; precursors in the preparation of taxol analogues
Maria J. Milewska, Maria Gdaniec and Tadeusz Polonski	3169	Synthesis, stereochemistry, and chiroptical spectra of cyclopropyl lactones and thionolactones
Bård H. Hoff, Viggo Waagen and Thorleif Anthonsen	3181	Resolution of 1-phenoxy-, 1-phenylmethoxy- and 1-(2-phenylethoxy)-2-propanol and their butanoates by hydrolysis with lipase B from *Candida antarctica*
Bård H. Hoff, Henrik W. Anthonsen and Thorleif Anthonsen	3187	The enantiomer ratio strongly depends on the alkyl part of the acyl donor in transesterification with lipase B from *Candida antarctica*
Michel Franck-Neumann, Paul Stöber and Guy Passmore	3193	Resolution of chiral (trimethylenemethane) iron (tricarbonyl) complexes
José M. Jiménez and Rosa M. Ortuño	3203	First enantioselective synthesis of (−)-(*Z*)-2,3-methano-L-glutamic acid
Francisco Sánchez-Sancho, Serafín Valverde and Bernardo Herradón	3209	Stereoselective syntheses and reactions of chiral oxygenated α,β-unsaturated-γ- and δ-lactones
Antony Chesney and Martin R. Bryce	3247	Chiral oxazolines linked to tetrathiafulvalene (TTF): redox-active ligands for asymmetric synthesis
Barbara Jakob, Gundula Voss and Hans Gerlach	3255	Synthesis of (*S*)- and (*R*)-3-hydroxyhexadecanoic acid
Josef Schachtner and Hans-Dietrich Stachel	3263	Organoalane-mediated isomerization of ascorbic and isoascorbic acid derivatives
Mårten Lundh, Olof Smitt and Erik Hedenström	3277	Sex pheromone of pine sawflies: enantioselective lipase catalysed transesterification of *erythro*-3,7-dimethylpentadecan-2-ol, diprionol
Koichiro Naemura, Masaki Murata, Rie Tanaka, Masashi Yano, Keiji Hirose and Yoshito Tobe	3285	Enantioselective acylation of primary and secondary alcohols catalyzed by lipase QL from *Alcaligenes* sp.: a predictive active site model for lipase QL to identify which enantiomer of an alcohol reacts faster in this acylation
Yan-Yi Zhu and D. Jean Burnell	3295	Enantio- and diastereoselectivity in the reduction of spiro[4.5]decane-1,4-dione derivatives with baker's yeast
Jean-Philippe Surivet, Jean-Noël Volle and Jean-Michel Vatèle	3305	Easy access to an enantiopure precursor of (+)-goniodiol
Luciano Antolini, Arrigo Forni, Irene Moretti, Fabio Prati, Eliane Laurent and Detlef Gestmann	3309	Synthesis, enzymatic resolution and absolute configuration of ethyl *trans*-3-(trifluoromethyl)pyroglutamate
Albert Khilevich, Aye Mar, Michael T. Flavin, John D. Rizzo, Lin Lin, Sergey Dzekhtser, Darko Brankovic, Heping Zhang, Wei Chen, Shuyuan Liao, David E. Zembower and Ze-Qi Xu	3315	Synthesis of (+)-calanolide A, an anti-HIV agent, via enzyme-catalyzed resolution of the aldol products
Christophe Cinquin, Michel Bortolussi and Robert Bloch	3327	2,5-Dihydropyrrole derivatives as enantiomerically enriched building blocks: synthesis of the Geissman–Waiss lactone and polyhydroxylated pyrrolidines
	A507	Stereochemistry Abstracts
	I	Instructions for Authors

NUMBER 12

Contents

	iii	Tetrahedron Prize for Creativity in Organic Chemistry
	v	Contributors to this Issue
	vii	Graphical Abstracts
	3333	Corrigendum
	3334	Erratum
		COMMUNICATIONS
Vicente Ojea, María Ruiz, Juan Vilar and José Mª Quintela	3335	Origins of selectivity in conjugate additions of alkenylphosphonates to lithiated bislactim ethers: a semiempirical study
Issaku Yamada, Motowo Yamaguchi and Takamichi Yamagishi	3339	A novel chiral phosphinediamine ligand and asymmetric hydrogenation of acrylic acid derivatives
Alexandre Alexakis, Farida Mhamdi, Franz Lagasse and Pierre Mangeney	3343	Asymmetric cleavage of chiral α,β-ethylenic acetals by organolithium reagents
Santo Lanza, Giuseppe Bruno, Francesco Nicolò and Rosario Scopelliti	3347	A new example of stereoisomerism in inorganic chemistry: Pt–Ru chiral axis in [(η^6-*p*-cymene)RuCl(μ-*N,N'*-dialkyldithioxamidato *N,N'*-Ru-*S,S'*-Pt)-Pt(2-diphenylphosphinopyridine)Cl]
Jonathan D. Moseley, Brian J. Williams, Simon N. Owen and Hugh M. Verrier	3351	Crystallisation induced resolution of 4-fluorophenylglycine
Abdelhak Benabra, Ana Alcudia, Noureddine Khiar, Inmaculada Fernández and Felipe Alcudia	3353	Unprecedented base effect on the synthesis of chiral phosphinate esters: a new route to P-chiral phosphine oxides of high enantiomeric purity
Colin L. Gibson	3357	Catalytic enantioselective conjugate additions using enantiopure β-amino disulfides and β-amino thiolates
		ARTICLES
Ayhan S. Demir, Idris Mecitoglu, Cihangir Tanyeli and Volkan Gülbeyaz	3359	Enantioselective reduction of ketones with borane catalyzed by cyclic β-amino alcohols prepared from proline
Fritz Theil, Helmut Sonnenschein and Thomas Kreher	3365	Lipase-catalysed resolution of 3,3'-bi-indolizines: the first preparative access to enantiomerically pure samples
Yoshiki Morimoto, Atsushi Mikami, Shin-itsu Kuwabe and Haruhisa Shirahama	3371	Stereocontrolled synthesis of C10–C22 fragment of the immunosuppressant FK 506. An occurrence of complementary stereoselectivity in the C15 ketone reduction
G. Biju Kumar, Hetal V. Patel, Amrish C. Shah, Markus Trenkle and Christine J. Cardin	3391	Diastereoselective formation of 2-aryl-3-arenesulfonyl 4-ethyl-1,3-oxazolidines: an X-ray crystallographic and ^{1}H NMR study
Julie Ince, Tracey M. Ross, Michael Shipman and David S. Ennis	3397	Synthesis of chiral, nonracemic methyleneaziridines derived from β-amino alcohols
José L. García Ruano, Inmaculada Fernández, Miriam del Prado Catalina and Ana Alcudia Cruz	3407	Asymmetric aziridination by reaction of chiral *N*-sulfinylimines with sulfur ylides: stereoselectivity improvement by use of *tert*-butylsulfinyl group as chiral auxiliary
Jadwiga Frelek, Irma Panfil, Przemyslaw Gluzinski and Marek Chmielewski	3415	Synthesis, structure and chiroptical properties of isoxazolidin-5-ones
Gianluca Ottolina, Piero Pasta, David Varley and Herbert L. Holland	3427	Active site model of cyclohexanone monooxygenase—III. The case of benzyl sulfides bearing polar groups
Peter O'Brien and Stuart Warren	3431	Asymmetric synthesis with diphenylphosphine oxides: bicyclic aminals and oxazolidines as chiral auxiliaries

Elena V. Sergeeva, Valeria I. Rozenberg, Evgenii V. Vorontsov, Tat'yana I. Danilova, Zoya A. Starikova, Alexandr I. Yanovsky, Yuri N. Belokon' and Henning Hopf	3445	Asymmetric synthesis of (*R,S*)- and (*R,R*)-4-hydroxy-5-(α-substituted)-hydroxymethyl[2.2]paracyclophane and derivatives by stereoselective addition to (*R*)-4-hydroxy-5-formyl[2.2]paracyclophane and derivatives
A. Al Mourabit, M. Beckmann, C. Poupat, A. Ahond and P. Potier	3455	New C_2 symmetrical and semisymmetrical substituted imidazolium ribonucleoside. Imidazolic nucleosides analogues
Miguel Díaz and Rosa M. Ortuño	3465	Enantioselective synthesis of novel homochiral α-substituted (*S*)-isoserine derivatives. Incorporation of this amino acid in a highly conformationally constrained dipeptide surrogate
Jesús Razkin, Alberto González and Pilar Gil	3479	Stereoselective synthesis of sitophilate and sitophilure
Alessandro Bongini, Roberto Camerini, Mauro Panunzio, Elisa Bandini, Giorgio Martelli and Giuseppe Spunta	3485	Stereochemical aspects of the asymmetric synthesis of chiral α,β-dihydroxy phosphonates. Synthesis of α,β-dihydroxy phosphonic acids
René Csuk, Magda J. Schabel and Yvonne von Scholz	3505	Synthesis of the enantiomer of the antidepressant tranylcypromine
Marian Mikołajczyk, Jerzy A. Krysiak, Wanda H. Midura, Michał W. Wieczorek and Jarosław Błaszczyk	3513	α-Phosphoryl sulfoxides—X. A general synthesis of optically active α-chlorovinyl sulfoxides
James A. Nieman and Brian A. Keay	3521	*cis,cis*-Spiro[4.4]nonane-1,6-diol: a new chiral auxiliary for the asymmetric Diels–Alder reaction
Herbert C. Brown, Sanjay V. Malhotra and P. Veeraraghavan Ramachandran	3527	Organoboranes for synthesis—XVII. Generality of hydroboration-amination for the conversion of terpenes into enantiomerically pure terpenylamines. Their utility for gas chromatographic analysis of chiral carboxylic acids
José Luis Aceña, Odón Arjona and Joaquín Plumet	3535	Total synthesis of (+)-pinitol
Yoshitsugu Kokuryo, Takuji Nakatani, Kobee Kobayashi, Yoshinori Tamura, Kenji Kawada and Mitsuaki Ohtani	3545	Practical synthesis of L-*erythro*- and L-*threo*-4-fluoroglutamic acids using aminoacylase
Elvira Montenegro, Raouf Echarri, Carmen Claver, Sergio Castillón, Albert Moyano, Miquel A. Pericàs and Antoni Riera	3553	New camphor-derived sulfur chiral controllers: synthesis of (2*R*-*exo*)-10-methylthio-2-bornanethiol and (2*R*-*exo*)-2,10-bis(methylthio)bornane
David S. Keegan, Steven R. Hagen and David A. Johnson	3559	Efficient asymmetric synthesis of (*R*)-3-hydroxy- and alkanoyloxy-tetradecanoic acids and method for the determination of enantiomeric purity
Fritz Theil and Sibylle Ballschuh	3565	Chemoenzymatic synthesis of both enantiomers of cispentacin
Roberta Galeazzi, Silvano Geremia, Giovanna Mobbili and Mario Orena	3573	Cyclisation of (*R*)- and (*S*)-*N*-allyl-*N*-(1-phenylethyl)methoxycarbonylacetamide mediated by Mn(III): preparation and structural assignment of 3-aza-2-oxobicyclo[3.1.0]hexanes
Valeria Di Bussolo, Giorgio Catelani, Ettore Mastrorilli, Cristina Di Bugno and Raffaello Giorgi	3585	Convenient diastereospecific synthesis of a rociverine precursor and its resolution by lipase-catalyzed transesterification
Isidoro Izquierdo, María T. Plaza, Rafael Robles and Concepción Rodríguez	3593	A highly diastereoselective synthesis of 4-octulose and 2-deoxy-4-octulose from a D-fructose derivative
	A549	Stereochemistry Abstracts
	I	Instructions for Authors

ELSEVIER SCIENCE

ELSEVIER SCIENCE LTD
TRANSFER OF COPYRIGHT AGREEMENT

Scientific publishers and authors share a common interest in the protection of copyright: authors principally because they want their creative works to be protected from plagiarism and other unlawful uses, publishers because they need to protect their work and investment in the production, marketing and distribution of the article written by the author. In order to do so effectively, publishers need a formal written transfer of copyright from the authors(s) for each article published. We therefore ask you to complete and return this form promptly, retaining a copy for your records. Your cooperation is essential and appreciated.

Article entitled: _____

_____

Author(s): _____

_____

To be published in the journal: TETRAHEDRON: ASYMMETRY

_____

Effective upon acceptance for publication, copyright (including all rights thereunder and the right to obtain copyright registration in the name of the publisher, whether separately or as a part of a journal issue or otherwise) in the above article is hereby transferred throughout the world and for the full term and all extensions and renewals thereof, to:

ELSEVIER SCIENCE LTD

This transfer includes the right to adapt the article for use in conjunction with computer systems and programs, including reproduction or publication in machine-readable form and incorporation in retrieval systems.

Rights of authors

Elsevier Science LTD recognizes the retention of the following rights by the author(s):

1. Patent and trademark rights and rights to any process or procedure described in the article.

2. The right to photocopy or make single electronic copies of the article for their own personal use, including for their own classroom use, or for the personal use of colleagues, provided the copies are not offered for sale and are not distributed in a systematic way outside of their employing institution (e.g. via an e-mail list or public file server). Posting of the article on a secure network (not accessible to the public) within the author's institution is permitted.

3. The right, subsequent to publication, to use the article or any part thereof free of charge in a printed compilation of works of their own, such as collected writings or lecture notes.

Note: All copies, paper or electronic, or other use of the information must include an indication of the Elsevier Science LTD copyright and a full citation of the journal source. *Please refer requests for all uses not included above, including the authorization of third parties to reproduce or otherwise use all or part of the article (including figures and tables), to Elsevier Science LTD, Rights & Permissions Dept. The Boulevard, Langford Lane, Kidlington, Oxford, OX5 1GB, England.*

ELSEVIER SCIENCE

Authorship

If the article was prepared jointly with other author(s), the signing author has informed the co-author(s) of the terms of this copyright transfer and is signing on their behalf as their agent and represents that he or she is authorized to do so. Please confirm by checking the appropriate box following the signature line. The signing author shall bear the responsibility for designating the co-author(s) and must inform Elsevier Science of any changes in authorship.

If copyright is held by the employer, the employer or an authorized representative of the employer must sign. If the author signs, it is understood that this is with the authorization of the employer and the employer's acceptance of the terms of the transfer. Please confirm by checking the appropriate box following the signature line.

If the author is a U.S. Government employee and this work was done in that capacity, the copyright transfer applies only to the extent allowed by U.S. law and the author should sign this form. If at least one author is not a Government employee, that author should sign the copyright transfer form. Please confirm by checking the appropriate box following the signature line.

Warranties

The author(s) warrant(s) that the article is the author's original work and has not been published before. The author(s) warrant(s) that the article contains no libelous or other unlawful statements, and does not infringe on the rights of others. If excerpts from copyrighted works are included, the author(s) has (have) obtained or will obtain written permission from the copyright owners and will credit the sources in the article.

Preprints

The author(s) must agree that if a prior version of this work (normally a preprint) has been posted to an electronic public server, they will not update and/or replace this prior version in order to make it identical in contents to the final published version.

Signature of copyright owner(s) : _____ _____

Name (printed) : _____ _____
Title (if employer representative): _____
Company or institution : _____ _____
Date : _____

ATTACH ADDITIONAL SIGNATURE PAGE AS NECESSARY

If any of the following apply, please check the box(es):

☐ author on behalf of all co-authors
☐ employer representative
☐ employee of the U.S. government

Please retain a copy of this form for your files and return the original to:

ELSEVIER SCIENCE LTD
Attn. TETRAHEDRON PUBLICATIONS
THE BOULEVARD
LANGFORD LANE
KIDLINGTON
OXFORD
OX5 1GB
ENGLAND

Tetrahedron: *Asymmetry*

The International Journal for Rapid Publication on all Aspects of Asymmetry in Organic, Inorganic, Organometallic, Physical and Bio-organic Chemistry

AIMS AND SCOPE

Tetrahedron: Asymmetry presents experimental or theoretical research results of outstanding significance and timeliness on asymmetry in organic, inorganic, organometallic and physical chemistry, as well as its application to related disciplines, especially bio-organic chemistry.

The journal will publish critical reviews, original research articles and preliminary communications dealing with all aspects of the chemical, physical and theoretical properties of non-racemic organic and inorganic materials and processes.

Topics relevant to the journal include:

- the physico-chemical and biological properties of enantiomers
- strategies and methodologies of asymmetric synthesis
- resolution
- chirality recognition and enhancement
- analytical techniques for assessing enantiomeric purity and the unambiguous determination of absolute configuration
- molecular graphics and modelling methods for interpreting and predicting asymmetric phenomena

Papers describing the synthesis or properties of non-racemic molecules will be required to include a separate statement, in the form of a Stereochemistry Abstract, for publication in the same issue, of the criteria used for the assignment of configuration and enantiomeric purity.

Printed in Great Britain by Bell and Bain Ltd, Glasgow


1.0
1.1
1.25
1.4
1.6
2.8
3.2
3.6
4.0
2.5
2.2
2.0
1.8